Form 31so-5 December 1989.

# UNITED STATES DEPARTMENT OF THE INTERIOR DUBEAU OF LAND MANAGEMENT

FORM APPROVED


Budget Bureau No. 1904-21135

Expires September 30. 1940

		pires				
_	Lease	Desig	nation	and	Serva	10

BUREAU OF LAND	5 Lease Designation and Serial No.			
SUNDRY NOTICES AND R  Do not use this form for proposals to drill or to  Use 'APPLICATION FOR PERM	6 If Indian, Ailoffee or Tribe Name			
SUBMIT IN TR	7 If Unit or CA. Agreement Designation			
1. Type of Well Out Well Well Other		8. Well Name and No Florance 3		
	Attn: John Hampton	9 API Well No.		
P.O. Box 800, Denver, Colorad  Location of Web (Footge, Sec. I. R. M. or Survey Description)  990' FNL, 990' FWL, Sec. 22,	10 Field and Pool, or Exploratory Area Blanco MV/Basin DK 11 County or Parish, State			
2 CHECK APPROPRIATE BOX(s) TO I	NDICATE NATURE OF NOTICE, REPO	San Juan, New Mexi		
TYPE OF SUBMISSION	TYPE OF ACTION	TYPE OF ACTION		
Subsequent Report  Final Abandonment Nouce	Abandonment DK  Recompletion  Plugging Back  Casing Repair  Altering Casing	Change of Plans  New Construction  Non-Routine Fracturing  Water Shut-Off  Conversion to Injection		
	Note: Report results of multiple completion on Well Completion of Recompletion Report and Log form 1			
13 Describe Proposed or Completed Operations (Clearly state all pertinent give subsurface locations and measured and true vertical depths	details, and give pertinent dates, including estimated date of start for all markers and zones pertinent to this work if	ung any proposed work. If well is directionally dru		
Amoco Production Company intend See attached for procedure.		ect well.		

If you have any questions please call Julie Acevedo at 303-830-6003



## GENERAL INSTRUCTIONS

.....

This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special in-

structions concerning the use of this form and the number of copie to be submitted, particularly with regard to local area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

#### SPECIFIC INSTRUCTIONS

Item 4—If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 13—Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones. Or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

### NOTICE

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et. seq., 351 et. seq., 25 U.S.C. et. seq.; 43 CFR 3160.

PRINCIPAL PURPOSE — The information is to be used to evaluate, when appropriate, approve applications, and report completion of secondary well operations, on a Federal or Indian lease. ROUTINE USES:

- (1) Evaluate the equipment and procedures used during the proposed or completed subsequent well operations.
- (2) Request and grant approval to perform those actions covered by 43 CFR 3162.3-2(2).
- (3) Analyze future applications to drill or modify operations in light of data obtained and methods used.
- (4)(5) Information from the record and/or the record will be transferred to appropriate Federal. State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions.

EFFECT OF NOT PROVIDING INFORMATION — Filing of this notice and report and disclosure of the information is mandatory once an oil or gas well is drilled.

The Paperwork Reduction Act of 1980 (44 U.S.C. 3501, et. seq.) requires us to inform you that:

This information is being collected in order to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

This information will be used to report subsequent operations once work is completed and when requested, to obtain approval for subsequent operations not previously authorized.

Response to this request is mandatory for the specific types of activities specified in 43 CFR Part 3160.

Public reporting burden for this form is estimated to average 30 minutes per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Intenor, Bureau of Land Management, (Alternate) Bureau Clearance Officer, (WO-771), 18 and C Streets, N.W., Washington, D.C. 20240, and the Office of Management and Budget, Paperwork Reduction Project (1004-0135), Washington, D.C. 20503.

والمراجعة

## Plug and Abandonment Procedure - Dakota Formation Florance 5 22A - T30N - R9W

- 1. MIRU wireline unit. Retrieve W-choke at 5168' from inside 2 3/8" tubing. RDMO wireline unit.
- 2. MIRUSU. Kill well with 2% KCL water.
- 3. NDWH. NUBOPE. Sting out of packer. POOH w/ 2 3/8" tubing. Remove perforated joint(s) (5140'-5148).
- 4. RIH w/ workstring. Sting into packer and squeeze perforations w/ 55 cu. ft. cement. Displace cement to packer. Pull out of packer. Spot cement from top of packer to a depth of 7160' (10 cu. ft.). Reverse out excess cement.
- 5. Set tubing at 5300'.
- 6. NDBOPE. NUWH.
- 7. Swab Mesaverde in.
- 8. RDMCSU.

Note: Use Class G neat cement.

