

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED
MAY 31 1960
OFFICE OF THE
SUNDRY NOTICES
AND REPORTS ON WELLS

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	COMPLETION REPORT ON WATER WELL
NOTICE OF INTENTION TO CHANGE CLASS	STANDARD FORM OF PRODUCTION RECORDING
NOTICE OF INTENTION TO TEST WATER QUALITY	NOTICE OF INTENTION TO REPAIR OR REPLACE
NOTICE OF INTENTION TO REPAIR OR REPLACE	NOTICE OF INTENTION TO REPAIR OR REPLACE
NOTICE OF INTENTION TO PUMP OR FILLING	NOTICE OF INTENTION TO PUMP OR FILLING
NOTICE OF INTENTION TO PULL OR ALTER Casing	NOTICE OF INTENTION TO PULL OR ALTER Casing
NOTICE OF INTENTION TO ABANDON WELL	SUPPLEMENTARY WELL HISTORY

INDICATE ABOVE BY CHECKING APPROPRIATE BOXES

May 31, 1960

Well No. 1

is located 980 ft. from line of sec. 19

S. 5. 1/4 Sec. 19

T-30-N

R-10-W

NMNM

Undes. Dakota

San Juan

New Mexico

(Field)

(County or Subdiv. name)

(State or Territory)

S. L.

The elevation of the derrick floor above sea level is 6340 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and other important proposed work.)

Drilled 9-7/8" hole from 310' to 3050'. Ran 7-5/8" 16.40# casing set at 3050' w/100 lbs. cement w/50% pozzol, 41 Gal. Casing pressured to 400# for 30 Min. after cement set, plug was drilled and hole was blown. Dr. rig was remained dry to 4100 where moisture was encountered to extent it was necessary to stop. Ran 5/8" pipe.