

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYLand Office Santa Fe  
Lease No. 570207  
Unit King

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	X	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. 1 is located 990 ft. from [N] line and 890 ft. from [E] line of sec. 22  
NE Section 22  
(1/4 Sec. and Sec. No.) 30N 10W NMPM  
(Twp.) (Range) (Meridian)  
Blanco San Juan New Mexico  
(Field) (County or Subdivision) (State or Territory)


The elevation of the derrick floor above sea level is 6327 ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is intended to workover this well in the following manner:

1. Pull tubing and cleanout to 5322' (T.D.).
2. Run 5 1/2", 15.50#, J-55 casing to 5322' and cement with 150 sacks. Run temperature survey for top of cement and 48 hours. Run free point indicator and shoot off 5 1/2" casing at lowest free point. Pull 5 1/2" leaving bottom 1/2" casing a liner.
3. Perforate and fracture Point Lookout formation.
4. Rerun tubing.



I understand that this plan of work must receive approval in writing by the Geological Survey before operation is commenced.

Company El Paso Natural Gas CompanyAddress Box 997Farmin ton, New MexicoBy D.C. JohnstonTitle Petroleum Engineer