

State of New Mexico  
Energy, Minerals and Natural Resources Department  
Oil Conservation Division

Sundry Notices and Reports on Wells

<p>1. Type of Well GAS</p> <hr/> <p>2. Name of Operator <b>BURLINGTON RESOURCES</b> OIL &amp; GAS COMPANY</p> <hr/> <p>3. Address &amp; Phone No. of Operator PO Box 4289, Farmington, NM 87499 (505) 326-9700</p> <hr/> <p>4. Location of Well, Footage, Sec., T, R, M 990' FNL, 1650' FWL, Sec. 22, T-30-N, R-11-W, NMPM, San Juan County</p>	<p>API # (assigned by OCD) 30-045-09392</p> <p>5. Lease Number Fee</p> <p>6. State Oil&amp;Gas Lease #</p> <p>7. Lease Name/Unit Name Fuller</p> <p>8. Well No. 1</p> <p>9. Pool Name or Wildcat Aztec Pictured Cliffs</p> <p>10. Elevation:</p>
---	--

Type of Submission	Type of Action
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other - Restimulate
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut off
	<input type="checkbox"/> Conversion to Injection

13. Describe Proposed or Completed Operations

It is intended to restimulate the subject well in the following manner:

NU BOP. TOOH w/1 1/4" tubing. Drill open hole to 2305'. Run open hole logs. Run 3 1/2" casing to new total depth and cement to surface. Perforate, acidize and foam fracture treat Pictured Cliffs. Clean out. Rerun tubing. Return well to production.

**RECEIVED**  
NOV - 5 1996  
**OIL CON. DIV.**  
DIST. 3

SIGNATURE *Reggie Bradfield* (KKKPC) Regulatory Administrator November 4, 1996

(This space for State Use)

Approved by *Johnny Robinson* Title DEPUTY OIL & GAS INSPECTOR, DIST. #3 Date NOV 05 1996

**Fuller #1**  
**Pertinent Data Sheet**

**Location:** 990' FNL & 1650' FWL, Unit C, Section 22, T30N, R11W, San Juan County, New Mexico  
Lat: 36-48-8 Long: 107-58-53

**Field:** Aztec PC                      **Elevation:** 5791' DF                      **TD:** 2239'  
5801' KB                                      **PBTD:** 2239

**Spud Date:** 4/20/53                      **Compl Date:** 6/11/53                      **DP #:** 48595A  
**Lease:** (Private) NM 711-01  
**GWl:** 100%  
**NRI:** 81.25%  
**Prop#:** 012594800

**Initial Potential:** Initial Potential = 1,686 MCF/D, SICP = 655 psi

**Casing Record:**

<u>Hole Size</u>	<u>Csg Size</u>	<u>Wt. &amp; Grade</u>	<u>Depth Set</u>	<u>Cement</u>	<u>Cement (Top)</u>
13-3/4"	9-5/8"	25# Armco	131'	100 sx.	Circ Cmt
7-7/8"	5-1/2"	15.5# J-55	2187'	150 sx.	1400' (TS)
4-3/4"	OH		2187'-2239'		

**Tubing Record:**

<u>Tbg. Size</u>	<u>Wt. &amp; Grade</u>	<u>Depth Set</u>	<u># Joints</u>	
1-1/4"	2.33# IJ J-55	2218'	71	SN 1 jt off bottom

**Formation Tops:**

Ojo Alamo:	747'
Kirtland Shale:	905'
Fruitland:	1825'
Pictured Cliffs:	2185'

**Logging Record:** Geoelectric, TS

**Stimulation:** SOH w/ 120 qts SNG

**Workover History:** 10/95: MIRU. TOOH w/ 1" tubing. TIH with new 1-1/4" tubing. Return to prod.

**Production History:** 8/96 PC capacity: 21 MCF/D. 8/96 PC cum: 751 MMCF.

**Pipeline:** EPNG

# Fuller #1

Section 22C, T-30-N, R-11-W  
San Juan County, NM

## AZTEC PICTURED CLIFFS WELLBORE SCHEMATIC

