

3-16
3-55)

(Cubm): appropriate. Die Werckel was per Tonen. 111. 110. 111. 110.

• *Chlorophyll *a**

500

Journal of Management Education 30(6)p.789-806

1. *Chlorophyll a* (Chl *a*)

Club: Yosemite Club

Figure 1. Schematic diagram of the experimental setup.

[illegible]

— *Journal of the American Medical Association*, 1967, 201: 1021-1022.

1. Domestic supply is the total quantity of a product that is produced within the country.

11/11/2017

Copyright © 2004 John Wiley & Sons, Ltd.

A **B** **C** **D** **E** **F** **G** **H** **I** **J** **K** **L** **M** **N** **O** **P** **Q** **R** **S** **T** **U** **V** **W** **X** **Y** **Z**

[illegible]

J. F. Eley,

—

P375

2000

Completed Date

Tubing Diameter:

Working Depth

100% Satisfaction Guarantee

Chlorine Dioxide

Performed Interval(s)

Open House Interview

Proposing Formation(s)

(continued)

Test	Depth of Test	Oil Production BPD	Gas Production MCFPD	Water Production BPD	GOR CuB/STB	Gas Lift Potential MCFPD
Before Workover						
After Workover						

U.S. CONSTITUTION, COMMISSION

I certify that all of the information given above is true and complete to the best of my knowledge.

Approved by _____

Original Signed By

1998

219

~~A. R. KENDRICK~~

2000

Date _____

PETROLEUM ENGINEER DIST. NO. 3

Company

OCT 13 1964

Reproduced by El Paso Natural Gas Company 23-244R (12-62)

