

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

AREA 640 ACRES
LOCATE WELL CORRECTLY

John J. Moya

Juan Moya- Goode No. 1

(Company or Operator)

(Lease)

Well No. 1, in SW 1/4 of SE 1/4, of Sec. 18, T. 30 N., R. 11 W., NMPM.

Aztec

Pool,

San Juan

County.

Well is 990 feet from south line and 1320 feet from East line

of Section 18. If State Land the Oil and Gas Lease No. is

Drilling Commenced June 3rd, 1953. Drilling was Completed April 22, 1954

August 23, 1954 (re-worked)

Name of Drilling Contractor Deenan Drilling Co & Ed W. Connolly

Address Farmington, New Mexico

Elevation above sea level at Top of Tubing Head. The information given is to be kept confidential until

August 24, 1954

OIL SANDS OR ZONES

No. 1, from 1902 to 1958


No. 2, from to

No. 3, from to

No. 4, from to

No. 5, from to

No. 6, from to



IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 65 to 81 feet.

No. 2, from 1868 to 1880 feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
13-3/4	40#	New	110	Tex-Fatt			Surf. cas.
9-5/8	17#	"	1906	"			Prod. casing
1"	10#	"	1954			1934-1954	Syf. tubing

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
13-3/4	10-3/4	110	50	Hallib.	9#	
9-5/8	5-1/2	1906	150	"		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Result of Production Stimulation

Depth Cleaned Out

LOG OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 1938 feet, and from feet to feet.
Cable tools were used from 1938 feet to 1958 feet, and from feet to feet.

PRODUCTION

Put to Producing April 22, 1954
August 23, 1954 (re-worked)

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was
was oil; % was emulsion; % water; and % was sediment. A.P.I.
Gravity.

GAS WELL: The production during the first 24 hours was 525 psig (est) M.C.F. plus barrels of
liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in 7 days

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy	T. Devonian	T. Ojo Alamo
T. Salt	T. Silurian	T. Kirtland-Fruitland 1156
B. Salt	T. Montoya	T. Farmington 450
T. Yates	T. Simpson	T. Pictured Cliffs 1902
T. 7 Rivers	T. McKee	T. Menefee
T. Queen	T. Ellenburger	T. Point Lookout
T. Grayburg	T. Gr. Wash	T. Mancos
T. San Andres	T. Granite	T. Dakota
T. Glorieta	T.	T. Morrison
T. Drinkard	T.	T. Penn
T. Tubbs	T.	T.
T. Abo	T.	T.
T. Penn	T.	T.
T. Miss	T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	450	450	Wasatch-Kirtland-Farmington (basal)				
450	1902	1452	Farmington, basal Fruitland				
1902	1958	54	Pictured Cliffs ss.				

OIL CONSERVATION COMMISSION			
AZTEC DISTRICT OFFICE			
No. Copies Received 5			
DISTRIBUTION			
		NO. FURNISHED	
Operator		1	
Santa Fe		1	
Proration Office			
State Land Office			
U. S. G. S.		2	
Transporter			
File		1	✓

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator John J. Meyer
Name John J. Meyer

Address 507 1/2 N. Behrend Ave. Farmington, N.M.
Position or Title General Manager