

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

CCHRECTED CCFY

L	Budget Bureau 42-R358.3. Approval expires 12-31-55.			
Land Offic	. Luk le			
ease No.	078138			
Jnit	Norris			



SUNDRY NOTICES AND REPORTS ON WELLSON

NOTICE OF INTENTION TO CHANGE PLANS. NOTICE OF INTENTION TO CHANGE PLANS. NOTICE OF INTENTION TO CHANGE PLANS. NOTICE OF INTENTION TO TEST WATER SHUT-OFF. SUBSEQUENT REPORT OF ALTERING CASING. NOTICE OF INTENTION TO TEST WATER SHUT-OFF. SUBSEQUENT REPORT OF ALTERING CASING. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO PULL OR ALTER CASING. SUBSEQUENT REPORT OF ALTERING CA	NOTICE OF INTENTION TO CHANGE PLANS. NOTICE OF INTENTION TO TEST WATER SHUT-OFF. NOTICE OF INTENTION TO RE-DRILL OR REPAR WELL. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO BULL OR ALTER CASING. NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER SECTION 15 (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER SECTION 15 (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER SECTION 15 (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER SECTION 15 (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER SECTION 15 (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER SECTION 15 (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER SECTION 15 (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER SUBSCULENT REPORT OF ALTERNATIVE WILL HISTORY. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER SUBSCULENT REPORT OF REPORT. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER SUBSCULENT REPORT. (INDICATE ABOVE BY CHECK MARK NATURE OF REP	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO PULL OR ACTER CASING. NOTICE OF INTENTION TO PULL OR ACTER CASING. NOTICE OF INTENTION TO DULL OR ACTER CASING. NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Well No. 2-1 Is located 1450 ft. from S line and 1020 ft. from E line of sec. 25 SE Section 15 3021 111	NOTICE OF INTENTION TO TEST WATER SHUT-OFF. NOTICE OF INTENTION TO REDRILL OR REPAIR WELL NOTICE OF INTENTION TO SHOOT OR ACIDET. NOTICE OF INTENTION TO SHOOT OR ACIDET. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO DULL OR ALTER CASING. NOTICE OF INTENTION TO PULL OR ALTER WELL SUBSEQUENT REPORT OF ALTERN SUBSEQUENT REPORT OF ALBANDO SUBSEQUENT	, [, , , , ,
SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR. NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO SHOOT OR ACIDIZE (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Well No. 2-1 is located 1450 ft. from S line and 1050 ft. from S line of sec. 15 SE Section 15 302 114 MEPA (K Sec and Sec. No.) Atter Pool SH Jun (County or Subdivision) The elevation of the derrick floor above sea level is ft. DETAILS OF WORK State names of and expected depths to objective sends; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, ceming points, and all other important proposed work) It is intended to drill a well with Rotary tools to the top of the Fictured Cliffs formation, completing the well with Cable tools, and to shoot the Pletured Cliffs with two quarts 3.8.6. per foot. Total Depth 2365. Casing Progress. 9 5/3 at 100 with 100 sacks regular coment. The SE/4 of Section 15 is dedicated to this well. All-Pleasures SE/4 SE/4 Hartson 34/4 SE/4 Hartson 35/4 SE/4 Hartson 35/4 SE/4 Hartson 35/4 SE/4 Hartson 35/4 SE/4	NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO PULL OR ALTER CASING NOTICE OF INTENTION TO PULL OR ALTER CASING NOTICE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, OF INDICATE OF A CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF REPORT OF ABANDO (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF ABANDO (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF ABANDO (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF ABANDO (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF ABANDO (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF ABANDO (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF ABANDO (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF ABANDO (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MAR	
SUBSEQUENT REPORT OF ABANDONMENT. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Well No. 2-4 is located 12-50 ft. from S line and 1800 ft. from E line of sec. 15 SE Section 15 302 114 MEN INTENTION OF SEC. 15 SE Section 15 302 114 MEN INTENTION OF SEC. 15 SE Section 15 302 114 MEN INTENTION OF SEC. 15 SE Section 15 302 114 MEN INTENTION OF SEC. 15 SE Section 15 302 114 MEN INTENTION OF SEC. 15 SE Section 15 302 114 MEN INTENTION OF SEC. 15 SE Section 15 302 114 MEN INTENTION OF SEC. 15 SE Section 15 Section 15 Intention of the derick floor above sea level is 14 SET SECTION OF WORK State names of and expected depths to objective sands; show also, weights, and lengths of proposed casings; indicate mudding jobs, coming points, and all other important proposed work) It is intention to cripieting the well with Nextery tools to the top of the Fictured Cliffs furnation, completing the well with Cable tools, and to shout the Pictured Cliffs with two quarts 8.8.6. per foct. Total Dept. 2360'. Casing Progress. 9 5/3 at 100' with 100 sacks regular coment. The SE/4 of Section 15 is dedicated to this well. SE/4 of Section 15 is dedicated to this well. SE/4 SE/4 SE/4 SE/4	NOTICE OF INTENTION TO SHOOT OR ACIDIZE	· · · · · · · · · · · · · · · · · · ·
NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT. NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT. NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT. NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT. NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT. NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT. NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT. NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT. NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT. NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT. NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT. NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT. NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT. NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT. NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT. NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT. NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT. NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT. NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT. NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT. NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT. NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT. NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT. NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT. NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT. NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT. NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT. NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT. NOTICE, OR OTHER DATA) (INDICATE BY C	NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE, OR OTHER) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE, OR OTHER) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER	1
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Warch 31, , 19 Vell No. 2-3 is located 1450 ft. from Siline and 1820 ft. from E line of sec. 15 SE Section 15 3CM 11V MEEN (A Sec and Sec. No.) (Twp.) (Range) (Meridian) Aztec Pool San Fran (State or Territory) The elevation of the derrick floor above sea level is 1500 ft. DETAILS OF WORK tate names of and expected depths to objective sands, show sizes, weights, and lengths of proposed casings, indicate mudding jobs, ceming points, and all other important proposed work) It is intended to drill a well with horary tools to the top of the fictured Chiffs formation, completing the well with Cable tools, and to shoot the Pletured Chiffs with two quarts S.H.G. per foot. Total Depth 2360'. Casing Program. 9 5/0 at 100' with 100 sacks regular cement. The SE/4 of Section 15 is dedicated to this well. S.F. 076136 F/2 SE/4 M.J. Florence SE/4 SE/4	(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER (INDICATE) (INDICATE ABOVE BY CHECK MARK NATURE	1 1
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) March 31, 19 Well No. 2-4 is located 1450 ft. from S line and 1850 ft. from E line of sec. 15 SE Section 15 30N 11V MARK (Kange) (Meridian) (Meri	(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER Vell No. 5-3 is located 14-50 ft. from S line and 10-30 ft. fro SE Section 15 30M 11V MARK (W Sec and Sec No.) (Twp.) (Range) (Meridian) Aztec Pool San Jun (Field) (County or Subdivision) The elevation of the derrick floor above sea level is 5-50 ft. DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casing points, and all other important proposed work) It is intended to drill a well with housely tools to the training formation, completing the well with Cable tools, a Pictured Cliffs with two quarts 3.2.6. per foot. Total 1 casing Progress. 9 5/8 at 100° with 100 cacks regular coment. The 3E/4 of Section 15 is dedicated to this well. 3.F. 076136 E/2 BE/4 Hartson Se/4 SE/4 Inderstand that this plan of work must receive approval in writing by the Geological Servey before ompany El Floor Returnal Gas Company	1
Vell No. 5-A is located 1250 ft. from S line and 1250 ft. from E line of sec. 15 SE Section 15 328 11V MMM (Meridian) Axtec Pool (Two) (Range) (Meridian) (Field) (County or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is 1500 ft. DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, ceming points, and all other important proposed work) It is intended to drill a well with hexary tools to the top of the fictured Chiffs formation, completing the well with Cable tools, and to shoot the Pictured Chiffs with two quarts 3.H.G. per foot. Total Depth 2365'. Casing Progress. 9 5/3 at 100' with 100 sacks regular cement ciruclated to surface. 7 at 2313' with 150 sacks regular cement. The SE/A of Section 15 is dedicated to this well. S.F. 078136 E/2 SE/A Hartman 34/4 SE/4 Hartman 34/4 SE/4	Vell No. 3-4 is located 1450 ft. from S line and 1050 ft. fro SE Section 15 302 11V MEM (4 Sec. and Sec. No.) (Twp.) (Range) (Meridian) Aztec Pool Sen June (Field) (County or Subdivision) The elevation of the derrick floor above sea level is ft. DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casing points, and all other important proposed work) It is intended to drill a well with nevery tools to the tools, and considered cliffs with two quarts S.R.G. per foot. Total I classing Program. 9 5/3 at 100' with 100 sacks regular censent ciruclated to at 2313' with 150 sacks regular censent. The SE/4 of Section 15 is dedicated to this well. S.F. 078136 E/2 SE/4 M.J. Florence SE/4 SE/4 M.J. Florence SE/4 SE/4 I understand that this plan of work must receive approval in writing by the Geological Survey before ompany EL Floor Betural Gas Company	
Well No. 5-4 is located 1450 ft. from S line and 1850 ft. from E line of sec. 15 SE Section 15 328 (West and Sec No.) Artec Pool (Twp.) (County or Subdivision) (County or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is ft. DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, ceming points, and all other important proposed work) It is intended to drill a well with neverny tools to the top of the Fictured Chiffs furnation, completing the well with Cable tools, and to choot the Pictured Chiffs with two quarts 3.8.6. per foct. Total Depth 2365'. Casing Progress. 9 5/8 at 100' with 100 sacks regular coment ciruclated to surface. 7 at 2313' with 150 sacks regular coment. The SE/4 of Section 15 is dedicated to this well. S.F. 076136 E/2 SE/4 Hertusen 34/4 SE/4	Section 15 308 118	DATA)
Well No. 5-4 is located 1450 ft. from S line and 1850 ft. from E line of sec. 12 SE Section 15 30% 11V MAPA (West and Sec No.) Actor Pool 5 20 Arm Arm (Meridian) (Field) (County or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is 50 ft. DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, ceming points, and all other important proposed work) It is intended to drill a well with neverty tools to the top of the Fictured Chiffs furnation, completing the well with Cable tools, and to shoot the Pictured Chiffs with two quarts S.H.G. per fact. Total Depth 2365'. Casing Progress. 9 5/8 at 100' with 100 seeks regular cessent ciruclated to surface. 7 at 2313' with 150 sacks regular cessent. The SE/4 of Section 15 is dedicated to this well. S.F. 076136 E/2 SE/4 Mertusan 34/4 SE/4 M.J. Flerence SE/4 SE/4	Well No. 2-4 is located 12-50 ft. from S line and 10-50 ft. ft. Aztec Pool San Firm (Field) (County or Subdivision) The elevation of the derrick floor above sea level is ft. DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casing points, and all other important proposed work) It is intended to drill a well with hourry tools to the Chiffs formation, completing the well with Cable tools, Pictured Cliffs with two quarts 3.2.6, per foot. Total I casing Program. 9 5/0 at 100 with 100 sacks regular coment ciruslated to at 2313 with 150 sacks regular coment. The SE/4 of Section 15 is dedicated to this well. 3.7. 078136 E/2 SE/4 Martison SE/4 SE/4 Martison SE/4 SE/4 I understand that this plan of work must receive approval in writing by the Geological Survey before ompany El Faso Retural Gas Company	March 31, 19 ⁵⁴
Aztec Pool (Twp.) (Range) (Meridian) Aztec Pool (San Jun) (County or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is (County or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is (County or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is (County or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is (County or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is (County or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is (County or Subdivision) (State or Territory) The subdivision of the derrick floor above sea level is State or Territory) The subdivision (County or Subdivision) (State or Territory) The subdivision of the derrick floor above sea level is State or Territory) The subdivision of the derrick floor above sea level is State or Territory) The subdivision of the derrick floor above sea level is State or Territory (State or Territory) The subdivision of the derrick floor above sea level is State or Territory The subdivision of the derrick floor above sea level is State or Terr	(4 Sec. and Sec. No.) Aztec Pool (Field) (County or Subdivision) The elevation of the derrick floor above sea level is (DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casing points, and all other important proposed work) It is intended to drill a well with hornry tools to the toliffs formation, completing the well with Cable tools, electroned Cliffs with two quarts 3.2.6. per foot. Total in the local state of the section is a dedicated to this well. The SE/4 of Section is is dedicated to this well. S.F. 078136 M.J. Florence SE/4 SE/4 Hartman M.J. Florence SE/4 SE/4 I understand that this plan of work must receive approval in writing by the Geological Survey before ompany Max 977	
Aztec Pool (Gounty or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is ft. DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, ceming points, and all other important proposed work) It is intended to drill a well with hexary tools to the top of the Fictured Cliffs formation, completing the well with Cable tools, and to shoot the Fictured Cliffs with two quarts S.R.G. per foot. Total Bopti 2365'. Casing Program. 9 5/3 at 100' with 100 sacks regular cement ciruclated to surface. 7 at 2313' with 150 sacks regular cement. The SE/4 of Section 15 is dedicated to this well. S.F. 078136 E/2 SE/4 Hartson SA/4 SE/4 M.J. Ficzence SE/4 SE/4	Aztec Pool (Field) (County or Subdivision) The elevation of the derrick floor above sea level is (County or Subdivision) (County or Subdivision) It is intended to derrick floor above sea level is (It is intended to derrick floor above sea level is (Cliffs furnation, completing the well with horsery tools to the tooling flowers of cliffs with two quarts S.R.G. per foot. Total is (Casing Progress. (Ca	
(Field) (County or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is ft. DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, ceming points, and all other important proposed work) It is intended to drill a well with hoterry tools to the top of the Fictured Cliffs furnation, completing the well with Cable tools, and to shoot the Pictured Cliffs with two quarts S.R.G. per foot. Total Bepth 2365°. Casing Progress. 9 5/3 at 100° with 100 sacks regular coment ciruclated to surface. 7 at 2313° with 190 sacks regular coment. The SE/4 of Section 15 is dedicated to this well. S.F. 078136 E/2 SE/4 Martson SE/4 SE/4	The elevation of the derrick floor above sea level is ft. DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casing points, and all other important proposed work) It is intended to drill a well with hourry tools to the toliffs formation, completing the well with Cable tools, electured Cliffs with two quarts S.H.G. per foot. Total is casing Program. 9 5/8 at 100° with 100 sacks regular coment circulated to at 2313° with 150 sacks regular coment. The SE/4 of Section 15 is dedicated to this well. S.F. 078136 H/2 SE/4 Martman SH/4 SE/4 I understand that this plan of work must receive approval in writing by the Geological Survey before ompany Box 997	w Mexico
DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, ceming points, and all other important proposed work) It is intended to drill a well with herenry tools to the top of the fictured cliffs formation, completing the well with Cable tools, and to shoot the Pictured Cliffs with two quarts 5.2.6. per foot. Total Depth 2365'. Casing Progress. 9 5/3 at 100' with 100 cacks regular coment ciruclated to surface. 7 at 2313' with 150 sacks regular coment. The SE/4 of Section 15 is dedicated to this well. S.F. 078136 E/2 SE/4 Hartman 34/4 SE/4 M.J. Fichenice SE/4 SE/4	DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casing points, and all other important proposed work) It is intended to drill a well with horsery tools to the tall cliffs formation, completing the well with Cable tools, Pictured Chiffs with two quarts S.H.G. per foot. Total I casing Program. 9 5/0 at 100 with 100 cacks regular coment ciruclated to at 2313 with 150 sacks regular coment. The SE/4 of Section 15 is dedicated to this well. S.F. 078136 E/2 SE/4 Hartman SE/4 SE/4 I understand that this plan of work must receive approval in writing by the Geological Servey before ompany Box 997	
It is intended to drill a well with Rotary tools to the top of the Fictured Cliffs formation, completing the well with Cable tools, and to shoot the Pictured Cliffs with two quarts 8.8.6. per foot. Total Depth 2365'. Casing Progress. 9 5/8 at 100' with 100 sacks regular coment siruclated to surface. 7 at 2313' with 150 sacks regular coment. The SE/4 of Section 15 is dedicated to this well. S.F. 078136 E/2 SE/4 Martinen 36/4 SE/4 M.J. Figuresce SE/4 SE/4	It is intended to drill a well with hotery tools to the tools, and all other important proposed work) Cliffs formation, completing the well with Cable tools, a Pictured Cliffs with two quarts S.H.G. per foot. Total I casing Progress. 9 5/8 at 100° with 100 sacks regular coment ciruclated to at 2313° with 150 sacks regular coment. The SE/4 of Section 15 is dedicated to this well. S.F. 078136 E/2 SE/4 M.J. Flessinge SE/4 SE/4 I understand that this plan of work must receive approval in writing by the Geological Survey before the party of the SE/4 SE/4 I understand that this plan of work must receive approval in writing by the Geological Survey before the party of the SE/4 SE/4 El Paso Retural Gas Company	
9 5/8 of 100 with 100 sacks regular coment ciruclated to surface. 7 at 2313' with 150 sacks regular coment. The SE/A of Section 15 is dedicated to this well. S.F. 078136 E/2 SE/A Hartman SH/A SE/A M.J. Florence SE/A SE/A	9 5/8 at 100' with 100 sacks regular coment ciruclated to at 2313' with 150 sacks regular coment. The SE/4 of Section 15 is dedicated to this well. S.F. 078136 E/2 SE/4 Hartman SE/4 SE/4 M.J. Florence SE/4 SE/4 I understand that this plan of work must receive approval in writing by the Geological Survey before the company Section 15 is dedicated to this well. S.F. 078136 E/4 SE/4 M.J. Florence SE/4 SE/4 I understand that this plan of work must receive approval in writing by the Geological Survey before the company Section 15 is dedicated to this well.	top of the Metured and to shoot the
3.F. 078138 E/2 SE/4 Hartson M.J. Florence SE/4 SE/4	Hartson 3.7. 078136 M.J. Florence 5E/4 1 understand that this plan of work must receive approval in writing by the Geological Survey before ompany El Faso Return Gas Cresoury	to surface.
M.J. Florence SE/4 SE/4	I understand that this plan of work must receive approval in writing by the Geological Survey before ompany El PLSO Recurs Gos Company	WED
	I understand that this plan of work must receive approval in writing by the Geological Survey before ompany	1. A. J. C. A. W.
i understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.	ompany El Paso Retural Gas Company	100.
El Falo Retural Gas Company	nox 331	operations may be commenced.
BOX 997	uuress	10 10 C
	Formington, New Mexico	

OIL CONSERVATION COMMISSION

Acres Dedicat				- -a1	
SECTION		_TOWNSH			RANGE IIW
	-				
					(1) Ph. 3
					6
					1 2 CO 10 10
				· w	0.
				S.F. 0	7813 8
'	- 				
			Hartman	Fee	M. J. Florance
					Fee
					rue and complete

OIL CONSERVAT	TION COMMISSION	
AZTEC DIS	TRICT OFFICE	
No. Copies Reca	ived S	
DISTF	RIBUTION	
	NO.	
Operator		
Santa Fe		
Proration Office		
State Land Office		
U. S. G. S.		
Transporter		
File		