

ILLECIBLE

NEW MEXICO OIL CONSERVATION COMMISSION  
NOTICE OF INTENTION TO DRILL

See Rules 101 and 1104.

If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval.



Astec, New Mexico

August 19, 1952

Place

Date

Notice hereby is given that it is our intention to commence the drilling of a well to be known as

Harmon Owen Price Pooled Unit well No. 1 in San Juan County.  
Company or Operator Price Pooled Unit Cliffs Pool, San Juan County.  
of Sec. 17, T. 30N, R. 11W, N. M., P. M.

The well is 1550' feet from W (S.) line and 1650' feet from W line of the above section.

(Give location from section lines. Cross out wrong directions.)


If state land the oil and gas lease is No. \_\_\_\_\_ Assignment No. \_\_\_\_\_

If patented land the owners are: J.L. Price (35.6 A.) Astec, H.M.  
Wm. R.F. Simons (20 A.) Astec; Brown & Perry (80 A.) Astec;  
McIntosh & Co. (16.9 A.)  
M. & R.O. Railroad (7.5 A.)

The lessee is Harmon Owen

Address Astec, New Mexico

We propose to drill well with drilling equipment as follows: Rotary tools.



AREA 640 ACRES

LOCATE WELL CORRECTLY

The status of a bond for this well in conformance with Rule 101 of the General Rules and Regulations of the Commission is as follows: \$10,000 blanket bond on file with the commission.

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
<u>10"</u> <u>8"</u>	<u>8-5/8"</u> <u>5 1/2"</u>	<u>32#</u> <u>15 1/2#</u>	<u>New</u> <u>"</u>	<u>100'</u> <u>2000'</u>	<u>Cemented to surface</u> <u>Cemented</u>	<u>100</u>

If changes in the above plans become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 2000 feet.

Additional information: We propose to drill a well to and through the pictured Cliffs sand, estimated depth 2000'. A minimum of 100' of 8-5/8" casing will be cemented to the surface; approximately 200' of 5 1/2" casing cemented with 100 sacks; drill the sand, shoot 100' section with approximately 3 quarts to the foot, clean out, run 2" syphon line to bottom and complete as a gas well

Approved AUG 19 1952, 19\_\_\_\_, except as follows:

Harmon Owen

Company or Operator

By Harmon Owen

Position Owner

Send communications regarding well to:

Harmon Owen

Name Astec, New Mexico

Address \_\_\_\_\_

OIL CONSERVATION COMMISSION,

By Al Burr

Title Oil and Gas Inspector Dist. #3.

# ILLEGIBLE




Company Harmond Owen

Lease \_\_\_\_\_ Well No. \_\_\_\_\_

Sec. 17 T. 30 N., R. 11 W., N.M.P.M.

Location 1650' from the West & 1550' from the South lines

San Juan County New Mexico



N

Scale—4 inches equals 1 mile.

REMARKS:

GROUND ELEV. 5625'

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Seal:

John H. Hays  
Registered Professional  
Engineer and Land Surveyor.

Farmington, New Mexico

on the 10th of August of

2

Surveyed \_\_\_\_\_, 195

OIL CONSERVATION COMMISSION  
 AZTEC DISTRICT OFFICE

No. Copies Received **5**

DISTRIBUTION

	NO. FURNISHED	
Operator	<b>1</b>	
Santa Fe	<b>3</b>	
Proration Office		
State Land Office		
U. S. G. S.		
Transporter		
File	<b>1</b>	