DELHI OIL GORFORATION BOX 729 FARMINGTON, GEW MEXICO

Farmington District Office 305 West Main Street Farmington, New Mexico

March 14, 1951

Ref: Santa Fe 073125

Mr. P. T. McCrath

P. C. Box 205

Farmington, Sew Mexico

Dear Sir:

Attached hereto Form 9-331a covering Subsequent Report Of Nater Smit-Off for Turner Well No. 1, S.W. 1/4 Section 18, T-30-N, H-9-W, Blanco Field, San Juan County, New Nextco.

Yours very truly,

1. F

GAF/f cc: Mr. Al Creer

New Mexico Conservation Commission

J. B. Howell Superintendent

作品が、代刊版 編集 して、 代表が、またよれ、第

Joseph States and States
 States and States

3 1 1 2 3 3 3 3 3 3 3

The state a_{ij} is a special constant of a_{ij} and a_{ij} and

CALCAD CLAV STANCE

Section 1997 Section 1997

Jackson Commence

apra in la ter apra in la ter Ausalando in Aldalando (21) de si

. . .

(SUBMIT IN TRIPLICATE)

(00-1111	
UNITED STATES	Lease No
DEPARTMENT OF THE INTERIOR	Unit
GEOLOGICAL SURVEY	

Land Office	140756 FQ
Lease No	078125
Unit	

SUNDR	Y NOTICES	AND RE	PORTS ON	WELLS	
NOTICE OF INTENTION TO DRILL		SUBSECU	ENT REPORT OF WATER	SHUT-OFF	X
NOTICE OF INTENTION TO CHANG			ENT REPORT OF SHOOTH		1 1
NOTICE OF INTENTION TO TEST		i II	ENT REPORT OF ALTERIN		
NOTICE OF INTENTION TO RE-DR	ILL OR REPAIR WELL	SUBSEQU	ENT REPORT OF REDRIL	ING OR REPAIR	
NOTICE OF INTENTION TO SHOOT	OR ACIDIZE	SUBSEQU	ENT REPORT OF ABANDO	NMENT	
NOTICE OF INTENTION TO PULL			ENTARY WELL HISTORY		1 1
NOTICE OF INTENTION TO ABANI	OON WELL				
(IND	ICATE ABOVE BY CHECK MA	RK NATURE OF REP	ORT, NOTICE, OR OTHER	DATA)	
_			wren lie		19 52
Turner					, 1/
Well Nois	located 1780 ft.	from $\left\{ \begin{array}{l} 1 \\ S \end{array} \right\}$ line	and	om $\{W\}$ line of se	с. 18
SW 1/4 300. 13	T-30-#	-9-8	HWP X		
(1/2 Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)	um bland an	
#Lenco (Field)	Com	nty or Subdivision)		(State or Territory)	******
The elevation of the derr	•	•		•	
State names of and expected dept Ren 6-Jte. of 10-3, well 251' set at 2; surface, Prior to Vin. with no drop; in casing was near	ing points, and a /i* is 10.50 and is 63' (KB) with 1' irilling plug or after drilling	L9.50 Casi 70 sacks of at easing t	ng for surfac regular cand as bested with rotary was s	pipe, total at and circula a 500/ pressur apped and fir	pipe in ated to re for 30 aid level
Well speeded 12:01	PX 3/11/51				
I understand that this plan of	work must receive approva	l in writing by the	Geological Survey befor	e operations may be co	mmenced.
Company Blanco Ga	Company				
Address 305 west wa	In Street			,	
Farmington, N	en geriéo		By My	formed.	<u> </u>
			∯e } 	s, acres. Lendont	
			Title Superior	hangaya #	