



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Casta Fe
Lease No. 07204-A
Unit Crablin

SUNDRY NOTICES AND REPORTS ON WELLS

| | |
|--|--|
| NOTICE OF INTENTION TO DRILL | SUBSEQUENT REPORT OF WATER SHUT-OFF |
| NOTICE OF INTENTION TO CHANGE PLANS | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF | SUBSEQUENT REPORT OF ALTERING CASING |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE | SUBSEQUENT REPORT OF ABANDONMENT |
| NOTICE OF INTENTION TO PULL OR ALTER CASING | SUPPLEMENTARY WELL HISTORY |
| NOTICE OF INTENTION TO ABANDON WELL | Water Frac. |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. 1-15-0001 is located 100 ft. from N line and 100 ft. from E line of sec. 1
NE 1/4 Sec. 14 30N 10W N.M.S.M.
(1/4 Sec. and 1 Sec. No.) (Twp.) (Range) (Meridian)
Blanco San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 2500 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

1-23-77 Sand Depth 9400'. C.I. 2.5. 9390'. Water fractures. Joint 1. about
sand. Int. 5280-50; 5300-12; 5330-40; 5350-52; 5360-7. w/ 1 1/2 in.
500,000 gallons water and 60,000 sand. HL pr. 1000; mud. 10.
1000; wvg. tr. pr. 22000. I.S. 1.5 B.M. Flush 100 gallons.
Added 250 gallons MCA ahead of time.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company 1-15-0001 Natural Gas Company

Address Box 107
Arrington, New Mexico

By ORIGINAL SIGNED J.J. MILLER

Title Petroleum Engineer