NOTICE OF INTENTION TO DRILL

Notice must be given to the District Office of the Oil Conservation Commission and approval obtained before drilling or recompletion hegins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in QUINTUPLICATE. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

If State Land submit 6 Copies Attach Form C- 128 in triplicate to first 3 copies of form C-101

	NSERVATIO	ON: 0014	(Place)		AU	(Date)			
	SERVATIO SE, NEW M		IMISSION						
tleme	n:								
You	are hereby	notified t	hat it is our	intention to commence th	ne Drilling of a well to be	e known as			
an A	merless	Letlon	eum corpo	ration			.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
	John son	Gas U	nit "D"	(Compan)	or Operator), Well No	: _	G There		
	16501	••••••	(Lease)	¥	auth	In المستحدة المستحددة المستحدد المستحددة المستحدد ال	(Unit)		
tcd	East	fee	t from the		orth 15 _T 30N	line and 165	feet from		
			***************************************	Jine of Section	, T	, R	, NMPM.		
VE L	OCATION	FROM S	ECTION LI		kota Pool,				
					and Gas Lease is No				
D	C	BA		If patented land the owner is Elmer G. Johnson Address Farmington, New Mexico					
		· ·	^	Address	agton, sew mexico				
E	F	X G	н	We propose to drill well with drilling equipment as follows: Retary Tools to tot depth.					
_				The status of plugging	bond is State Wid	<u>ie</u>			
				***************************************			105141A		
r	K	J	I	**************************	Brannen & Marray P. O. Box 672	Drilling Comp	ATTULIYE!		
				*************************************	Coleman, Texas		AUG8 1961		
M	N	OP		We intend to complete this well in the Daketa OIL CON CON					
		,		formation at an ammo-	simate depth of 690	100	DIST, 3		
	.1	———÷		formation at an approx	cober or	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
147				CASING :	PROGRAM	***************************************			
			*****		PROGRAM				
Sis	e of Hole	81	ise of Casing	CASING of Casing and to cement t	PROGRAM hem as indicated: New or Second Hand	Depth	Sacks Cement		
8is 12-	of Hole	8-1	ise of Casing	of Casing and to cement t	PROGRAM hem as indicated:				
8is 12-	e of Hole	8-1	ise of Casing	CASING of Casing and to cement t	PROGRAM hem as indicated: New or Second Hand	Depth	Sacks Cement		
8is-	of Hole	8-1	ise of Casing	CASING of Casing and to cement to Weight per Foot	PROGRAM hem as indicated: New or Second Hand	Depth 3501	Sacks Cement 250		
12-: 7-'	o of Hole 1/4# 7/8#	8-1 4-1	ise of Casing 5/89 L/29	CASING of Casing and to cement to Weight per Foot 22.7# 9.5#	PROGRAM hem as indicated: New or Second Hand Hew Hew	Depth 3501	Sacks Cement 250		
12-: 7	of Hole	A-l	ise of Casing 5/8# L/2# lans become a	CASING of Casing and to cement t Weight per Foot 22.7# 9.5# dvisable we will notify yo	PROGRAM hem as indicated: New or Second Hand New New u immediately.	3501 69001	8acks Cement 250 575		
12-: 7 If ch	7/8#	A-1	ise of Casing 5/8# L/2# lans become a	CASING: of Casing and to cement t Weight per Foot 22.7# 9.5# dvisable we will notify yo recompletion give full de	PROGRAM hem as indicated: New or Second Hand New New immediately.	Depth 3501 69001	Sacks Cement 250 575		
12-7-2 7-2 If ch	of Hole //# //# //# //# //# //# //# /	above pl	ise of Casing 5/88 L/28 Ians become a IATION (If thed with to be pro-	CASING of Casing and to cement t Weight per Foot 22.7# 9.5# dvisable we will notify yo recompletion give full de stage tool set al	PROGRAM hem as indicated: New or Second Hand New New u immediately. ctails of proposed plan of the count 100 below by	Depth 3501 69001 work.) 4-1/2* exists of Picture	Sacks Cement 250 575 Asing will be diffs or		
12-7-2 7-2 If ch	of Hole //# //# //# //# //# //# //# /	above pl	ise of Casing 5/88 L/28 Ians become a IATION (If thed with to be pro-	CASING of Casing and to cement t Weight per Foot 22.7# 9.5# dvisable we will notify yo recompletion give full de stage tool set al	PROGRAM hem as indicated: New or Second Hand New New u immediately. ctails of proposed plan of the count 100 below by	Depth 3501 69001 work.) 4-1/2* exists of Picture	Sacks Cement 250 575 asing will be diffs or		
If ch	of Hole //# //# //# //# //# //# //# /	above pl	ise of Casing 5/88 L/28 lans become a IATION (If thed with	CASING of Casing and to cement t Weight per Foot 22.7# 9.5# dvisable we will notify yo recompletion give full de stage tool set al	PROGRAM hem as indicated: New or Second Hand New New u immediately. ctails of proposed plan of the count 100 below by	Depth 3501 69001 work.) 4-1/2* exists of Picture	Sacks Coment 250 575 asing will be cliffs or		
If ch ADD	of Hole 1/4# 7/8# Langes in the DITIONAL by 2 sta if indi gel with with 300 above to	above plinform	ize of Casing 5/8# L/2# ians become a ATION (If thed with to be prounds from 50 sacks (letured C. warded upon	CASING of Casing and to cement to Weight per Foot 22.7# 9.5# dvisable we will notify yo recompletion give full de stage tool set al oductive from log of Plug per sack to persont gel com lifts. Copies of on completion of	PROGRAM hem as indicated: New or Second Hand Hew New New Lails of proposed plan of vector 100° below be as first stage as with 100 sacks ness that 1-1/2 post 100° betting later and the sacks ness that 1-1/2 post 100° betting later are sacks ness 100° betting later are sacks ness 100° betting later are sacks ness 100° betting later are sack	Depth 3501 69001 work.) 4-1/2* exists of Picture	Sacks Cement 250 575 asing will be Cliffs or		
If ch ADD ated rerdings	of Holo 1/4* 7/3* nanges in the OITIONAL by 2 st. 1f ind gel with with 300 above to an will	above pl inform leated 1-1/2 be for	ize of Casing 5/8# L/2# ians become a ATION (If thed with to be prounds from 50 sacks (letured C. warded upon	CASING of Casing and to cement t Weight per Foot 22.7# 9.5# dvisable we will notify yo recompletion give full de stage tool set al	PROGRAM hem as indicated: New or Second Hand Hew New New New Light Second Hand Hew New Light Second Hand New New Light Second Hand New New New Light Second Hand New New New New New New New Ne	Depth 3501 69001 work.) 4-1/2* exise of Picture mented with 2 at an bottom. Ind. Tuf Plug attached. Compared with a stacked.	sacks Cement 250 575 asing will be delifts or 75 sacks 6 Second stage per sack to fill plus of any		
If ch ADD ated rerdings	of Hole 1/4" 7/8" Inanges in the ITIONAL by 2 sta If indi gel with with 300 showe to gen will	above pl inform leated 1-1/2 be for	ize of Casing 5/8# 1/2# Ians become a IATION (If thed with to be prounds from 50 sacks (letured C.)	CASING of Casing and to cement to Weight per Foot 22.7# 9.5# dvisable we will notify yo recompletion give full de stage tool set al oductive from log of Plug per sack to persont gel com lifts. Copies of on completion of	PROGRAM hem as indicated: New or Second Hand Hew New New New Light Second Hand Hew New Light Second Hand New New Light Second Hand New New New Light Second Hand New New New New New New New Ne	Depth 3501 69001 work.) 4-1/2* exise of Picture mented with 2 at an bottom. Ind. Tuf Plug attached. Compared with a stacked.	sacks Cement 250 575 asing will be delifts or 75 sacks 6 Second stage per sack to fill plus of any		
If ch ADD rted rerd take	of Holo 1/4* 7/3* nanges in the OITIONAL by 2 st. 1f ind gel with with 300 above to an will	above pl inform leated 1-1/2 be for	ize of Casing 5/8# 1/2# Ians become a IATION (If thed with to be prounds from 50 sacks (letured C.)	CASING of Casing and to cement to Weight per Foot 22.7# 9.5# dvisable we will notify yo recompletion give full de stage tool set al oductive from log of Plug per sack to persont gel com lifts. Copies of on completion of	PROGRAM hem as indicated: New or Second Hand New New New New Light Stage of the location plat are sent with 1-1/2 post location plat are sent with sincerely yours, Pan American Fornican Fornican Fornican Pan Official American Pan Official American Fornican Fornican Pan American Pan Pan American Pan Pan American Pan Pan Pan American Pan Pan Pan Pan Pan Pan Pan Pan Pan P	Depth 3501 69001 work.) 4-1/2* exise of Picture mented with 2 at an bottom. Ind. Tuf Plug attached. Compared with a stacked.	sacks Cement 250 575 asing will be deliffs or 75 sacks 6 Second stage per sack to fill plus of any		
If ch ADD rted rerd take	of Holo 1/4* 7/3* nanges in the OITIONAL by 2 st. 1f ind gel with with 300 above to an will	above pl inform leated 1-1/2 be for	ize of Casing 5/8# 1/2# Ians become a IATION (If thed with to be prounds from 50 sacks (letured C.)	CASING of Casing and to cement to Weight per Foot 22.7# 9.5# dvisable we will notify yo recompletion give full de stage tool set al oductive from log of Plug per sack to persont gel com lifts. Copies of on completion of	PROGRAM hem as indicated: New or Second Hand	Depth 3501 69001 work.) 4-1/2* exise of Picture mented with 2 at on bottom. Inds Tuf Plug attached. Ci	sacks Cement 250 575 asing will be deliffs or 75 sacks 6 Second stage per sack to fill plus of any		
If ch ADD ated orders take	anges in the office of Holo 1/4# 7/8# Langes in the office of the offi	above plinform set of 1-1/2 of Plants	ize of Casing 5/8# 1/2# Ians become a IATION (If thed with to be prounds from 50 sacks (letured C.)	dvisable we will notify yo recompletion give full de stage tool set al pouetive from leg of Plug per sack in persons gel completion of incompletion of incompl	PROGRAM hem as indicated: New or Second Hand	Dopth 3501 69001 work.) 4-1/2" e- hase of Picture mented with 2' at on bottom. Inda Tuf Plug attached. Co	Sacks Coment 250 575 asing will be diffs or 75 sacks 6 Second stage per sack to fill ples of any eration		
If ch ADD ated orders take	anges in the office of Holo 1/4# 7/8# Langes in the office of the offi	above plinform set of 1-1/2 of Plants	ize of Casing 5/88 1/28 Ians become a IATION (If the with to be propounds from So sacks Letured C.	dvisable we will notify yo recompletion give full de stage tool set al pouetive from leg of Plug per sack in persons gel completion of incompletion of incompl	PROGRAM hem as indicated: New or Second Hand	Dopth 3501 69001 work.) A-1/2" exise of Picture mented with 2 at an bottom. In attached. Control of Picture o	sacks Cement 250 575 Asing will be d Cliffs or 75 sacks 6 Second stage per sack to fill ples of any bration		

•

.

R.

NEW MEXICO DIE CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

Located 1650 Feet From the NOR County 3AN JUAN G. L. Elevation		1650 Later :	ree Dedicated		the EA	7I .	Δ
Name of Producing Formation <u>DAKOTA</u>			Pool BA	SIN DA	KOTA		_
1. Is the Operator the only owner in the dedica	ted acreage o	atlined on the	e plat belo	w ^o			
Yes A No							
 If the answer to question one is "no", i agreement or otherwise? Yes N 	o .	If answer u	e owners s "tes".	been co. Expe of	isolidate: Consolid	ity comu ation —	nunitiz
						/ST	ITIL.
3. If the answer to question two is "no", list	all the owne	rs and their	respective	interest.	a below:	'R[I.	ΓΙΛ
Owner			Land	Descript	on	Alia	-1 7 <u>[</u>
						AUG8	19
					13	DIL CO	N. Or
						DIS	Г. з
Section B.	Note: All	distances mu	st be from	outer bo	undaries	of sectio	n.
This is to certify that the information							
in Section A above is true and complete						i	
to the best of my knowledge and belief.		;			 		-
Pan American Petroleum Corporation					os S		
(Operator)	H		+		¥	:	
Bauer, Jr. KM/Sauce		te Tract	•			co'	
(Representative) 400, Farmington, New Mexico	Elmer G.	e Lease Johnson	. :		<u> </u>	20	Ţ
(Address)	Diamot C.	901#1301	:				
	li		17.	•			
	<u> </u>						╼┸┤
						İ	
······································			† **		- ,	:	N
ef: GLO plat dated 7 April 1881							
			i	,	:	ŧ	
			+ -				- 1
				:	:	1	
	•	·		- 1 -		- 4	-
	1						
	!					i	
	U 330 886 99	90 1920 1650 198	0 2310 2640	2000	1500 100	0 500	C
• • • • • • •		Scale	1 inches e	quai 1 mi	le		
This is to cer	tify that the .	above plat w	as prepare	d from f	ield note	s of actu	nal sur
	under my suj	pervision and	that the	same are	true and	l correct	to the
A of my knowled	ge and belief	•					
Seal)		Date Su	rveyed	22 Jul	.: <u>1</u> 961		**

Jill