

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

# NEW MEXICO OIL CONSERVATION COMMISSION

3-NMOCC - AZTEC  
1-File

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease
State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.  
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER-	7. Unit Agreement Name
2. Name of Operator <b>GETTY OIL COMPANY</b>	8. Farm or Lease Name <b>M.L.R. WRIGHT</b>
3. Address of Operator <b>P.O. BOX 249, HOBBS, NEW MEXICO 88240</b>	9. Well No. <b>1</b>
4. Location of Well UNIT LETTER <b>B</b> , <b>790</b> FEET FROM THE <b>NORTH</b> LINE AND <b>1837</b> FEET FROM THE <b>EAST</b> LINE, SECTION <b>13</b> TOWNSHIP <b>30N</b> RANGE <b>12W</b> NMPM.	10. Field and Pool, or Wildcat <b>DAKOTA BASIN</b>
15. Elevation (Show whether DF, RT, GR, etc.)	12. County <b>SAN JUAN</b>

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>
OTHER <input type="checkbox"/>	OTHER <input type="checkbox"/>
PLUG AND ABANDON <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
CHANGE PLANS <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

It is proposed to P & A this well as follows:

1. Mud up. Lay a cement plug from 6427-6377'. (Approx. 5 sacks).
2. Lay a cement plug from 3600'-3450'. (Approx. 15 Sacks).
3. Lay a cement plug from 1960'-1860'. (Approx. 10 Sacks).
4. Lay a cement plug from 550-500' (Approx. 5 sacks).
5. Lay a 10 sack cement plug at surface.
6. Erect a suitable surface marker with proper identification.



18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED C. E. Wade TITLE AREA SUPERINTENDENT DATE 8-16-71

APPROVED BY Cecily O'Connell TITLE Sup Dist TFA DATE 9-22-71

CONDITIONS OF APPROVAL, IF ANY:

WL4/bh

1932

12.

1932

1932

1932

1932

1932

1932

1932

1932

1932

1932

1932

1932

1932

1932

1932

1932

1932

1932

1932

1932

1932




1932

1932

1932

PBTD 6697'

T.D. 6732'



GETTY OIL COMPANY  
M. L. R. WRIGHT NO 1, SAN JUAN COUNTY,  
NEW MEXICO

JULY 28, 1971

