


APPROVED

(SUBMIT IN TRIPLICATE)

Land Office Santa FeLease No. 6713-4Unit Survey

UNITED STATES

DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<u>Water Fracture</u>	<u>X</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 21, 1956

Well No. 4-3 is located 1615 ft. from S line and 1150 ft. from W line of sec. 11Section 11
(1/4 Sec. and Sec. No.)30N
(Twp.)11E
(Range)104M
(Meridian)Alamosa
(Field)San Juan
(County or Subdivision)New Mexico
(State or Territory)The elevation of the derrick floor above sea level is 3002 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)


RECEIVED

AUG 24 1956

U. S. GEOLOGICAL SURVEY
FARMINGTON, NEW MEXICO

8-13-56 Total Depth 4771'. Cleanout Depth 4700'.

Water fractured Point Lookout perforated intervals 4592-4602, 4610-4620, 4630-4640, 4654-4664, with 97,400 gallons water and 94,000# sand. Freshwater pressure 1500#, maximum pressure 1500#, average treating pressure 1200#. Injection rate 75.1 bbls./min. Flush 1000 gallons. Natural log curve.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas CompanyAddress Box 957Farmington, New MexicoBy W. F. CourtTitle Petroleum Engineer