

UNION TEXAS PETROLEUM CORPORATION

SUITE B-400, 1740 BROADWAY • DENVER 2, COLORADO • KEYSTONE 4-1849

May 14, 1962

U. S. Geological Survey
P. O. Box 965
Farmington, New Mexico

Subject: #1-x Johnston-Federal
SW/4 Section 12-30N-9W
San Juan County, New Mexico

Gentlemen:

Enclosed in triplicate for your approval is Notice of Intention to work
over the subject well, Form 9-331a.

Yours very truly

/s/ Charles M. Heard

CHARLES M. HEARD
District Superintendent

CMH:es

cc: 1 New Mexico Oil Conservation Commission, 1000 Rio Brazos Road, Aztec, New Mexico
2 Frankfort Oil Co., Gulf Bldg., 306 West Wall, Midland, Texas
1 Texas National Petroleum Co., 902 So. Coast Life Bldg., Houston 2, Texas
1 Mr. Frank O'Halloran, Farmington General Hospital, Farmington, New Mexico

Encl.



May 10, 1960

Mr. J. Edgar Hoover
U. S. Department of Justice
Washington, D. C.

Subject: 44-1 Johnson-Federal
Re: 44-1 Johnson-Federal
San Juan County, New Mexico

Enclosed:

Enclosed in triplicate for your approval is notice of intention to work

over the subject well, Form 9-101.


Very truly yours,

W. J. Johnson, Jr.

CHARLES M. JOHNSON
Minister Superintendent

cc: Mr. New Mexico Oil Conservation Commission, 1700 Rio Grande Road, Santa Fe, New Mexico
cc: Mr. J. Edgar Hoover, U. S. Department of Justice, Washington, D. C.
cc: Mr. J. Edgar Hoover, U. S. Department of Justice, Washington, D. C.
cc: Mr. J. Edgar Hoover, U. S. Department of Justice, Washington, D. C.
cc: Mr. J. Edgar Hoover, U. S. Department of Justice, Washington, D. C.





(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Santa Fe**
Lease No. **27078-39**
Unit **Johnston-Federal**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 14, 1962


Well No. **1-x** is located **1650** ft. from **S** line and **900** ft. from **W** line of sec. **12**
SW/4 Section 12 **30N** **9W** **R6M**
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Blanco Mesaverte **San Juan** **New Mexico**
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **5647** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Due to well's location in an area of severe external casing corrosion, proposal is made to combat corrosion by cementing tubing to surface. Procedure is outlined as shown on the reverse side of this form.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Union Texas Petroleum**
 Address **Suite B-400, 1740 Broadway**
Denver 2, Colorado
 By **/s/ Charles M. Beard**
 Title **District Superintendent**

1. Set plug choke at approximately 5000'.
2. Install double run BOP, drilling head and blooey line.
3. Pull 2-7/8" OD tubing.
4. Run Baker Model "BA" packer at 3875'. Open well. Test flagger valve.
5. Run 2-7/8" OD NME 6.5# J-55 seamless tubing with seal nipples in packer. Bore pump out cement at approx. 3870'. Plug choke at 800'.
6. Recover plug choke w/wire line tools.
7. Cement through Bore tool w/725 cu. ft. cement slurry.
8. Close sleeve w/pump out plug. Seal well in if necessary.