

DELHI OIL CORPORATION
1315 PACIFIC AVENUE
DALLAS 1, TEXAS

Farmington District Office
P. O. Box 1175
Farmington, New Mexico

July 10, 1951

Reference: Santa Fe 078129

Mr. R. T. McGrath
U. S. G. S.
Box 965
Farmington, New Mexico

Dear Sir:

Attached hereto Form 9-330, "Log
of Oil or Gas Well", on Florence Well
No. 2-14, located in SW 1/4, section
8, T-30, R9, San Juan County, New Mexico.

Yours very truly,



J. B. Howell
Superintendent

lm
cc: Mr. Al Greer



DELIHI OIL CORPORATION
1312 PACIFIC AVENUE
DALLAS 1, TEXAS

Washington Office
1312 Pacific Avenue
Washington, New Mexico


July 10, 1952

Reference is made to:

Mr. E. J. [unclear]
[unclear]
[unclear]
Washington, New Mexico
[unclear]

Enclosed herewith for [unclear] is
a copy of the "Bill" on [unclear] and
[unclear] [unclear] in [unclear] [unclear]
[unclear] [unclear] [unclear] [unclear]


Yours very truly,



Very truly yours,
[unclear]

cc: [unclear]

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



LOG OF OIL OR GAS WELL Deepening

LOCATE WELL CORRECTLY

Company Dalhi Oil Corporation Address 1315 Pacific Ave., Dallas, Texas
Lessor or Tract Florance Field Blanco State New Mexico
Well No. 2-14 Sec. 8 T. 30 R. 9 Meridian N.M.P.M. County San Juan
Location 1650 ft. [N.] of S. Line and 990 ft. [E.] of W. Line of SW 1/4 Elevation 6364
(If not, see relation to nearest well)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Date July 11, 1951 Signed J. B. Howell
Title Superintendent

The summary on this page is for the condition of the well at above date.

Commenced drilling 4/19 1951 Finished drilling 4/28 1951

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from 5280 to 5120 G No. 4, from _____ to _____

No. 2, from _____ to _____ No. 5, from _____ to _____

No. 3. from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from None to _____ No. 3, from _____ to _____

No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
See original Log, dated October 24, 1950, for 10 3/4" surface and 7" casing									
2"	4.70	8PT	Natl	4704					

MUDDING AND CEMENTING RECORD

[illegible]

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____

Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
qts.	tin	MG	1450	6/10/51	4900-5524	5275'
			(over hole shot.)			

TOOLS USED

Rotary tools were used from 1000 feet to 528 feet, and from _____ feet to _____ feet.

Cable tools were used from clean outfalls feet, and from _____ feet to _____ feet.

DATES

---Cable Tools Moved off ^{6/29} 51 Put to producing ~~well shut in~~ 6/29, 19 51

The production for the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, °Bé. _____

If gas well, ^{NCE} cu. ft. per 24 hours ----- 1,650 ----- Gallons gasoline per 1,000 cu. ft. of gas -----

Rock pressure, lbs. per sq. in. -----965-----

EMPLOYEES

----- **H. H. Denney** -----, Driller ----- **G. H. Wilton** -----, Driller

J. B. Gibson, Driller

M. R. King, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
4900	5280	380	Interbedded carb. shale, sandstone, and coal
5280	5420	140	Massive, medium grained slightly porous sandstone w/shale streaks. Top of Point Lookout @ 5280'.
5420	5528	128	Sandy shale w/sand streaks. Top of Mancos @ 5420'.
To record deepening of well from 4900'			to new T.D. of 5528'.

(OVER)

~~16-42024-2~~

