

UNION TEXAS PETROLEUM CORPORATION

SUITE B-400, 1740 BROADWAY • DENVER 2, COLORADO • KEYSTONE 4-1849

May 14, 1962

U. S. Geological Survey
P. O. Box 965
Farmington, New Mexico

Subject: #3 Johnston-Federal
NE/4 Section 12-30N-9W
San Juan County, New Mexico

Gentlemen:

Enclosed in triplicate for your approval is Notice of Intention to work over the subject well, Form 9-331a.

Yours very truly


/s/ Charles M. Heard

CHARLES M. HEARD
District Superintendent

CME:es

cc: 1 New Mexico Oil Conservation Commission, 1000 Rio Brazos Road, Artec, New Mexico
2 Frankfort Oil Co., Gulf Bldg., 306 West Wall, Midland, Texas
1 Texas National Petroleum Co., 902 So. Coast Life Bldg., Houston 2, Texas
1 Mr. Frank O'Halloran, Farmington General Hospital, Farmington, New Mexico

Encl.



May 14, 1952

U. S. Geological Survey
F. C. Box 983
Farmington, New Mexico

Subject: 13 Tompkins-Federal
NE 1/4 Section 12-30N-2E
San Juan County, New Mexico

Gentlemen:

Enclosed in triplicate for your approval is notice of intention to drill
over the subject well, from 9-331a.

Yours very truly


/s/ Charles M. Howard

CHARLES M. HOWARD
District Superintendent

Copies of this notice are being furnished to the following:
1. Mr. Frank O'Halloran, Farmington General Hospital, Farmington, New Mexico
2. Texas National Petroleum Co., 205 So. Coast Life Bldg., Houston 2, Texas
3. Frankfort Oil Co., Gulf Bldg., 500 West Wall, Midland, Texas
cc: New Mexico Oil Conservation Commission, 1000 Rio Bravos Road, Alamo, New Mexico

Enc.





(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Santa Fe**
Lease No. **87078439**
Unit **Johnston-Federal**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	X	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 14, 19**62**


Well No. **3** is located **990** ft. from **[N]** line and **990** ft. from **[E]** line of sec. **12**
NE 1/4 Section 12 **30N** **9W** **100W**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Blanco Mesquite **San Juan** **New Mexico**
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **5930** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Due to well's location in an area of severe external casing corrosion, proposal is made to combat corrosion by cementing tubing to surface. Procedure is outlined as shown on the reverse side of this form.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Union Texas Petroleum**
Address **Suite B-400, 1740 Broadway**
Denver 2, Colorado

By **/s/ Charles E. Beard**
Title **District Superintendent**

1. Set plug choke at approximately 4980'.
2. Install double run BOP, drilling head and bleed line.
3. Pull 2-7/8" OD tubing.
4. Run Baker Model "2A" packer at 4100'. Open well. Test flapper valve.
5. Run 2-7/8" OD NKK 6.55 J-55 seamless tubing w/seal nipple in packer. Have pump out cement at approx. 4090'. Plug choke at 200'.
6. Recover plug choke w/side line tools.
7. Cement through Hoses tool w/750 cu. ft. cement slurry.
8. Close sleeve w/pump out plug. Shut well in if necessary.