


TEMPERATURE IN DEGREES FAHRENHEIT



OIL CONSERVATION COMMISSION		
AZTEC DISTRICT OFFICE		
No. Copies Received 1		
DISTRIBUTION		
	NO. FURNISHED	
Operator		
Santa Fe	4	
Proration Office		
State Land Office		
U. S. G. S.		
Transporter		



Line OIL WELL SERVICE CO.

RECEIVED
AUG 27 1952
U. S. GEOLOGICAL SURVEY
FARMINGTON, N. M.

TEMPERATURE SURVEY

LOCATION	COMPANY	ANDERSON - PRITCHARD				
	FILE					
	WELL	JOHNSON FEDERAL #3				
	FIELD					
	COUNTY	SAN JUAN	STATE	N. MEX.		
	SEC.	12	TWP	30N	RGE	2W
	SURVEY					
Type of Survey		TEMPERATURE (MECHANICAL)				
Log Measured From		R.T.		Elevation		
Drilling Measured From				Elevation		
Permanent Datum				Elevation		

COMPANY ANDERSON - PRITCHARD
FILE
WELL JOHNSON FEDERAL #3
FIELD
COUNTY SAN JUAN
STATE N. MEX.


Date of Cementing	AUGUST 18, 1952	Time	2:00P.M.
Date of Survey	AUGUST 19, 1952	Time	7:00A.M.
Amount of Cement	150	Type	NEAT
Amount of Admix		Type	

Casing Size	7"	Casing Depth	0' to 2,857'	Diam of Hole	8 3/4"	Depth	0' to 2,857'
	from		to		from		to

Survey Begins at	1,500'	Ft. Ends at	2,817'	Ft.
Approx. Fill-Up	60%	Max. Temp.	103 DEG. @ 2,817'	Ft.
Run No.	2	Approx. Top Cement	2,200'	Ft.
Recorded by	PETERSON	Witnessed by	H.D. GLOVER	

REMARKS OR OTHER DATA
Approx. Fill-Up Based on Average of 1.1 cu. ft. per sack of set cement
D.V. TOOL - 2,857'

TEMPERATURE IN DEGREES FAHRENHEIT



OIL CONSERVATION COMMISSION		
AZTEC DISTRICT OFFICE		
No. Copies Received /		
DISTRIBUTION		
	NO. FURNISHED	
Operator		
Santa Fe	4	
Proration Office		
State Land Office		
U. S. G. S.		
Transporter		
File	1	