

submitted in lieu of Form 3160-5

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

1. Type of Well
GAS

2. Name of Operator

BURLINGTON
RESOURCES

OIL & GAS COMPANY

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M

990' FNL 1650' FEL, Sec.10, T-30-N, R-9-W, NMPM

5. Lease Number
SF-081098

6. If Indian, All. or
Tribe Name

7. Unit Agreement Name

8. Well Name & Number
Riddle #3

9. API Well No.
30-045-09744

10. Field and Pool
Blanco Mesaverde

11. County and State
San Juan Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment

Type of Action

☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other - Payadd
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut off
☐ Conversion to Injection

13. Describe Proposed or Completed Operations

6-2-99 MIRU. ND WH. NU BOP. TOOH w/2-3/8" tbgs. SDON.

6-3-99 TIH w/CIBP & pkr. CIBP set @ 5000'; pkr set @ 4975'. PT to 3600 psi. TOOH, found hole in tbgs @ 2623'. TIH, set pkr @ 4973'. RU W/L. Run CNL-GR-CCL 5000' to 4500'. Run CBL-GR-CCL 5000' to 4550'. SDON.

6-4-99 TIH w/perf gun. Perf Menefee w/24 0.29 diameter holes @ 4787', 4793', 4800', 4819', 4839', 4843', 4847', 4851', 4855', 4877', 4889', 4893', 4897', 4900', 4921', 4925', 4929', 4933', 4945', 4949', 4957', 4961', 4980', 4984'. TOOH w/perf gun. RD W/L. TIH, set pkr @ 4674'. Brk dwn perfs. Pump 1500 gal 15% HCL. Rls pkr. TOOH w/pkr. Set pkr @ 4512'. PT lines to 6000 psi. Frac Menefee w/1200 bbl 30# linear gel, 90,000# 20/40 AZ sand. SDON.

6-5-99 Rls pkr. TIH w/mill. Blow well & CO.

6-6-99 Blow well & CO.

CONTINUED ON BACK

14. I hereby certify that the foregoing is true and correct.

Signed [Signature] Title Regulatory Administrator Date 6/28/99
TLW

(This space for Federal or State Office use)

APPROVED BY _____ Title _____ Date _____

CONDITION OF APPROVAL, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

FARMINGTON FIELD OFFICE
AUG 03 1999

6-7-99 TIH, tag up @ 4928'. CO to 5000'. Drill out CIBP. Chase CIBP & CO to 5145'. Blow well. TOOH w/mill. TIH, CO to 5145'. Blow well.

6-8-99 TIH w/170 jts 2-3/8" 4.7# J-55 tbg, set @ 5081'. ND BOP. NU WH. RD. Rig released.



LTR



Job separation sheet

submitted in lieu of Form 3160-5

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED
BLM

09 JUN 29 PM 12:46
Sundry Notices and Reports on Wells

1. Type of Well
GAS

2. Name of Operator

BURLINGTON
RESOURCES OIL & GAS COMPANY

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M

990' FNL 1650' FEL, Sec. 10, T-30-N, R-9-W, NMPM

070 FARMINGTON, NM
5. Lease Number
SF-081098

6. If Indian, All. or
Tribe Name

7. Unit Agreement Name

8. Well Name & Number
Riddle #3

9. API Well No.
30-045-09744

10. Field and Pool
Blanco Mesaverde

11. County and State
San Juan Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

☐ Notice of Intent

☒ Subsequent Report

☐ Final Abandonment

Type of Action

☐ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☒ Other - Payadd

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut off

☐ Conversion to Injection

13. Describe Proposed or Completed Operations

6-2-99 MIRU. ND WH. NU BOP. TOO H w/2-3/8" tbg. SDON.

6-3-99 TIH w/CIBP & pkr. CIBP set @ 5000'; pkr set @ 4975'. PT to 3600 psi. TOO H, found hole in tbg @ 2623'. TIH, set pkr @ 4973'. RU W/L. Run CNL-GR-CCL 5000' to 4500'. Run CBL-GR-CCL 5000' to 4550'. SDON.

6-4-99 TIH w/perf gun. Perf Menefee w/24 0.29 diameter holes @ 4787', 4793', 4800', 4819', 4839', 4843', 4847', 4851', 4855', 4877', 4889', 4893', 4897', 4900', 4921', 4925', 4929', 4933', 4945', 4949', 4957', 4961', 4980', 4984'. TOO H w/perf gun. RD W/L. TIH, set pkr @ 4674'. Brk dwn perfs. Pump 1500 gal 15% HCL. Rls pkr. TOO H w/pkr. Set pkr @ 4512'. PT lines to 6000 psi. Frac Menefee w/1200 bbl 30# linear gel, 90,000# 20/40 AZ snd. SDON.

6-5-99 Rls pkr. TIH w/mill. Blow well & CO.

6-6-99 Blow well & CO.

CONTINUED ON BACK

14. I hereby certify that the foregoing is true and correct.

Signed [Signature] Title Regulatory Administrator Date 6/28/99

TLW

(This space for Federal or State Office use)

APPROVED BY _____ Title _____ Date _____

CONDITION OF APPROVAL, if any:

Title is U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

GENERATOR

AUG 03 1999
FARMINGTON FIELD OFFICE
BY _____

6-7-99 TIH, tag up 928'. CO to 5000'. Drill out (). Chase CIBP & CO to 5145'. Blow well. TOOH w/mill. TIH, CO to 5145'. Blow well.

6-8-99 TIH w/170 jts 2-3/8" 4.7# J-55 tbg, set @ 5081'. ND BOP. NU WH. RD. Rig released.

COMP	NAME	TOW	ID	USER	XREF	DISP	MO	GRS	GAS
RIDDLE 3		4874901		48749A		11/30/98		5667.78	
RIDDLE 3		4874901		48749A		12/31/98		5791.55	
RIDDLE 3		4874901		48749A		1/31/99		5037.65	
RIDDLE 3		4874901		48749A		2/28/99		4392.84	
RIDDLE 3		4874901		48749A		3/31/99		5218.04	
RIDDLE 3		4874901		48749A		4/30/99		4850.16	
RIDDLE 3		4874901		48749A		5/31/99		3637.69	
RIDDLE 3		4874901		48749A		6/30/99		29.7	
RIDDLE 3		4874901		48749A		7/31/99		9858.86	
RIDDLE 3		4874901		48749A		8/31/99		9748.08	
RIDDLE 3		4874901		48749A		9/30/99		9201.02	
RIDDLE 3		4874901		48749A		10/31/99		9375.54	

MAW	CD	NO	DATE	POST	VOLUME
11	48749A	199711	00	6767.43	
11	48749A	199712	00	5855.69	
11	48749A	199801	00	6509.59	
11	48749A	199802	00	4252.80	
11	48749A	199803	00	5403.74	
11	48749A	199804	00	6170.39	
11	48749A	199805	00	6363.52	
11	48749A	199806	00	5394.92	
11	48749A	199807	00	4791.02	
11	48749A	199808	00	4723.37	
11	48749A	199809	00	5080.23	
11	48749A	199810	00	5571.39	