


State of New Mexico
Energy, Minerals and Natural Resources Department
Oil Conservation Division

Sundry Notices and Reports on Wells


1. Type of Well GAS		API # (assigned by OCD) 30-045-09863 5. Lease Number Fee 6. State Oil&Gas Lease # 7. Lease Name/Unit Name Abrams 8. Well No. 1 9. Pool Name or Wildcat Aztec Pict.Cliffs 10. Elevation:
2. Name of Operator BURLINGTON RESOURCES OIL & GAS COMPANY		
3. Address & Phone No. of Operator PO Box 4289, Farmington, NM 87499 (505) 326-9700		
4. Location of Well, Footage, Sec., T, R, M 1673'FSL, 1831'FEL, Sec.5, T-30-N, R-11-W, NMPM, San Juan County		

Type of Submission	Type of Action	
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Restimulate	

13. Describe Proposed or Completed Operations

It is intended to restimulate the Pictured Cliffs formation of the subject well in the following manner:

Pull 1" tubing. Clean out open hole to new total depth at approximately 2265'. Run open hole logs. Run 3 1/2" casing to new total depth. Cement casing to surface w/150 sacks Class "B" 50/50 poz with 2% gel, 5 pps Gilsonite, 0.2% fluid loss, 3% Kcl. Perforate, acidize and foam fracture treat the Pictured Cliffs formation. Clean out and return well to production.

SIGNATURE  (MDWPC) Regulatory Administrator October 8, 1997

(This space for State Use)

Approved by ORIGINAL SIGNED BY ERNIE BUSCH Title DEPUTY OIL & GAS INSPECTOR, DIST. #3 Date OCT 14 1997

Abrams # 1
Pertinent Data Sheet

API #: 300450986300

Location: 1673' FSL & 1831' FEL, Unit J, Section 5, T30N, R11W, San Juan County, New Mexico

Latitude: 36° - 50.31'

Longitude: 108° - 0.64'

Field: Aztec PC

Elevation: 5667' GL
5678' KB

TD: 2200'

PBTD: 2200'

DP #: 11427A

Lease: NM 6958 (Private)

GWI: 57.5 %

NRI: 48.875 %

Prop#: 71088200

Spud Date: 5/25/54

Compl Date: 10/7/54

Initial Potential: 1664 Mcfd

Original SIP: 684 psi

Casing Record:

<u>Hole Size (In.)</u>	<u>Csg Size (In.)</u>	<u>Wt. (#'s) & Grade</u>	<u>Depth Set (Ft.)</u>	<u>Cement (Sx.)</u>	<u>Cement (Top)</u>
12 1/4	8 5/8	24 J-55	84	50	circ to surf
7 7/8	5 1/2	15.5 J-55	2,117	100	1528' @ 75% eff.
4 3/4	openhole		2,117 -2,200		

Tubing Record:

<u>Tbg. Size</u>	<u>Wt. & Grade</u>	<u>Depth Set</u>	<u># Joints</u>	<u>Comments</u>
1"	1.7 Line Pipe	2,194'	104 (est)	No record on tbg in hole (Dwights data)

Formation Tops:

Ojo Alamo: 660'
Kirtland Shale: 735'
Fruitland: 1,895'
Pictured Cliffs: 2,115'

Logging Record:

Original Stimulation: SOH w/ 200 qts SNG

Workover History: None

Production History: 7/97 PC capacity: 5 MCF/D. 7/97 PC cum: 953 MMCF.

Pipeline: EPNG

Aztec Pictured Cliffs Field Wellbore Schematic

