

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT - " for such proposals

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Amoco Production Company

Attention:

Lois Raeburn

3. Address and Telephone No.

P.O. Box 800, Denver, Colorado 80201

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1790 FSL 915 FEL Sec. 3 T 30N R 12W

5. Lease Designation and Serial No.

NMSF-081239

6. If Indian, Allottee or Tribe Name

7. Unit or CA, Agreement Designation

L. C. Kelly

8. Well Name and No.

5

9. API Well No.

3004511823

10. Field and Pool, or Exploratory Area

Mesaverde

11. County or Parish, State

San Juan New Mexico

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

☒ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment Notice

☐ Abandonment

☒ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☐ Other

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut-Off

☐ Conversion to Injection

☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Amoco Production Company request permission to recomplete the Mesaverde formation by perforating and fracture stimulate.  
Place well on production.

See attachment.

If you have any questions please contact Lois Raeburn @ (3303) 830-5294

SEE ATTACHED FOR  
CONDITIONS OF APPROVAL

RECEIVED  
APR 14 1994

OIL CON. DIV.  
DIST. 3

14. I hereby certify that the foregoing is true and correct

Signed

*Lois Raeburn*

Title

Business Asst.

Date

04-01-1994

(This space for Federal or State office use)

Approved by

Conditions of approval, if any:

Title

APPROVED

APR 02 1994

*[Signature]*  
DISTRICT MANAGER

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

\* See Instructions on Reverse

NMOCD

RECEIVED  
JAN 10 1961

THE NEW YORK  
LIBRARY

NEW YORK

100-100000

UNIVERSITY MICROFILMS

RECEIVED  
JAN 10 1961  
LIBRARY OF CONGRESS

# Amoco Production Company

ENGINEERING CHART

Sheet No \_\_\_\_\_ of \_\_\_\_\_

File \_\_\_\_\_

Appn \_\_\_\_\_

Date 4-1-94

By SPS

SUBJECT L.C. Kelly No. 5

1. Plug and abandon the Dakota and Gallup Formation perforations by setting a cement retainer 50' above each set of <sup>existing</sup> perforations and cement squeezing.


2. Recomplete the Mesaverde Formation by perforating:

4480 - 4510	30
4520 - 4570	50
4623 - 4627	4
4670 - 4700	30
4730 - 4750	20
4760 - 4770	10
	<u>144</u>

and fracture stimulate.

3. Place well on production

L C KELLY #5  
LOCATION, 03 30N 12W  
COMMINGLE DK GP  
ORIGINAL COMPLETION 12/64  
LAST FILE UPDATE 5/93 BY CSW



FILENAME:  
04509869

3/5/85 SQ 368-520 W/118CUFT CLASS B CEMENT  
3/5/85 SQ CASING LEAK @494 W/90CUFT

IN REPLY REFER TO:  
(07337)

UNITED STATES DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT  
FARMINGTON DISTRICT OFFICE  
1235 La Plata Highway  
Farmington, New Mexico 87401

Attachment to Notice of

Re: *Plug Back*

Well: *5 L. C. Kelly*

CONDITIONS OF APPROVAL

1. Plugging operations authorized are subject to the attached "General Requirements for Permanent Abandonment of Wells on Federal and Indian Leases."
2. Mike Flaniken with the Farmington Office is to be notified at least 24 hours before the plugging operations commence (505) 599-8907.
3. The following modifications to your plugging program are to be made (when applicable):

1.) Top of Dakota @ 6614' - Perforations 6672' - 6696'  
Spot a cement plug from the top of the  
retainer @ 6622' to 6564'.

2.) Top of Gallup @ 5749' - Perforations 5964' - 6006'  
Spot a cement plug from the top of the  
retainer @ 5914' to 5699'.

Office Hours: 7:45 a.m. to 4:30 p.m.

*If other than Class B Neat cement  
is going to be used, contact the BLM for  
approval.*