(A)	pril 19	531 D 52)	
			X

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Budget Buresu No. Approval expires 19	2-R200,4. 2-66.	200 A
Indian Agency	Tribal	C
Allottee		
14-90-40	7.00	

OTICE OF INTENTION TO DRILL	X	1		1
OTICE OF INTENTION TO CHANGE PLANS.		SOBOLIGOLIN RELOI	RT OF WATER SHUT-OFF	- -
OTICE OF INTENTION TO TEST WATER SH	WIT-OFF	11	RT OF SHOOTING OR ACIDI	ZING
OTICE OF INTENTION TO REDRILL OR RE	i	II	RT OF ALTERING CASING	
OTICE OF INTENTION TO SHOOT OR ACID		ii .	RT OF REDRILLING OR REP RT OF ABANDONMENT	AIR.
OTICE OF INTENTION TO PULL OR ALTER		SUPPLEMENTARY W		RFCEIV
OTICE OF INTENTION TO ABANDON WELL				*
		<u> </u>		MAY 1 3 18
(INDICATE ABO	WE BY CHECK MARK NAT	URE OF REPORT, NOTI	CE, OR OTHER DATA)	JLOGIU
			May 11	
ierseshoe Navajo	Colory col			
	1986 ft. from	line and 7	40 ft. from E li	f : E
		[5] und	Tolli (III)	ec or sec.
() Sea, and Sea, No.)	(Typ.) (R	L 6W	NMPM	÷ :
senschee Gallup Ext.	San hean		(Meridian)	-
(Field)	(County or Su		(State or Te	
names of and expected depths to object	DETAILS stive sands; show sizes, wing points, and all other is a well through	OF WORK sights, and lengths of important proposed via	alles Formation	naine rober
Manual Circulation. Passi Metimated Total Dep Casing Program:	DETAILS stive sands; show sizes, wing points, and all other is a wail through the preductive pth 1170°.	OF WORK rights, and lengths of important proposed of the Lower G intervals will	allup Formation be perforated as	using rosary id sendell fra
its names of and expected depths to object It is intended to drift ad mad circulation. Passa Estimated Total Dep Casing Program: 7-5/8" at 1	DETAILS stive sands; show sizes, wing points, and all other il a well through this preductive pth 1170°.	OF WORK wights, and lengths of important proposed of the Lower Content of the Lower Content of the content of	alles Formation	using rosary id sendell fra
its names of and expected depths to object It is intended to drift ad mad circulation. Passa Estimated Total Dep Casing Program: 7-5/8" at 1	DETAILS stive sands; show sizes, wing points, and all other is a wail through the preductive pth 1170°.	OF WORK wights, and lengths of important proposed of the Lower Content of the Lower Content of the content of	allup Formation be perforated as	using rosary id sendell fra
it is intended to drill in the man of and expected depths to chief it is intended to drill in it is intended in drill in it is intended. Fastimated Total Depth Casing Program: 7-5/8" at 1 5-1/2" at 1	DETAILS stive sands; show sizes, wing points, and all other il a wail through this productive pth 1178*. 100* with 75 sac. 170* with 50 sac.	OF WORK rights, and lengths of important proposed of the Lower Grintervals will the cement circles cement.	allup Formation be perforated as	using rosary id sendell fra
its intended to drill mud circulation. Passing Briggram; Casing Program; 7-5/8" at 1	DETAILS stive sands; show sizes, wing points, and all other il a wail through this productive pth 1178*. 100* with 75 sac. 170* with 50 sac.	OF WORK rights, and lengths of important proposed of the Lower Grintervals will the cement circles cement.	saling Formation be perforated as culated to surface	maing rouncy ad sendoll frac ELEVED
it is intended to drill and mud circulation. Passing Resignant: 7-5/8" at 1 5-1/2" at 1	DETAILS stive sands; show sizes, wing points, and all other il a wail farough this productive pth 1170°. 100° with 75 sac. 170° with 50 sac.	of Work rights, and lengths of important proposed of the Lower of intervals will ks coment cir cks coment.	be perforated as reulated to surface	teing reary ad sendell frac
is intended to drill a mud circulation. Possion Estimated Total Deg Casing Program: 7-5/8" at 1 5-1/2" at 1	DETAILS stive sands; show sizes, wing points, and all other il a wail through this productive pth 1178*. 100* with 75 sac. 170* with 50 sac.	of Work rights, and lengths of important proposed of the Lower of intervals will ks coment cir cks coment.	be perforated as reulated to surface	teing reary ad sendell frac
it is intended to drill demand circulation. Possion Estimated Total Deg Casing Program: 7-5/8" at 1 5-1/2" at 1 5-1/2" at 1 8 NE/4 SE/4 of Section 5	DETAILS stive sanday show sizes, wing points, and all other il a wail flarough this preductive pth 1170*. 100* with 75 sac. 170* with 50 sac. is dedicated to Navajo Tribal	OF WORK rights, and lengths of important proposed of the Lower G intervals will ks cement cir cks cement. this well. Contract 14-	be perforated as culated to surface	METER PORTY IN SERVICE MAY 1 4 1959 IL CON. CON.
R is intended to drill mud circulation. Possification Total Depth Casing Program: 7-5/8" at 1 5-1/2" at 1 6 NE/4 SE/4 of Section 5	DETAILS stive sanday show sizes, wing points, and all other il a wail flarough this preductive pth 1170*. 100* with 75 sac. 170* with 50 sac. is dedicated to Navajo Tribal	OF WORK rights, and lengths of important proposed of the Lower G intervals will ks cement cir cks cement. this well. Contract 14-	be perforated as culated to surface	METER PORTY IN SERVICE MAY 1 4 1959 IL CON. CON.
R is intended to dril mud circulation. Pessi Estimated Total Deg Casing Program: 7-5/8" at 1 5-1/2" at 1 NE/4 SE/4 of Section 5	DETAILS stive sands; show sizes, wing points, and all other il a well through his preductive pth 1170*. 60° with 75 sac. 170° with 50 sac. 170° with 50 sac. 170° with 50 sac.	OF WORK wights, and lengths of important proposed with the Lower Grintervals will ke cement circks cement. this well. Contract 14- ing by the Geological	be perforated as culated to surface	METER PORTY IN SERVICE MAY 1 4 1959 IL CON. CON.
R is intended to dril d mud circulation. Passi Estimated Total Des Casing Program: 7-5/8" at 1 5-1/2" at 1 5-1/2" at 1 mid-4 SE/4 of Section 5 MANUAL COMMISSION SECTION 5	DETAILS stive sands; show sizes, wing points, and all other il a well through his preductive pth 1170*. 60° with 75 sac. 170° with 50 sac. 170° with 50 sac. 170° with 50 sac.	OF WORK wights, and lengths of important proposed with the Lower Grintervals will ke cement circks cement. this well. Contract 14- ing by the Geological	be perforated as culated to surface	METER PORTY IN SERVICE MAY 1 4 1959 IL CON. CON.
it is intended to drill and mid circulation. Passing Residual Total Deg Casing Program: 7-5/8" at 1 5-1/2" at 1 14 SE/4 Section 5 understand that this plan of work must	DETAILS stive sanday show sizes, wing points, and all other is a wail flarway shis productive ph 1170°. 100° with 75 sac. 170° with 50 sac. is dedicated to Navajo Tribal receive approval in writing Products Con	OF WORK wights, and lengths of important proposed with the Lower Grintervals will ke cement circks cement. this well. Contract 14- ing by the Geological inpuny	be perforated as culated to surface.	ECEIVED AND 1 4 1959 IL CON. CON DIST. 3
it is intended to drill a mud circulation. Passing Regram: 7-5/8" at 1 5-1/2" at 1 18 NE/4 SE/4 of Section 5 19 Section 5 19 Paso Natural Gallery Company RI Paso Natural Gallery Company RI Paso Natural Gallery RI RI Paso Natural Gallery RI	DETAILS stive sanday show sizes, wing points, and all other is a wail flarway shis productive ph 1170°. 100° with 75 sac. 170° with 50 sac. is dedicated to Navajo Tribal receive approval in writing Products Con	OF WORK wights, and lengths of important proposed with the Lower Grintervals will ke cement circks cement. this well. Contract 14- ing by the Geological inpuny	be perforated as culated to surface.	ECEIVED AND 1 4 1959 IL CON. CON DIST. 3
it is intended to drill a mud circulation. Passing Regram: 7-5/8" at 1 5-1/2" at 1 14 SE/4 Section 5 14 SE/4 Section 5 15 Section 5	DETAILS stive sands; show sizes, wing points, and all other it a well through his preductive ph 1179*. 300° with 75 sac. 170° with 50 sac. 170° with 50 sac. 18 dedicated to Navejo Tribal receive approval in writing Products Con	OF WORK wights, and lengths of important proposed with the Lower Grintervals will be coment circles coment. Contract 14- ORIGINAL	be perforated as culated to surface	CEVED AND 1 4 1959 IL CON. CON DIST. 3
it is intended to drill it mud circulation. Passi Estimated Total Dep Casing Program: 7-5/8" at 1 5-1/2" at 1 5-1/2" at 1 we NE/4 SE/4 of Section 5 understand that this plan of work must inpany. El Paso Natural General Control of the Section 5 Iress. Past Office Box 15	DETAILS stive sands; show sizes, wing points, and all other il a well through this preductive pth 1170°. 90° with 75 sac. 170° with 50 sac. 170° with 50 sac. 18 dedicated to Navajo Tribal receive approval in writing Products Con	OF WORK wights, and lengths of important proposed with the Lower Grintervals will ke cement circks cement. this well. Contract 14- ing by the Geological inpuny	be perforated as culated to surface.	ELEVED AN 1 4 1959 IL CON. CON. DIST. 3 By be commenced.

A section of the control of the contro

Comment of Experience of Experience



CONTRACTOR SELECTION OF A CONTRACTOR E. KREGER

State of the section of the section of

EXICO OIL CONSERVATION COMMISSION

Well Enestion and Acreage Dedication Plat

Vell No.	Unit Letter Se	etion 5	Township		
Located 1940 Coppey See Jose	Post Prés Section		Dedicated Ac		
dia of Producing I	ormaties G		Pool	and the same of	
	tor the only owners in	the dedicated ac	creage outlined	on the plat	pelout
	No r to questien one is "n	o " have the inte	nrests of all ti	he owners he	
	zation agreement or ot				
Type of Con	solidation				
if the answe:	r to question two is "n	o," list all the	owners and the	ir respectiv	interests
	0			.	
	Owner		Pan	d Description	
		•			
		· ·		RILL	
				1	1640
			·	MAY14	13.0
Region 3				OIL CON	
				DIS	1.7
		-1		This is t	interity t
		1	1:		er in Speti
		1			STATE STATE
		190		and belie	
		! %		Prop. Marian	
					()page ter
			6516144	[3]	
			OKIGINAL S	HENED BATT	BATTLE N
				(Rep	desirativ
			, De	a Mile, Pro	
			K		Address
		Man	ajo Tythel	This is	
		14	20-609-733	voll le	
			NO.	plat t	2 A 2 T 3
*				Tree Tree	0
					e gerief
		J		显示	
			gè .	THE REAL PROPERTY.	建 和正表。
			7 (1)	1	
		, l		Programme and the	THE STATE OF