Form 9-331 b (April 1962)

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Approval expires 12-31-60.						
Indian Agency	Itavajo Tribel					
Council						

Budget Bureau No. 43-R259.4.

					-
Allottee	Ush	Kin	L	Neb	€C306 23
	34.	.90	a	_400	

SUNDRY NOTICES AND	D REPORTS ON WELLS DE GENVE
NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING SUBSEQUENT REPORT OF ALTERING CASING SUBSEQUENT REPORT OF REDRILLING OR REPAIR SUBSEQUENT REPORT OF ABANDONMENT FARMING TOIL NEW MEXIC Sandoll Free.
(INDICATE ABOVE BY CHECK MARK NATU	URE OF REPORT, NOTICE, OR OTHER DATA)

			भ्याद द्या ८	MARCH AV		
Nevejo Allotted Well No. 2 is locate	d 1980 f	t. from ${S \brace S}$ line and	660 ft. from W	line of sec		
NW/4 SW/4 Section 2	30N	16M	napa			
(34 Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)			
Horseshoe Gallup		San Juan	New	Mexico		
(Field)	(0	County or Subdivision)	(State	(State or Territory)		

The elevation of the derrick floor above sea level is 5649 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work)

March 18, 1961 Total Dupth 1655'. Clean Out Total Depth 1622'.

Sandoil fractured Lower Gallup perforated intervals 1551*-1557; 1565*-1573* and 1583*-1594* (2 sh./ft.) with 83, 180 gals. lease crude and 42,000* sand. Breakdown pressure 400 pai; maximum treating pressure 1000 pai; average treating pressure 900 pai. Injection Rate: 47.0 hbls./min. Flushed with 1660 gals. lease crude. Dropped 25 perforation hall sealers one time.

