

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Santa Fe  
Lease No. 011098  
Unit R/2 Sec. 3


SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. 19 is located 1630 ft. from N line and 790 ft. from E line of sec. 3  
R2/4 Sec. 3 T-30-N R-9-W NMPH  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Blanco Mesaverde San Juan New Mexico  
(Field) (County or Subdivision) (State or Possession)

The elevation of the derrick floor above sea level is 6142 ft. G. L.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

Move in rig and set plug below 7" csg. shoe, side track and drill w/gas from present T.D. of 3421 to approximate T.D. of 7680, set 4-1/2" csg. from surface to T.D. w/ approximately 200 lbs. cement. Perforate and free in Dakota and Mesaverde sections. Run packer for zone separation. Run 2-3/8" HUE 4.70 tubing and complete well w/Dakota producing thru tubing and Mesaverde thru tubing-casing annulus.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Delhi-Taylor Oil Corporation

Address P. O. Drawer 1198

Farmington, New Mexico

By G. T. Higginbotham  
Title District Superintendent