

NEW MEXICO OIL CONSERVATION COMMISSION

NOTICE OF INTENTION TO DRILL

See Rules 101 and 1104.

If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval.

Farmington, New Mexico.

June 12, 1952.

Place

Date

Notice hereby is given that it is our intention to commence the drilling of a well to be known as

Turner

State

well No. 2

in

Company or Operator

Lease

of Sec. 2, T. 30N, R. 9W, N. M., P. M., Blanco Pool, San Juan County.

The well is 990 feet from (N.) ~~W~~ line and 990 feet from(E.) ~~W~~ line of the above section.

(Give location from section lines. Cross out wrong directions.)

If state land the oil and gas lease is No. B-10889 Assignment No.

If patented land the owner is

Address


If government land the permittee is

Address

The lessee is J. Glenn Turner

Address 1711 Mercantile Bank Bldg., Dallas 1, Texas.

We propose to drill well with drilling equipment as follows: Rotary drilling rig.



AREA 640 ACRES

LOCATE WELL CORRECTLY

The status of a bond for this well in conformance with Rule 101 of the General Rules and Regulations of the Commission is as follows: \$10,000. blanket bond (United States Fidelity & Guaranty Co.) on file with Oil Conservation Commission in Santa Fe.

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
17-1/4"	13-3/8"	48#	New	240 ft.	Cemented	250
8-1/4"	7"	20#	New	4,400 ft.	Cemented	150
Should water or pressure trouble be experienced, the 7" casing will be set thru Pictured Cliff formation expected at about 2,700 feet, and additional casing set:						
6-1/4"	5-1/2"	17#	New	4,400 ft.	Cemented	150 sacks & squeezes

If changes in the above plans become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 4,400 feet.

Additional information:

2-3/8" tubing - external upset J-55 will be set to within 20 feet of total depth drilled.

If conditions warrant, well will be shot with solidified nitro glycerin.

East half of Section 2 is dedicated to this well.

Ungraded ground elevation is 5,899 feet.

Approved: JUN 14 1952, 19

except as follows:

J. Glenn Turner

Company or Operator

By

C. Beeson Neal

Position

Agent in Farmington

Send communications regarding well to:

Name C. Beeson Neal

Address Box 728 - Farmington, New Mexico.

OIL CONSERVATION COMMISSION,

By

Oil and Gas Inspector Dist. #3.

Title




Company J. Glenn Turner

Lease _____ Well No. _____

Sec. 2 T. 32 N., R. 2 W., N.M.

Location 220' from the North line and 990' from the East line.



Scale—4 inches equals 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Seal:

Registered Professional
Engineer and Land Surveyor.

Charles J. Finkler
N. Mex. Reg. No. 1000

Surveyed June 11, 1952

SAN JUAN DRILLING COMPANY

P. O. BOX 728

FARMINGTON, NEW MEXICO

June 12, 1952.

Mr. Al Greer
Oil & Gas Inspector - District No. 3
New Mexico Oil Conservation Commission
Aztec, New Mexico.

Dear Mr. Greer:

Re: Turner-State No. 2
NE 1/4 Sec. 2, Twp. 30N, R 9W.
New Mexico Lease B-10889



In line with our telephone conversation - we enclose five copies of "Notice of Intention to Drill" - Form C-101 - with Surveyor's plat attached to each.

We shall appreciate your early attention to this - as McConnell Drilling Corporation has finished Turner-State No. 1 in the SW 1/4 of this Section 2, and Mr. Turner has made a contract with them to drill the second well.

Location is being graded today, and the drilling contractor plans to move rig to the well site immediately.

Very truly yours,

C. Beeson Neal
For J. Glenn Turner

Copy: Mr. Turner - Dallas.