

TEMPERATURE SURVEY

LOCATION	COMPANY	MC COWNELL DRILLING	COMPANY MC COWNELL DRILLING CORPORATION FILE	
	CORPORATION	FILE		
	WELL	TURNER STATE # 2		
	FIELD			
	COUNTY	SAN JUAN STATE, N.M.		
	SEC. 2	TWP 30 N	RGE 2 W	
	SURVEY			

Type of Survey	MECHANICAL	
Log Measured From	P. T.	Elevation
Drilling Measured From		Elevation
Permanent Datum		Elevation


Date of Cementing	JULY 9, 1952	Time	6:20 A.M.
Date of Survey	JULY 9, 1952	Time	2:30 P.M.
Amount of Cement	50 SACKS	Type	IDEAL
Amount of Admix	200 SACKS	Type	BUDGET


Casing Size	Casing Depth	Diam of Hole	Depth
7" from 0' to 4,385'	9" from 0' to 4,385'		

Survey Begins at	2,500'	Ft. Ends at	4,284'	Ft.
Approx. Fill-Up	82'	Max. Temp.	103 DEG.	Ft.
Run No.	1	Approx. Top Cement	3,100'	Ft.
Recorded by	PETERSON	Witnessed by	C. F. STRIDER	

REMARKS OR OTHER DATA
Approx. Fill-Up Based on Average of 1.1 cu. ft. per sack of set cement

TEMPERATURE IN DEGREES FAHRENHEIT





TEMPERATURE SURVEY

LOCATION	COMPANY	MC CONNELL DRILLING CORPORATION	FILE	COMPANY MC CONNELL DRILLING OIL CON. COM. FILE WELL TEMPERATURE FIELD SAN JUAN STATE, N.M.	
	WELL	TEMPERATURE	2		
	FIELD				
	COUNTY	SAN JUAN	STATE		N. MEX.
	SEC. 2	TWP 30 N	RGE		2 W
	SURVEY				

Type of Survey	MECHANICAL		
Log Measured From	Elevation		
Drilling Measured From	Elevation		
Permanent Datum	Elevation		
Date of Cementing	JULY , 1952	Time	6:21 A.M.
Date of Survey	JULY , 1952	Time	2:30 P.M.
Amount of Cement	50 SACKS	Type	PORTLAND
Amount of Admix	200 SACKS	Type	WATER

Casing Size	Casing Depth	Diam of Hole	Depth
7" from 0' to 1,205'	9" from 0' to 1,205'	9" from 0' to 1,205'	1,205'
Survey Begins at	2,500'	Ft. Ends at	1,205'
Approx. Fill-Up	82'	Max. Temp.	1,205'
Run No.	1	Approx. Top Cement	3,100'
Recorded by	JOE BROWN	Witnessed by	C. F. SPRINGER

REMARKS OR OTHER DATA

Approx. Fill-Up Based on Average of 1.1 cu. ft. per sack of set cement

TEMPERATURE IN DEGREES FAHRENHEIT

