Oil Conservation Commission State of New Mexico P. O. Box 871 Senta Pe, New Mexico



Ro: Application for Dual Completion of Northwest Production Corperation's Well 1-4, Blanco 30-12, located in Section 4, TSON, BIBN, See Just County, New Mexico

Attention: Mr. A. L. Porter

Gentlemen:

In accordance with Rule il8 (c) of the Commission Rules and Regulations, Morthwest Production Corporation requests final approval for the dual completion of Well 1-4, Simco 39-12, in the Fruitland and Mesaverde formations. Tentative approval of the plan for drilling and equipping the well was received from Mr. Mesavy C. Assauld on March 5, 1957.

Following is a resume of the work performed on Well 1-6, Blanco 30-12, which is located 1695 feet from the North line and 875 feet from the East line of Section 4, T308, R12%, Sam June County, New Maxico.

- 1. Intermediate casing (7-5/8 inch (D) was set at \$490 feet.
- 2. A 6-3/4 inch hole was drilled to 4645 feet and 4 5-1/2 inch liner was commuted at 4645 feet with a Burns liner hanger at 2368.54 feet. A 4-3/4 inch hale was drilled below the 4-1/2 inch liner to a depth of 4640 feet and plugged back to 4778 that.
- 3. The lower Mesewords was fractured in open hole from 4645 feet to 4776 feet using under and send.
- 4. A bridge plug was set at 4834 feet, the 5-1/2 inch liner was perforated from 4578 to 4630 feet and the upper Headwords was fractured using water and send.
- 5. The well was completed October 28, 1956 in the Messwerds formation with an absolute open flow of SES McfD.
- 6. A completion unit was moved in on location Polymary 28, 1957. The 7-5/8 inch coming was perforated from 1964 to \$156 feet, a bridge plug was not at \$660 feet and the Fruitland Separation was fractured using water and send. The bridge plug was retrieved and the hole cleaned out to 4775 feet.

THE RESERVE OF THE PROPERTY OF THE 可能 铁 乾 线点 计翻译法 T 18 .5 .1 当一种 化二甲酰二甲酰二甲酰二甲酰

And A Section 18 Control of the Section 1999 the second of the second of the second The selection of the selection of the contract The area desired and the state of the second

ా తెక్కా కా కా కాయాలు ఉన్నాయి.

1946 To 1845 At

The second of th

And the second of the second o The second of the second of the second of the second secon CONTRACTOR OF THE STATE OF BUILDING BEING STATE OF BUILDING STATE OF STATE

and the state of t THE SECOND OF SECULO SAME

A Principal of the service of the se on the part and other as we have nothing the real of the comment o 李明建 株本 1927年(第3

TO MAIN TO THE STATE OF THE STATE OF THE SERVICES OF THE SERVICES OF THE STATE OF THE SERVICES The state of the s

ంట్లో ఎక్కుళ్ళి కొన్నే కృత్వంగాన్నికి ఉంటకుండు. కుండా కేస్తుండు కుండా కొండులో కొండు కూడు కాటక్కుడుంది. కి.మీ.క The contract of the second of I reduce the term of the contraction of the second section of the second section where the contraction is the second section of the second section in the second section is the second section of the second section in the second section is the second section of the second section in the second section is the second section of the second section in the second section is the second section of the second section in the second section is the second section of the second section in the second section is the second section of the second section in the second section is the second section of the second section in the second section is the second section in the second section is the second section of the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the section is the section in the section in the section is the section in the section is the section in the TANK HAS DOWN THEN THE LAND DAY SERVED HAS HAVE THE THE THE THEN SHELD . TO STATE OF THE BURGOT.

Page 3 - IMDCC Well 1-4. Blasco 30-12

7. Two inch EUE tubing was hung at 4602.61 feet with a Baker "BGJ", production packer set at 4500.41 feet and an Otis side-door choke at 4409.41 feet.

The three hour absolute open flow from the Mesaverde tubing completion was 733 Mcf9 taken on April 11, 1967. The Fruitland tubing-tusing annulus completion had an absolute open flow of 3.121 Mcf9 taken April 18, 1967.

Attached for your information is a diagramatic sketch of the dual with pertinent data of the completion. Copies of production tests, packer leakage test and packer setting affidavit are also attached.

According to our records. Astes Gil and Gas Company, 980 Mercantile Securities Building, Dallas, Texas, owns mineral rights on acrosge affecting our Well 1-4, Blanco 20-13. Metics of our intention to dually complete the well was given this operator, as evidenced by the attached registered receipt.

Should you desire additional information regarding Well 1-4, Blanco 30-12, before a final order is issued approving this dual completion, please advise.

Hours very truly.

ORIGINAL SIGNED BY W. R. JOHNSTON

W. R. Johnston, Hansger Production Operations

RP/nt

In duplicate

cc: Oil Conservation Commission V 120 East Chaec Autec, New Mexico

> U. S. Geological Survey P. C. Box 965 Farmington, New Mexico

The course was a second second course of the second course of the course

ా ప్రేట్లో కొన్నా ఎంటెక్ ఆంగ్రాల్లో మందే ఈ ఈ ప్రవేశకారుకొట్టు ప్రేట్లో మార్కి మూల్కి మూల్కు కార్యుతోన్నారు. కోశ్రం ఈ హ్యా ప్రాంత్రం ప్రధాని ఈ కొన్నార్తులో మూలకు ప్రాంత్రం కూడా ప్రేమ్యం కార్లు ప్రాంత్రం ప్రాంత్రం మూల్కి మూలకు ఈ హ్యా ప్రాంత్రం కార్డ్ మూల్కి మూల

ు కార్వారు కార్యాన్ ప్రామెట్ట్ కొన్నాడు. కారుకోష్ట్ కార్ అమెట్ట్ కార్డ్ ప్రామెట్ట్ పై పై క్రిక్స్ కోడ్డి మార్క్ కార్యాన్ కార్యాన్ కార్డ్ కార్ కార్డ్ కార్డ్ మాట్ట్ కార్డ్ కార్డ్ కార్డ్ కార్డ్ పై పై క్రిక్స్ కోడ్డి మా మార్క్ కార్డ్ మాట్ట్ కార్డ్ మాట్ట్ అన్ని మక్కురుకోవాడి మంద్ర అంది కార్డ్ కార్డ్ కార్డ్ కార్డ్ కార్డ్ కార్డ్ మా కార్డ్ కార్డ్ మాట్ట్ మాట్ట్ కార్డ్ మాట్ట్ కార్డ్ కార్డ్ కార్డ్ కార్డ్ కార్డ్ కార్డ్ కార్డ్ కార్డ్ కార్డ్ కార్డ


The first of the control of the cont

grand to the time

SHORMS SHOWS IN

1.00

Andrew An



FRUITLAND DATA

TOP OF FRUITLAND: 1880'

BOTTOM OF FRUITLAND: 2275'

PERFORATIONS: 1964-1974'

2052-2058', 2192-2198'

MESAVERDE DATA

TOP OF MESAVERDE : 3820'
BOTTOM OF MESAVERDE : 4790'
PERFORATIONS : 4578-4604'
4624-4630'

OPEN HOLE : 4645-4778

Otis Side-Door Choke
at 4499.41'

Baker "EGJ" Packer
at 4500.41'

2 3/8" tubing at 4602.01'

5 1/2" Liner at 4645'

PBTD 4778'

TD 4840'

DIAGRAMATIC SKETCH OF DUAL GAS

COMPLETION FOR BLANCO 30-12, WELL 1-4

NORTHWEST PRODUCTION CORPORATION
ALBUQUERQUE, NEW MEXICO

APPLICATION FOR DUAL GAS COMPLETION OF BLANCO 30-12, WELL 1-4 IN FRUITLAND AND MESAVERDE FORMATIONS

SAN JUAN COUNTY NEW MEXICO

LEASE SF 081239

Drawn W.H. McGahey
Approved: Ray Phillips

Scale 400' = 1"

Date 4-17-57