Denny S. Fourtecation !

DEPUTY OIL & GAS INSPECTOR

DEC 0 2 1997

Meter Number:71882 71882-2 tion Name:NE BLANCO UT #38-31 (PIT #2)

Location:TN-31 RG-07 SC-31 UL-B

2 - Federal

NMOCD Zone: OUTSIDE Hazard Ranking Score: 00

DECEIVED APR 1 4 1997

OIL CON. DIS. Dist. 3

RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS
LOCATED OUTSIDE OF THE VULNERABLE ZONE
IN THE SAN JUAN BASIN

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.



## FIELD PIT SITE ASSESSMENT FORM

GENERAL	Meter: 71882 Location: N.E. BLANCO UNIT #38-31 (PIT #2)  Operator #: 0735 Operator Name: NICHOLS P/L District: BLOOMFIELD  Coordinates: Letter: B Section 31 Township: 3/ Range: 7  Or Latitude Longitude Pit Type: Dehydrator Location Drip: X Line Drip: Other: Site Assessment Date: 5.6.94 Area: 10 Run: 63
	NMOCD Zone:       Land Type:       BLM
SITE ASSESSMENT	Wellhead Protection Area: Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction?, or; is it less than 200 ft from a private domestic water source? (1) YES (20 points) (2) NO (0 points)
	Horizontal Distance to Surface Water Body Less Than 200 Ft (20 points) (1) 200 Ft to 1000 Ft (10 points) (2) Greater Than 1000 Ft (0 points) (3) Name of Surface Water Body
	(Surface Water Body : Perennial Rivers,Major Wash,Streams,Creeks, Irrigation Canals,Ditches,Lakes,Ponds) Distance to Nearest Ephemeral Stream ☐ (1) < 100'(Navajo Pits Only) ☐ (2) > 100'
	TOTAL HAZARD RANKING SCORE: POINTS
REMARKS	Remarks: Iwo PITS ON LOCATION. WILL CLOSE BOTH OF THEM. PITS ARE DRY. LOCATION IS ON A MESA ABOVE NAVATO LAKE REOLINE SHOWS LOCATION IS INSIDE THE V.Z. BYT TOPO SHOWS THAT IT IS OUTSIDE THE V.Z. PUSH IN

(SP3190) 04/08/94

	ORIGINAL PI	T LOCATION
	Original Pit : a) Degrees from Nort b) Length : W	h <u>281°</u> Footage from Wellhead 3× lidth : <u>19′</u> Depth : <u>3′</u>
ORIGINAL PIT LOCATION	21 76' WE	CHEAD 281
	Remarks: TOOK PICTURES AT 1:56 P.M., DUMP TRUCK-BORTAIL	
RKS		
REMARKS		
	Completed By:	
	tad Champson	5.6.94
	Signature <sup>'</sup>	Date

## FIELL PIT REMEDIATION/CLOSUL FORM

GENERAL	Meter: 71882 Location: N.E. Blanco Unit # 38-31 (P.42)  Coordinates: Letter: B Section 31 Township: 31 Range: 7  Or Latitude Longitude  Date Started: 6-2-94 Area: 10 Run: 63
FIELD OBSERVATIONS	Sample Number(s): VW 174  Sample Depth: 12' Feet  Final PID Reading 260 PID Reading Depth 12' Feet  Yes No  Groundwater Encountered (1) (1) (2) Approximate Depth Feet
URE	Remediation Method :  Excavation
CLOS	Soil Disposition:  Envirotech (1) (3) Tierra  Other Facility (2) Name:  Pit Closure Date: 6-2-941 Pit Closed By: 1357
REMARKS	Remarks: No lace Makers
	Signature of Specialist: Vale Wilson (SP3191) 04/07/94



## FIELD SERVICES LABORATORY ANALYTICAL REPORT PIT CLOSURE PROJECT - Soil

## SAMPLE IDENTIFICATION

	Field	ID	Lab ID			
SAMPLE NUMBER:	VW 174		9453	,46		
MTR CODE   SITE NAME:	71882	71882 (Pit#2)		N/A		
SAMPLE DATE   TIME (Hrs):	4-2-94		(430)			
SAMPLED BY:	<del></del>	N/A				
DATE OF TPH EXT. ANAL.: 6-6-94		10				
DATE OF BTEX EXT. ANAL.:	<b>N</b> /4 V G		N/A			
TYPE   DESCRIPTION:			Brown			
REMARKS:					· 	
		RESULTS				
PARAMETER	RESULT	ULT UNITS	QUALIFIERS			
			DF	Q	M(g)	V(mi)
BENZENE		MG/KG				
TOLUENE		MG/KG				
ETHYL BENZENE		MG/KG				
TOTAL XYLENES		MG/KG				
TOTAL BTEX		MG/KG				
TPH (418.1)	230 20	8 MG/KG	94		2.01	28
HEADSPACE PID	260	PPM				
	011	%				
PERCENT SOLIDS	86.1	1 /6	<u> </u>			

\* Test Method for \* Oil and Grease and Petroleum Hydrocarbons in Water and Soil \* Perkin-Elmer Model 1600 FT-IR Analysis Report 14/06/06 14:12 Tample identification 45344 jyghtal mass of sample, g Glume of sample after extraction, al Toproleum rydrolarbirs, ppm 15.486 Tai ibsorbence for rocarbors (2950 cm-1) iir Tia Tetrolisum hyphicanbens apectinum . -: . . 2 

9226

1099