Denny S. Fout DEPUTY OIL & GAS INSPECTOR

DEC 0 2 1997

ever tel

Meter Number:72128
Location Name:BLANCO #10
Location:TN-31 RG-08
SC-26 UL-M
2 - Federal
NMOCD Zone:OUTSIDE
Hazard Ranking Score:00

DEGETVED APR 1 4 1297

OBL GOOD, DOY.

RATIONALE-FOR RISK-BASED CLOSURE OF PRODUCTION PITS LOCATED OUTSIDE OF THE VULNERABLE ZONE IN THE SAN JUAN BASIN

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

Sandstone  $10^{-9}$  to  $10^{-13}$  cm/sec Shale  $10^{-12}$  to  $10^{-16}$  cm/sec Clay  $10^{-12}$  to  $10^{-15}$  cm/sec

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.

EPFS -

## FIELD PIT SITE ASSESSMENT FORM

GENERAL	Meter: 72128 Location: BLANCO # 10  Operator #: 7035 Operator Name: AHILLIPS P/L District: BLOOMFIELD  Coordinates: Letter: M Section 26 Township: 31 Range: 8  Or Latitude Longitude  Pit Type: Dehydrator X Location Drip: Line Drip: Other:  Site Assessment Date: 5.6.94 Area: 10 Run: 63				
	NMOCD Zone:  (From NMOCD  Maps)  Inside  Outside  Land Type: BLM ☒ (1)  State ☐ (2)  Fee ☐ (3)  Indian ☐ ☐ (1)  Indian ☐ ☐ (1)				
	Depth to Groundwater  Less Than 50 Feet (20 points) ☐ (1)  50 Ft to 99 Ft (10 points) ☐ (2)  Greater Than 100 Ft (0 points) ☐ (3)				
ASSESSMENT	Wellhead Protection Area:  Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction?, or; is it less than 200 ft from a private domestic water source? (1) YES (20 points) (2) NO (0 points)				
SITE ASS	Horizontal Distance to Surface Water Body  Less Than 200 Ft (20 points)				
	(Surface Water Body: Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds)  Distance to Nearest Ephemeral Stream (1) < 100'(Navajo Pits Only)  (2) > 100'  TOTAL HAZARD RANKING SCORE: POINTS				
KS	Remarks : ONLY PIT ON LOCATION PIT IS DRY LOCATION IS ON THE OF A				
REMARKS	MESA, REDLINE AND TOPO CONFIRMED LOCATION TO BE DUTSIDE THE U.Z.				
1 22	HUSH IN				

GENER	Meter: 72128 Location: Blanco #10  Coordinates: Letter: 12 Section 26 Township: 31 Range: 8  Or Latitude Longitude  Date Started: 6-2-94 Area: 10 Run: 63
FIELD OBSERVATIONS	Sample Number(s): \( \frac{\frac{1}{\fint}}}}}}}}}{\frac{\frac{1}{
CLOSURE	Remediation Method:  Excavation
	Soil Disposition:  Envirotech
REMARKS .	
	Signature of Specialist: Wilson (SP3191) 04/07/94



## FIELD SERVICES LABORATORY ANALYTICAL REPORT PIT CLOSURE PROJECT - Soil

## SAMPLE IDENTIFICATION

	Field ID	Lab ID		
SAMPLE NUMBER:	VW 168	945340		
MTR CODE   SITE NAME:	72128	N/A		
SAMPLE DATE   TIME (Hrs):	6-2-94	0930		
SAMPLED BY:	N/A			
DATE OF TPH EXT.   ANAL.:	6-6-94	6694		
DATE OF BTEX EXT.   ANAL.:	N/A	~/ A		
TYPE   DESCRIPTION:	<b>∀</b>	Brown sand debay		

## RESULTS

REMARKS:

PARAMETER	RESULT	UNITS	QUALIFIERS			
			DF	Q	M(g)	V(ml)
BENZENE		MG/KG				
TOLUENE		MG/KG				
ETHYL BENZENE		MG/KG				
TOTAL XYLENES		MG/KG				
TOTAL BTEX		MG/KG				
TPH (418.1)	<10	MG/KG			2.01	27
HEADSPACE PID	359	PPM				
PERCENT SOLIDS	91.0	%				

- TPH is by EPA Method 418.1 and BTEX is by EPA Method 8020 -

The Surrogate Recovery was at	NIA	_% for this sample	All QA/QC was acceptable.	
Narrative:				
				<del></del>
	***			

DF = Dilution Factor Used

Approved By: Jakh

Date: <u>6/14/44</u>

Test Method for Oil and Grease and Petroleum Hydrocarbons in Water and Soil

Perkin-Elmer Model 1600 FT-IR 

74/06/06 13:53


.\_\_^

Sample identification 745340

Initial mass of sample, g

Polume of sample after extraction, alone  $12.000\,$ 

Tetroleum hydrocarbons, ppm TT.250 Mgg Alsorbance of Avdrecarbons (1910 im-1) -0.014



\* \*