


STATE OF NEW MEXICO  
**OIL CONSERVATION  
 COMMISSION**  
 DISTRICT NO. 3  
 Phone 99 P. O. Box 697  
 AZTEC, NEW MEXICO

(**SUBMIT IN TRIPLICATE**)  
**UNITED STATES  
 DEPARTMENT OF THE INTERIOR  
 GEOLOGICAL SURVEY**

Land Office Santa Fe  
 Lease No. 070387  
 Unit 10002



**SUNDRY NOTICES AND REPORTS ON WELLS**

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

\_\_\_\_\_ July 2, 1951

Well No. 100 is located 220 ft. from S line and 220 ft. from W line of sec. 2

Blanco Extension Section 28 Twp. 31N Range 24 Meridian N. H. P. M.  
 (4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
 Blanco Extension San Juan New Mexico  
 (Field) (County or Subdivision) (State or Territory)

The elevation of the ~~surface~~ floor above sea level is 4003 ft.

**DETAILS OF WORK**

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

On June 20, 1951:

Total depth 5102'.

Ran 775.53' of 23 lb. J-55 7" casing and 4307' of 20 lb. J-55 7" casing; set at 5102' with 300 sacks Ideal Regular cement and four sacks Floccel. Top of cement by Temperature Survey 4030'.

Hold 900 lbs. for 12 hours.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company SAN JUAN PRODUCTION COMPANY  
 Address 102 North Court Avenue  
Farmington, New Mexico  
 By [Signature]  
L. H. Tol  
 Title Production Engineer

