

SOUTHERN UNION GAS COMPANY

BURT BUILDING

DALLAS 1, TEXAS

EXPLORATION DEPARTMENT

VAN THOMPSON
MANAGER

June 10, 1953

Mr. E. C. Arnold
New Mexico Oil Conservation Commission
P. O. Box 107
Aztec, New Mexico

Dear Mr. Arnold:

Attached are four copies each of C-104 and C-110 on the
Hunsaker No. 2 well, which are corrected copies.

Please destroy the forms sent to you on June 17.

We are today refilling the "Log of Gas Well" with the
United States Geological Survey - their form G-220, and
you should be receiving your copies from them within
the next few days. In the event you have already re-
ceived your copies of this form dated June 17, please
destroy them.

Yours very truly,



R. C. Niederkehr
Reservoir Engineer

RTT/ba
Attachments



OIL CONSERVATION COMMISSION		
AZTEC DISTRICT OFFICE		
No. Copies Received		
DISTRIBUTION		
	NO. COPIES	
Operator		
Santa Fe		
Proration Office		
State Land Office		
U. S. G. S.		
Transporter		
File		

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☐ gas well ☒ other

2. NAME OF OPERATOR
SUPRON ENERGY CORPORATION

3. ADDRESS OF OPERATOR
P.O. Box 808 Farmington, New Mex. 87401

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 1190'P/North and 1600'P/East

AT TOP PROD. INTERVAL: **Same as above**

AT TOTAL DEPTH: Same as above

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,
REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF	☐
FRACTURE TREAT	☐
SHOOT OR ACIDIZE	☐
REPAIR WELL	☐
PULL OR ALTER CASING	☐
MULTIPLE COMPLETE	☐
CHANGE ZONES	☐
ABANDON*	☐
(other)	

SUBSEQUENT REPORT OF:

--	--	--	--	--	--

SEP 15 1978
OIL CON. COM
DIST. 3

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Run cement retainer on 2" tubing and set at 4945'. Squeeze open hole with Dowell with 150 sx of 50-50 POZ followed by 90 sx of class "B" cement, with 2% CaCl. Sting out of retainer and left 19 barrels of cement on top of retainer. Perforated 4 holes at 3350'. Run 3350' of 2" tubing and cemented with 63 sx of class "B" cement with top of cement at 3150'. Perforated 4 holes at 2150 ft. and squeezed 30 sx of class "B" cement on side of casing and 39 sx of class "B" cement inside casing. Perforated 4 holes @ 213'. Squeezed 60 sx of class "B" cement inside and outside of casing and fill to surface. Remove tubing head and install dry hole marker. Restoration of location will be completed within 30 days and re-seeding of location will be with mixture number 2 in the summer of 1979.

Subsurface Safety Valve: Manu. and Type

18. I hereby certify that the foregoing is true and correct

SIGNED Rudy D. Motto
~~Rudy D. Motto~~

TITLE Area Superintendent

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE _____

U. S. GEOLOGICAL SURVEY

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.