J160-5 (June 1990)

# UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

		5, Lesse Designation and Serial No.	
SUNDRY NO			
Do not use this form for prop	oosals to drill or to deepen or reentry to a different reservoir.	SF-078336-B 6. If Indian, Allottee or Tribe Name	
Use "APPLIC	ATION FOR PERMIT - " for such proposals		
		7. If Unit or CA, Agreement Designation	
1. Type of Well			
Oil Gas Other		8. Well Name and No.	
2. Name of Operator  Amoco Production Company	Attention:	Barrett LS 4A  9. API Well No.	
3. Address and Telephone No.	Mike Curry	3004522481	
P.O. Box 800, Denver, Colorad	o 80201 (303) 830-4075	10. Field and Pool, or Exploratory Area	
4. Location of Well (Footage, Sec., T., R., M., or	Survey Description)	Blanco Mesaverde	
4405,50, 4455,55	0 00 T 04N P 0W	11. County or Parish, State	
1105' FSL 1175' FE	L Sec. 20 T 31N R 9W	San Juan New Mexico	
CHECK ADDOOD	LATE DOVIES TO INDICATE MATURE OF MOTICE D		
TYPE OF SUBMISSION	IATE BOX(s) TO INDICATE NATURE OF NOTICE, R  TYPE OF ACTION	EFORT, OR OTHER DATA	
TITE OF SUBINISSION	TIFE OF ACTION		
	Abendonment	Change of Plans	
Notice of Intent	Recompletion	New Construction	
Subsequent Report	Plugging Back Casing Repair	Non-Routine Fracturing Water Shut-Off	
	Altering Casing	Conversion to Injection	
Final Abandonment Notice	Other Bradenhead Repair	Dispose Water	
t Š		rt results of multiple completion on Well Completion or on Report and Log form. )	
4720, TOH. TIH w/ ret plu Dump 1 SK sand on top of p bond, 1000 - 1740 good - for Pmp 23 BBLS to obtain circ. density of 15.6 PPG. Install Rig dwn. TIH tag cmt @ 66	NDWH. NUBPS. Tag fill 5747. 31ft. fill. PMP 20 BBLS 2% King set at 4666'. PMP 150 BBLS to fill hole & circ out all gas. Plug. RI WLE. Run CBL - VDL - GR - CCL log from 2150 to 50 air bond, 1700 - 2170 100% bond. Shoot 2 holes at 900 ft. Install dye & pmp 68 BBLS for complete circ. Mix and pmp 1 wooden plug & displace to 700. AIR 2 1/2 BPM @ 450 PSI. 88' drill cmt to depth of 917. PR TST CSNG 500 PSI held ok. 26. Drill out 21 ft. fill to 5747 (PBTD 5747). TIH with 2 3/8	PR TST plug & CSNG to 1000 PSI ok. ft. Bond as follows: 0 - 1000 poor RDWLE. Rig up to pmp dwn csng. 225 sax CL B cmt (54 BBLS slurry)  Approx. BBLS good cement returns. TiH. Tag sand 4656. TiH latch onto	
	A SIAE U		
	JAN 0 4 1994	<u> </u>	
	OIL CON. DIV.	<u> </u>	
	DIST. 3		
14. I hereby certify that the foregoing is true and	d correct		
Signed Muhul a	rvy/Dr Title Business Ar	nalyst ACUEPTED FURRECORU	
(This space for Federal or State office use)			
A	Title	DEC 2 9 1993	
Approved by  Conditions of approval, if any:	Title	FARMINGTON DISTRICT OFFICE	
Title 18 U.S.C. Section 1001, makes it a crime representations as to any matter within its jurisd	for any person knowingly and willfully to make to any department or agency of the United Sta		
representatives as to dily marter return na junio			

### GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning

the use of this form and the number of copies to be submitted, particularly with regard to local area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

## SPECIFIC INSTRUCTIONS

Item 4 - If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 13 - Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones,

or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

#### NOTICE

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et. seq., 351 et. seq., 25 U.S.C. et. seq.; 43 CFR 3160.

PRINCIPAL PURPOSE - The information is to be used to evaluate, when appropriate, approve applications, and report completion of secondary well operations, on a Federal or Indian lease.

#### **ROUTINE USES:**

- (1) Evaluate the equipment and procedures used during the proposed or completed subsequent well operations.
- (2) Request and grant approval to perform those actions covered by 43 CFR 3162.3-2(2)
- (3) Analyze future applications to drill or modify operations in light of data obtained and methods used.
- (4)(5) Information from the record and/or the record will be transferred to appropriate. Federal, State, local or foreign agencies, when relevant to civil, criminal, or regulatory investigations or prosecutions.

EFFECT OF NOT PROVIDING INFORMATION - Filing of this notice and report and disclosure of the information is mandatory once an oil or gas well is drilled.

The Paperwork Reduction Act of 1980 (44 U.S.C. 3501, et. seq.) requires us to inform you that:

This information is being collected in order to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

This information will be used to report subsequent operations once work is completed and when requested, to obtain approval for subsequent operations not previously authorized.

Response to this request is mandatory for the specific types of activities specified in 43 CFR Part 3160.

#### **BURDEN HOURS STATEMENT**

Public reporting burden for this form is estimated to average 25 minutes per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management, (Alternate) Bureau Clearance Officer, (WO-771), 18 and C Streets, N.W., Wasington, D.C. 20240, and the Office of Management and Budget, Paperwork Reduction Project (1004-0135), Washington, D.C. 20503.

160-5 1990)

Approved by

Conditions of approval, if any:

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

Date

DEC 29 1993

BUREAU	J OF LAND MANAGEMENT		<u> </u>	
Do not use this form for propo	TICES AND REPORTS ON Vosals to drill or to deepen or reentry to a	WELLS different reservoir.	5. Lease Designation and Serial No.  SF-078336-E 8. If Indian, Allottee or Tribe Name	3
		7	7. If Unit or CA, Agreement Designation	on
. Type of Well Oil Well Gas Other			B. Well Name and No.	
. Name of Operator	Attention:		Barrett LS	4A
Amoco Production Company	Mike Cu	rry	9. API Well No.	
P.O. Box 800, Denver, Colorado	80201 (3	303) 830-4075	300452248 10. Field and Pool, or Exploratory Area	<del> </del>
Location of Well (Footage, Sec., T., R., M., or	Survey Description)		Blanco Mesave	rde
1105' FSL 1175' FEL	Sec. 20 T 31N R 9		11. County or Parish, State	Navy Mayina
CHECK APPROPRI	ATE BOX(s) TO INDICATE NA	ATURE OF NOTICE REI		New Mexico
TYPE OF SUBMISSION	TE BOX(S) TO INDICATE IN	TYPE OF ACTION	OIT, OIT OTTIER DAT	
	Abandonment Recompletion Plugging Back Casing Repair Altering Casing Cher Brader  Clearly state all pertinent details, and give pertinent dat vertical depths for all markers and zones pertinent to the	nhead Repair V (Note: Report Recompletion lates, including estimated date of starting ar	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water results of multiple completion on Well Report and Log form.)	
4720, TOH. TIH w/ ret plug Dump 1 SK sand on top of pl bond, 1000 - 1740 good - fai Pmp 23 BBLS to obtain circ. density of 15.6 PPG. Install Rig dwn. TIH tag cmt @ 668	DWH. NUBPS. Tag fill 5747. 31ft. set at 4666'. PMP 150 BBLS to fil ug. RI WLE. Run CBL - VDL - GR - Gir bond, 1700 - 2170 100% bond. Install dye & pmp 68 BBLS for compwooden plug & displace to 700. AIF d'ill cmt to depth of 917. PR TST 16. Drill out 21 ft. fill to 5747 (PBTE	II hole & circ out all gas. Pi CCL log from 2150 to 50 ft Shoot 2 holes at 900 ft. Ri plete circ. Mix and pmp 22 R 2 1/2 BPM @ 450 PSI. A	R TST plug & CSNG to 10 t. Bond as follows: 0 - 19 DWLE. Rig up to pmp dw 25 sax CL B cmt (54 BBLS Approx. BBLS good cemel IH. Tag sand 4656. TIH	000 PSI ok. 000 poor on csng. S slurry) nt returns. latch onto
	J	IAN 0 4 1994 CON. DIV	23 072 -5 21 II: 32 070 12 12 12 12 13 13	. 1 120 AT 
14.1 hereby certify that the foregoing is true and Signed	correct ) Titl	Business Anal	lyst Date /2	1-2-93
This space for Federal or State office use)	0		ACCEPTED FOR RE	ECORL

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any free property of the United States and th