District I 2 O Box 1980, Hobbs, NM District II P.O. Drawer DD, Artesia, NM 88211 District III 1000 Rio Brazos Rd, Azzec, NM 87410

State of New Mexico

Energy, Minerals and Natural Resources Department

SUBMIT 1 COPY TO APPROPRIATE

OIL CONSERVATION DIVISION

P.O. Box 2088 DEPUTY OIL & GAS INSPECTORA FE OFFICE

Santa Fe Nov. 10

Santa Fe, New Mexico 87504-2088

SEP 11 11 1995

PIT REMEDIATION AND CLOSURE REPORT

		Approved 1		
<i>i</i> .	lliams Field Services Chipeta Way Sal	Telephone: 801-584-6999 t Lake City, UT 84158		
Facility Or: NE BLANCO UNIT # 57 MV Well Name Location: Unit or Qtr/Qtr Sec NW NE Sec 21 T31N R7W County SAN TUAN Pit Type: Separator Dehydrator X Other Land Type: BLM V, State, Fee, Other				
Pit Location: Pit dimensions: length 17', width 17', depth 3' (Attach diagram) Reference: wellhead X, other				
	Footage from referen	ce:73' ence:40_ DegreesX East North <u>X</u> of West South		
Depth To Ground Water: (Vertical distance from contaminants to seasonal high water elevation of ground water)		Less than 50 feet (20 points) 50 feet to 99 feet (10 points) Greater than 100 feet (0 Points) O		
Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources)		SEP : 9 1994 Yes (20 points) No (0 points) OIL CON. DIV. DIST. 2		
Distance To Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)		Less than 200 feet (20 points) 200 feet to 1000 feet (10 points) Greater than 1000 feet (0 points) RANKING SCORE (TOTAL POINTS):		

Date Remediation St	arted:	Dated Completed:
Remediation Method:	Excavation	Approx. cubic yards
(Check all appropriate sections)	Landfarmed	Insitu Bioremediation
	Other	
Remediation Location (ie. landfarmed onsite, name and location of offsite facility)	n: Onsite Of	fsite
General Description	Of Remedial Actio	n:
Site Assessment in accordance with OCD and BLM guidance document.		
Ground Water Encount	cered: No X	Yes Depth
Final Pit: Closure Sampling: (if multiple samples,	Sample location _	Standard Triangle from pit floor.
attach sample results and diagram of sample	Sample depth	2' DJE TO BEDROCK LAYER
locations and depths)		3-94 Sample time 1055
	Sample Results	
	Benzene(ppm)	
Total BTEX(ppm)		pm)
	Field headsp	ace(ppm)
	TPH 3,800	<u></u>
Ground Water Sample: Yes No (If yes, attach sample results)		
I HEREBY CERTIFY THA OF MY KNOWLEDGE AND	T THE INFORMATION BELIEF	ABOVE IS TRUE AND COMPLETE TO THE BEST
DATE 9-6-90		,
SIGNATURE XI Bau	PRINTED AND TITE	NAME LE Lee Bauerle, Environmental Spec.



AMERICAN

ORGANIC ANALYSIS REPORT

WEST Client: Mile High Environmental ANALYTICAL Date Sampled: July 13, 1994 LABORATORIES Date Received: July 21, 1994

Set Description: Fifty-Five Solid Samples

Set Identification #: 19194 Contact: Mark Harvey Received By: Elona Hayward

Analysis Requested:

Total Recoverable Petroleum

Hydrocarbons

Method Ref. Number: EPA 418.1 (Extraction Infrared Absorption)

Date Extracted: July 28, 1994

463 West 3600 South Lab Sample ID. Number: Salt Lake City, Utah 19194-16

Field Sample ID. Number: Vulnerable Area Pits (IGF) NEBU #57 MV 72558

Date Analyzed: July 29, 1994

Analytical Results

Total Recoverable Petroleum Hydrocarbons

Units = mg/kg (ppm) (801) 263-8686

Fax (801) 263-8687

Compound:

Detection Limit:

Amount Detected:

Total Recoverable Petroleum Hydrocarbons

100.

3,800.

< Value = None detected above the specified method detection limit, or a value that reflects a reasonable limit due to interferences.

Released by:

Report Date 8/4/94