

Senny E. Foust
District III
P.O. Box 1980, Hobbs, NM
DEPUTY OIL & GAS INSPECTOR
P.O. Drawer DD, Artesia, NM 88211
District III JUN 23 1998
1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

SUBMIT 1 COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICE

Approved **PIT REMEDIATION AND CLOSURE REPORT**

Operator: Devon Energy Corporation Telephone: (505) 324-0033

Address: 3300 North Butler, Suite 211, Farmington, NM 87401

Facility Or: N. E. Blanco Unit # 57-21

Well Name

Location: Unit or Qtr/Qtr Sec B Sec 21 T 31N R 7W County San Juan

Pit Type: Separator X Dehydrator _____ Other _____

Land Type: BLM X State _____ Fee _____ Other _____

Pit Location: Pit dimensions: Length 15 ft, width 12 ft, depth 2 ft

(Attach diagram)

Reference: wellhead X other _____

Footage from reference: 95 ft

Direction from reference: 60 Degrees X East North _____
of
_____ West South X

Depth to Ground Water:	_____	Less than 50 feet	(20 points)	
(vertical distance from		50 ft to 99 feet	(10 points)	
contaminants to seasonal		<u>X</u> Greater than 100 feet	(0 points)	<u>0</u>
highwater elevation of				
ground water)				

Wellhead Protection Area:		Yes	(20 points)	
(less than 200 feet from a private		<u>X</u> No	(0 points)	<u>0</u>
domestic water source, or: less than				
1000 feet from all other water sources).				

Distance to Surface Water:		Less than 200 feet	(20 points)	
(Horizontal distance to perennial		200 feet to 1000 feet	(10 points)	
lakes, ponds, rivers, streams, creeks,		<u>X</u> Greater than 1000 feet	(0 points)	<u>0</u>
irrigation canals and ditches.)				

P:\pits\PrnC@WK3

RANKING SCORE (TOTAL POINTS): 0

Date Remediation Started: N/A

Date Completed: _____

Excavation _____

Approx. cubic yards _____

Landfarmed _____

Insitu Bioremediation _____

Other _____

Remediation Method:

Onsite _____

Offsite _____

(Check all appropriate
sections)

General Description of Remedial Action : Initial assessment showed soils to be clean 3' below pit bottom.

Ground Water Encountered:

No X

Yes _____

Depth _____

Final Pit:

Closure Sampling:

(if multiple samples,
attach sample results
and diagram of sample
locations and depths)

Sample location Beside fiberglass pit in direction of surface gradient (See attached diagram).

Sample depth 3' below pit bottom

Sample date 5/29/97 Sample time _____

Sample Results

Benzene(ppm) _____

Total BTEX (PPM) _____

Field Headspace (ppm) 0.7

TPH ND

Ground Water Sample: Yes _____ No X (if yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETED TO THE BEST OF MY KNOWLEDGE AND BELIEF.

DATE 2-27-98

PRINTED NAME Jim Abbey

SIGNATURE James K. Abbey

and TITLE Operations Engineer

FIELD PIT SITE ASSESSMENT FORM


GENERAL	<p>Meter: _____ Location: <u>N. E. Blanco Unit # 57-21</u></p> <p>Operator #: _____ Operator Name: _____ P/L District: _____</p> <p>Coordinates: Letter: <u>B</u> Section <u>21</u> Township: <u>31N</u> Range: <u>7W</u></p> <p>Or Latitude _____ Longitude _____</p> <p>Pit Type: Dehydrator _____ Location: _____ Drip: _____ Line Drip: _____ Other: <u>Sep.</u></p> <p>Site Assessment Date: <u>5-29-97</u> Area: <u>Middle</u> Run: _____</p>
	<p>SITE ASSESSMENT</p> <p>NMOCD Zone: (From NMOCD Maps) Inside <input checked="" type="checkbox"/> (1) Outside <input type="checkbox"/> (2)</p> <p>Land Type: BLM. <input checked="" type="checkbox"/> (1) State <input type="checkbox"/> (2) Fee <input type="checkbox"/> (3) Indian _____</p> <p>Depth to Groundwater</p> <p>Less Than 50 Feet (20 points) <input type="checkbox"/> (1)</p> <p>50 Ft to 99 Ft (10 points) <input type="checkbox"/> (2)</p> <p>Greater Than 100 Ft (0 points) <input checked="" type="checkbox"/> (3)</p> <p>Wellhead Protection Area :</p> <p>Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction? , or ; Is it less than 200 ft from a private domestic water source? <input type="checkbox"/> (1) YES (20 points) <input checked="" type="checkbox"/> (2) NO (0 points)</p> <p>Horizontal Distance to Surface Water Body</p> <p>Less Than 200 Ft (20 points) <input type="checkbox"/> (1)</p> <p>200 Ft to 1000 Ft (10 points) <input type="checkbox"/> (2)</p> <p>Greater Than 1000 Ft (0 points) <input checked="" type="checkbox"/> (3)</p> <p>Name of Surface Water Body _____</p> <p>(Surface Water Body : Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds)</p> <p>Distance to Nearest Ephemeral Stream <input type="checkbox"/> (1) < 100' (Navajo Pits Only)</p> <p><input type="checkbox"/> (2) > 100'</p> <p>TOTAL HAZARD RANKING SCORE: <u>0</u> POINTS</p>
REMARKS	<p>Remarks : _____</p> <p>_____</p> <p>_____</p>

ORIGINAL PIT LOCATION

ORIGINAL PIT LOCATION

Original Pit : a) Degrees from North 120 Footage from Wellhead 95'b) Length : 15' Width : 12' Depth : 2'

With 8' Diameter Fiberglass Pit



REMARKS

Remarks :

Soil is brown sandy clay, moist, no odor.

Sample was taken beside the fiberglass pit in the direction of the surface gradient at a depth of 5'. The OVM gave a reading of 0.7 ppm. The sample was sent to Anaitas, Inc. for DRO/GRO analysis.

Completed By:

Monica D. Rodahl

Signature

5-29-97

Date

<p>Location : NEBU # 57-21</p> <p>Quad : B Section : 21</p> <p>Range : 7W Township: 31N</p> <p>Pit : Sep.</p> <p>Reference : 95' N. 120° from wellhead</p> <p>Initial Size : 15' x 12' x 2' deep</p> <p>Final Size : 15' x 12' x 2' deep</p> <p>Yds. Excavated : 0 cy</p> <p>Depth to Groundwater: >100'</p> <p>Nearest Water Source: >1000'</p> <p>Nearest Surface Water: >1000'</p> <p>NMOC Ranking Score: 0</p> <p>TPH Closure Standard: 5000 ppm</p> <p>Comments : Brown sandy clay, moist, no odor</p> <p>Sent Sample #1 to Anaitas for DRO/GRO 8015.</p>		<p>Overview of Location and Sampling :</p>																																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Sample #</th> <th>Location</th> <th>OVM</th> </tr> </thead> <tbody> <tr><td>1</td><td>Btm. @ 5'</td><td>0.7</td></tr> <tr><td>2</td><td></td><td></td></tr> <tr><td>3</td><td></td><td></td></tr> <tr><td>4</td><td></td><td></td></tr> <tr><td>5</td><td></td><td></td></tr> <tr><td>6</td><td></td><td></td></tr> <tr><td>7</td><td></td><td></td></tr> <tr><td>8</td><td></td><td></td></tr> <tr><td>9</td><td></td><td></td></tr> <tr><td>10</td><td></td><td></td></tr> <tr><td>11</td><td></td><td></td></tr> <tr><td>12</td><td></td><td></td></tr> </tbody> </table>		Sample #	Location	OVM	1	Btm. @ 5'	0.7	2			3			4			5			6			7			8			9			10			11			12			<p>Pit Profile : East to West :</p>	
Sample #	Location	OVM																																								
1	Btm. @ 5'	0.7																																								
2																																										
3																																										
4																																										
5																																										
6																																										
7																																										
8																																										
9																																										
10																																										
11																																										
12																																										
<p>Pit Profile : North to South :</p>		<p>Pit Profile : East to West :</p>																																								



TOTAL RECOVERABLE PETROLEUM HYDROCARBONS

Diesel Range Organics

Devon Energy Corporation

Project ID: NEBU #57-21 - Separator Pit
Sample Matrix: Soil
Preservative: Cool
Condition: Intact

Report Date: 06/13/97
Date Sampled: 05/29/97
Date Received: 05/29/97
Date Extracted: 06/05/97
Date Analyzed: 06/12/97


Sample ID	Lab ID	Concentration (mg/kg)	Detection Limit (mg/kg)
Btm @ 5'	7014	ND	29.3


ND- Analyte not detected at the stated detection limit.

Quality Control:	<u>Surrogate</u>	<u>% Recovery</u>	<u>Acceptance Limits</u>
	o - Terphenyl	88%	50 - 150%

Reference: EPA Method 8015A, modified. "Nonhalogenated Volatile Organics by Gas Chromatography." Test Methods for Evaluating Solid Waste, Physical/ Chemical Methods, SW-846, 3rd Ed, Final Update I, July, 1992. USEPA.

Comments:


Analyst


Review



TOTAL VOLATILE PETROLEUM HYDROCARBONS

Gasoline Range Organics

Devon Energy Corporation

Project ID: NEBU #57-21 - Separator Pit
Sample Matrix: Soil
Preservative: Cool
Condition: Intact

Report Date: 06/16/97
Date Sampled: 05/29/97
Date Received: 05/29/97
Date Extracted: 06/05/97
Date Analyzed: 06/12/97


Sample ID	Lab ID	Concentration (mg/kg)	Detection Limit (mg/kg)
Btm @ 5'	7014	ND	34.2

ND- Analyte not detected at the stated detection limit.

Quality Control:	<u>Surrogate</u>	<u>% Recovery</u>	<u>Acceptance Limits</u>
	Trifluorotoluene	98%	50 - 150%

Reference: Method for the Determination of Gasoline Range Organics,
State of Tennessee, Department of Environment and Conservation, Division
of Underground Storage Tanks.

Comments:


Analyst


Review

QUALITY CONTROL REPORT
TOTAL RECOVERABLE PETROLEUM HYDROCARBONS
Diesel Range Organics

Duplicate Analysis

Project ID: NEBU #57-21 - Separator Pit
Sample Matrix: Soil
Preservative: Cool
Condition: Intact

Report Date: 06/13/97
Date Sampled: 05/29/97
Date Received: 05/29/97
Date Extracted: 06/05/97
Date Analyzed: 06/12/97

Lab ID	Sample Conc (mg/kg)	Duplicate Conc (mg/kg)	Percent Difference
7014DUP	ND	ND	NA


ND- Analyte not detected at the stated detection limit.

Quality Control:	<u>Surrogate</u>	<u>% Recovery</u>	<u>Acceptance Limits</u>
	o - Terphenyl	94%	50 - 150%

Reference: EPA Method 8015A, modified. "Nonhalogenated Volatile Organics by Gas Chromatography." Test Methods for Evaluating Solid Waste. Physical/ Chemical Methods, SW-846, 3rd Ed, Final Update I, July, 1992. USEPA.

Comments:


Analyst


Review

QUALITY CONTROL REPORT
TOTAL VOLATILE PETROLEUM HYDROCARBONS
Gasoline Range Organics

Method Blank Analysis

Project ID: NA
Sample Matrix: Soil
Preservative: NA
Condition: NA

Report Date: 06/12/97
Date Sampled: NA
Date Received: NA
Date Extracted: 06/05/97
Date Analyzed: 06/12/97


Sample ID	Lab ID	Concentration (mg/kg)	Detection Limit (mg/kg)
Method Blank	MB35586	ND	22.5

ND- Analyte not detected at the stated detection limit.


Quality Control:	<u>Surrogate</u>	<u>% Recovery</u>	<u>Acceptance Limits</u>
	Trifluorotoluene	103%	50 - 150%

Reference: Method for the Determination of Gasoline Range Organics,
State of Tennessee, Department of Environment and Conservation, Division
of Underground Storage Tanks.

Comments:



Analyst



Review

QUALITY CONTROL REPORT
TOTAL VOLATILE PETROLEUM HYDROCARBONS
Gasoline Range Organics

Matrix Spike Analysis

Project ID: NA
Sample Matrix: Soil
Preservative: NA
Condition: NA

Report Date: 06/12/97
Date Sampled: NA
Date Received: NA
Date Extracted: 06/05/97
Date Analyzed: 06/12/97


Lab ID	Spike Added (mg/kg)	Original Conc. (mg/kg)	Spike Conc. (mg/kg)	Percent Recovery
MBSPK35593	2,100	ND	1,760	84%


ND- Analyte not detected at the stated detection limit.

Quality Control:	<u>Surrogate</u>	<u>Percent Recovery</u>	<u>Acceptance Limits</u>
	Trifluorotoluene	111%	50 - 150%

Reference: Method for the Determination of Gasoline Range Organics,
State of Tennessee, Department of Environment and Conservation,
Division of Underground Storage Tanks.

Comments:
1
(
1


Analyst


Review

QUALITY CONTROL REPORT
TOTAL RECOVERABLE PETROLEUM HYDROCARBONS
Diesel Range Organics

Method Blank Analysis

Project ID: NA
Sample Matrix: Soil
Preservative: NA
Condition: NA

Report Date: 06/13/97
Date Sampled: NA
Date Received: NA
Date Extracted: 06/05/97
Date Analyzed: 06/12/97


Sample ID	Lab ID	Concentration (mg/kg)	Detection Limit (mg/kg)
Method Blank	MB35586	ND	20.0


ND- Analyte not detected at the stated detection limit.

Quality Control:	<u>Surrogate</u>	<u>% Recovery</u>	<u>Acceptance Limits</u>
	o - Terphenyl	98%	50 - 150%

Reference: EPA Method 8015A, modified. "Nonhalogenated Volatile Organics by Gas Chromatography." Test Methods for Evaluating Solid Waste, Physical/ Chemical Methods, SW-846, 3rd Ed, Final Update I, July, 1992. USEPA.

Comments:


Analyst


Review

QUALITY CONTROL REPORT
TOTAL RECOVERABLE PETROLEUM HYDROCARBONS
Diesel Range Organics

Matrix Spike Analysis

Project ID: NA
Sample Matrix: Soil
Preservative: NA
Condition: NA

Report Date: 06/13/97
Date Sampled: NA
Date Received: NA
Date Extracted: 06/05/97
Date Analyzed: 06/10/97


Lab ID	Spike Added (mg/kg)	Original Conc (mg/kg)	Spike Conc (mg/kg)	Percent Recovery
MBSPK35591	2,260	ND	2,050	91%

ND- Analyte not detected at the stated detection limit.

Reference: EPA Method 8015A, modified. "Nonhalogenated Volatile Organics by Gas Chromatography." Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed, Final Update I, July, 1992. USEPA.

Comments:


Analyst


Review

Company: Devon Energy
Address: _____

Phone: _____
Fax: _____

Bill To: _____
Company: Decon Energy
Address: _____

[illegible][illegible]