

Denny & Foust
DEPUTY OIL & GAS INSPECTOR

DEC 02 1997

Approved

Meter Number:72373
Location Name:SAN JUAN 32-8 #21 MV
Location:TN-31 RG-08
SC-15 UL-A
2 - Federal
NMOCD Zone:OUTSIDE
Hazard Ranking Score:00

RECEIVED
APR 14 1997

OIL CON. DIV.
DIST. 3

**RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS
LOCATED OUTSIDE OF THE VULNERABLE ZONE
IN THE SAN JUAN BASIN**

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

Sandstone	10^{-9} to 10^{-13} cm/sec
Shale	10^{-12} to 10^{-16} cm/sec
Clay	10^{-12} to 10^{-15} cm/sec

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.

THE UNIVERSITY OF CHICAGO
LIBRARY

1981 10 13

FIELD PIT SITE ASSESSMENT FORM

GENERAL

Meter: 72373 Location: SAN JUAN 32-8 #21 MV
 Operator #: _____ Operator Name: PHILLIPS P/L District: BLOOMFIELD
 Coordinates: Letter: A Section 15 Township: 31 Range: 8
 Or Latitude _____ Longitude _____
 Pit Type: Dehydrator _____ Location Drip: Line Drip: _____ Other: _____
 Site Assessment Date: 3-2-95 Area: 10 Run: 63

SITE ASSESSMENT

NMOCD Zone: (From NMOCD Maps) Inside (1) Outside (2)

Land Type: BLM (1) State (2) Fee (3) Indian _____

Depth to Groundwater
 Less Than 50 Feet (20 points) (1)
 50 Ft to 99 Ft (10 points) (2)
 Greater Than 100 Ft (0 points) (3)

Wellhead Protection Area :
 Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction? , or ; Is it less than 200 ft from a private domestic water source? (1) YES (20 points) (2) NO (0 points)

Horizontal Distance to Surface Water Body
 Less Than 200 Ft (20 points) (1)
 200 Ft to 1000 Ft (10 points) (2)
 Greater Than 1000 Ft (0 points) (3)

Name of Surface Water Body _____
 (Surface Water Body : Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds)

Distance to Nearest Ephemeral Stream (1) < 100' (Navajo Pits Only)
 (2) > 100'

TOTAL HAZARD RANKING SCORE: 0 POINTS


REMARKS

Remarks : REDLINE & TOPO SHOW LOCATION OUTSIDE U.Z. ONLY
PIT ON LOCATION. BELONGS TO EPNG. WILL CLOSE PIT.
PUSH IN

ORIGINAL PIT LOCATION

Original Pit : a) Degrees from North 38° Footage from Wellhead 106'
b) Length : 16' Width : 15' Depth : 3'

ORIGINAL PIT LOCATION



REMARKS

Remarks :

PHOTOS - 1032

Completed By:

Robert Thompson

Signature

3.2.95

Date

FIELD PIT REMEDIATION/CLOSURE FORM

GENERAL

Meter: 72373 Location: SAN JUAN 32-8[#] 21 MV
 Coordinates: Letter: A Section 15 Township: 31 Range: 8
 Or Latitude _____ Longitude _____
 Date Started : 7-24-95 Run: 10 63

FIELD OBSERVATIONS

Sample Number(s): MK442
 Sample Depth: 4' Feet
 Final PID Reading 1 ppm PID Reading Depth 4' Feet
 Yes No
 Groundwater Encountered Approximate Depth _____ Feet

CLOSURE

Remediation Method :

Excavation Approx. Cubic Yards _____
 Onsite Bioremediation
 Backfill Pit Without Excavation

Soil Disposition:

Envirotech Tierra
 Other Facility Name: _____

Pit Closure Date: 7-24-95 Pit Closed By: Philip

REMARKS

Remarks : Arrived TOOK FENCE DOWN dug sample hole
pit appeared to be clean all the way down dirt
sand stone 4'

Signature of Specialist: Morgan Killian



**FIELD SERVICES LABORATORY
ANALYTICAL REPORT**

PIT CLOSURE PROJECT - Soil Samples Outside the GWV Zone

SAMPLE IDENTIFICATION

	Field ID	Lab ID
SAMPLE NUMBER:	MK 442	947057
MTR CODE SITE NAME:	72373	N/A
SAMPLE DATE TIME (Hrs):	07-24-95	10:15
SAMPLED BY:	N/A	
DATE OF TPH EXT. ANAL.:	7-25-95	
DATE OF BTEX EXT. ANAL.:		
TYPE DESCRIPTION:	VG	2 nd Young Sand & Clay

REMARKS: _____

RESULTS

PARAMETER	RESULT	UNITS	QUALIFIERS			
			DF	Q	M(g)	V(ml)
TPH (418.1)	10	MG/KG			1.99	28
HEADSPACE PID	1	PPM				
PERCENT SOLIDS	89.4	%				

-- TPH is by EPA Method 418.1 --

Narrative: _____

DF = Dilution Factor Used

Approved By: _____

Date: _____

8/1/95

Test Method for
Oil and Grease and Petroleum Hydrocarbons
in Water and Soil
Perkin-Elmer Model 1600 FT-IR
Analysis Report

95/07/23 14:27

Sample identification
947057

Initial mass of sample, g
0.990

Volume of sample after extraction, ml
25.000

Petroleum hydrocarbons, ppm

0.101

Net absorbance of hydrocarbons (2930 cm⁻¹)

0.111

