Form (Feb	<b>9-83</b> ; . 1951)	
Γ-	-:-	



## (SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Land Office	Santa	Pe
Lease No		
Unit 50		
	001-56	

OTICE OF INTENTION TO DRILL	
OTICE OF INTENTION TO CHANGE PLANS	
OTICE OF INTENTION TO TEST WATER SHUT-OFF	1 1
OTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.	· · · · · · · · · · · · · · · · · · ·
OTICE OF INTENTION TO SHOOT OR ACIDIZE	i il
OTICE OF INTENTION TO PULL OR ALTER CASING	<del> </del>
OTICE OF INTENTION TO ABANDON WELL	
(INDICATE ABOVE BY CHEC	CK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)
	October 13 , 1953
ell No. 17 is located 1800 fi	t. from ${S \atop S}$ line and 1650 ft. from ${L \atop W}$ line of sec. 8
El Sal Sac. 8 31N	94 N. M. P. M.
C4 Sec. and Sec. No.) (Twp.)	(Range) (Meridian)
lenco (Ext)	(County or Subdivision) (State or Territory)
e elevation of the derrick floor above	
ate names of and expected depths to objective sands; ing points,	; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement, , and all other important proposed work)
t is intended to drill a well	; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cament, and all other important proposed work)  with rotary tools through the Meseverde formations einculation, and to shoot the entire Mesever 8.N.G. per foot. Estimated total depth 5900.
It is intended to drill a well	with rotary tools through the Meseverde formati
it is intended to drill a well irilling the pay section with grith approximately 2 quarts of Casing Program:	with rotary tools through the Meseverde formatigas eirculation, and to shoot the entire Mesever S.N.G. per foot. Estimated total depth 5900'.  170' with 125 sacks. Communication to surface to the sacks of communication with 35 Oct.
t is intended to drill a well rilling the pay section with grith approximately 2 quarts of Casing Program:  9-5/8", 25.4#, set at 7", 20# & 23#, set at flocale per sack of casing The Sg of Section	with rotary tools through the Messverde formating as eirculation, and to shoot the entire Messver S.N.G. per foot. Estimated total depth 5900'.  170' with 125 sacks. Communicated to surface to the sacks of communicated to surface to the sacks of communicated to surface to the sacks of communicated to surface to the sacks.  8 is dedicated to this well.
t is intended to drill a well rilling the pay section with gith approximately 2 quarts of Casing Program:  9-5/8", 25.4#, set at 7", 20# & 23#, set at flocale per sack of casing The 8½ of Section	with rotary tools through the Meseverde formatings eirculation, and to shoot the entire Mesever S.N.G. per foot. Estimated total depth 5900'.  170' with 125 sacks. Communicated to surface to surface to the sacks of communicated to surface to the sacks of communicated to the sacks.  8 is dedicated to this well.
t is intended to drill a well brilling the pay section with grith approximately 2 quarts of Casing Program:  9-5/8", 25.4#, set at 7", 20# & 23#, set at flocale per sack of casing The S2 of Section	with rotary tools through the Meseverde formatings eirculation, and to shoot the entire Mesever S.N.G. per foot. Estimated total depth 5900'.  170' with 125 sacks. Coment circulated to surface to the sacks of coment with 3 cell and sent.  8 is dedicated to this well.
t is intended to drill a well rilling the pay section with grith approximately 2 quarts of Casing Program:  9-5/8", 25.4#, set at 7", 20# & 23#, set at flocals par sack of cas The So of Section  I understand that this plan of work must receive appropriate that the plan of work must receive appropriate that	with rotary tools through the Meseverde formatings eirculation, and to shoot the entire Mesever S.N.G. per foot. Estimated total depth 5900'.  170' with 125 sacks. Coment circulated to surface to the sacks of coment with 3 cell and sent.  8 is dedicated to this well.
t is intended to drill a well rilling the pay section with g ith approximately 2 quarts of  Casing Program:  9-5/8", 25.4#, set at 7", 20# & 23#, set at flocals par sack of con The 5 of Section  I understand that this plan of work must receive ap ompany EL PASO MATURAL GAS CO	with rotary tools through the Meseverde formatings eirculation, and to shoot the entire Mesever S.N.G. per foot. Estimated total depth 5900'.  170' with 125 sacks. Comment circulated to surfection with 500 sacks of comment with 3 Cell and the ment.  8 is dedicated to this well.  APASY  OIL DIST.
t is intended to drill a well rilling the pay section with g ith approximately 2 quarts of Casing Program:  9-5/8", 25.4#, set at 7", 20# & 23#, set at flocale per sack of cas The 8½ of Section	with rotary tools through the Meseverde formatings eirculation, and to shoot the entire Mesever S.N.G. per foot. Estimated total depth 5900'.  170' with 125 sacks. Comment circulated to surfection with 500 sacks of comment with 3 Cell and the ment.  8 is dedicated to this well.  APASY  OIL DIST.