

## NEW MEXICO OIL CONSERVATION COMMISSION

Form C-122

Revised 12-1-55

## MULTI-POINT BACK PRESSURE TEST FOR GAS WELLS

Pool Blanco Formation San Juan County San Juan  
Initial XX Annual \_\_\_\_\_ Special \_\_\_\_\_ Date of Test 7-22-59  
Company Pacific Northwest Pipeline Lease 32-8 Well No. 33-9  
Unit \_\_\_\_\_ Sec. 9 Twp. 32N Rge. 2E Purchaser Not Connected  
Casing 34 Wt. 15.3 I.D. 9 Set at 6047 Perf. 9287 To 9307  
Tubing 1 1/2 Wt. 2.4 I.D. 1.25 Set at 9230 Perf. 9287 To 9330  
Gas Pay: From 9287 To 9307 L \_\_\_\_\_ xG .690 -GL \_\_\_\_\_ Bar.Press. 12  
Producing Thru: Casing \_\_\_\_\_ Tubing XX Type Well Single  
Single-Bradenhead-G. G. or G.O. Dual  
Date of Completion: \_\_\_\_\_ Packer No Reservoir Temp. \_\_\_\_\_

## OBSERVED DATA

Tested Through (Choke) Shut In 7 Days Type Taps \_\_\_\_\_

No.	Flow Data					Tubing Data		Casing Data		Duration of Flow Hr.
	(Prover) (Line) Size	(Choke) (Orifice) Size	Press. psig	Diff. h <sub>w</sub>	Temp. °F.	Press. psig	Temp. °F.	Press. psig	Temp. °F.	
1.		<u>3/4</u>	<u>142</u>		<u>97°</u>	<u>112</u>	<u>97°</u>	<u>112</u>		<u>3</u>
2.										
3.										
4.										
5.										

## FLOW CALCULATIONS

No.	Coefficient (24-Hour)	$\sqrt{h_{wpf}}$	Pressure psia	Flow Temp. Factor F <sub>t</sub>	Gravity Factor F <sub>g</sub>	Compress. Factor F <sub>pv</sub>	Rate of Flow Q-MCFPD @ 15.025 psia
1.	<u>12.3456</u>		<u>153</u>	<u>1.0000</u>	<u>.9000</u>	<u>1.000</u>	<u>1000</u>
2.							
3.							
4.							
5.							

## PRESSURE CALCULATIONS

Gas Liquid Hydrocarbon Ratio \_\_\_\_\_ cf/bbl.  
Gravity of Liquid Hydrocarbons \_\_\_\_\_ deg.  
P<sub>c</sub> \_\_\_\_\_ (1-e<sup>-s</sup>)  
Specific Gravity Separator Gas \_\_\_\_\_  
Specific Gravity Flowing Fluid \_\_\_\_\_  
P<sub>c</sub> 1133 P<sub>c</sub> 1003.7

No.	P <sub>w</sub> P <sub>t</sub> (psia)	P <sub>t</sub> <sup>2</sup>	F <sub>c</sub> Q	(F <sub>c</sub> Q) <sup>2</sup>	(F <sub>c</sub> Q) <sup>2</sup> (1-e <sup>-s</sup> )	P <sub>w</sub> <sup>2</sup>	P <sub>c</sub> <sup>2</sup> -P <sub>w</sub> <sup>2</sup>	Cal. P <sub>w</sub>	P <sub>w</sub> P <sub>c</sub>
1.						<u>872.4</u>	<u>421.3</u>		<u>3.12</u>
2.									
3.									
4.									
5.									

Absolute Potential: 4330 MCFPD: n: 75/ 2.3475COMPANY Pacific Northwest Pipeline CorporationADDRESS 400 West Broadway - Albuquerque, New MexicoAGENT and TITLE C. R. Wagner - Well Test Engineer

WITNESSED \_\_\_\_\_

COMPANY \_\_\_\_\_

REMARKS

## INSTRUCTIONS

This form is to be used for reporting multi-point back pressure tests on gas wells in the State, except those on which special orders are applicable. Three copies of this form and the back pressure curve shall be filed with the Commission at Box 871, Santa Fe.

The log log paper used for plotting the back pressure curve shall be of at least three inch cycles.

## NOMENCLATURE

$Q$  = Actual rate of flow at end of flow period at W. H. working pressure ( $P_w$ ).  
MCF/da. @ 15.025 psia and 60° F.

$P_c$  = 72 hour wellhead shut-in casing (or tubing) pressure whichever is greater.  
psia

$P_w$  = Static wellhead working pressure as determined at the end of flow period.  
(Casing if flowing thru tubing, tubing if flowing thru casing.) psia

$P_t$  = Flowing wellhead pressure (tubing if flowing through tubing, casing if flowing through casing.) psia

$P_f$  = Meter pressure, psia.

$h_w$  = Differential meter pressure, inches water.

$F_g$  = Gravity correction factor.

$F_t$  = Flowing temperature correction factor.

$F_{pv}$  = Supercompressibility factor.

$n$  = Slope of back pressure curve.

Note: If  $P_w$  cannot be taken because of manner of completion or condition of well, then  $P_w$  must be calculated by adding the pressure drop due to friction within the flow string to  $P_t$ .

OIL CONSERVATION COMMISSION		
ALBANY DISTRICT OFFICE		
No. Copies Made <u>3</u>		
DISTRIBUTION		
	NO.	
	FURNISHED	
Original		
Santa Fe	<u>1</u>	