
Budget Bureau No. 42-R358.4. Approval expires 12-31-60.

(SUBMIT IN TRIPLICATE)



UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Offi	. Santa Po
Lease No.	HH-03598
[init	

IOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
OTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR V	WELL SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR AÈTER CASIN	
NOTICE OF INTENTION TO ABANDON WELL	
	Y CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)
(INDICATE ABOVE BY	
Hlanco 31-8	July 8,, 19.
ell No. 2-5 is located 101	$\{0\}$ ft. from $\{S\}$ line and $\{S\}$ line of sec
35/4 5/4 Sec. 5 31 3 (½ Sec. and Sec. No.) (Tw	wp.) (Range) (Meridian)
Blanco Bean Verde	(County or Subdivision) (State or Territory)
(Field)	
ne elevation of the described area	pove sea level istt.
	DETAILS OF WODE
	DETAILS OF WORK
···•	sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cer coints, and all other important proposed work)
Propose to drill to 200' as casing & 3540', coment w/1 coment w/150 ax regular.	sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cereoints, and all other important proposed work) and set 10-3/4" easing, cement to surface. Set 7-150 gx 8% gel and 50 gx neat. Set 5-1/2" easing thru perfs using approx 15,000 gals water. Cle
Propose to drill to 200° as casing & 3540°, coment w/l so ax regular. Mesa Verde to be fractured to total depth, set tubing	sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cereoints, and all other important proposed work) and set 10-3/4" easing, cement to surface. Set 7-150 gx 8% gel and 50 gx neat. Set 5-1/2" easing thru perfs using approx 15,000 gals water. Cle
Propose to drill to 200° as casing & 3540°, coment w/150 ax regular. Mesa Verde to be fractured to total depth, set tubing	sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cereoints, and all other important proposed work) and set 10-3/4" easing, cement to surface. Set 7-1/2" easing thru perfs using approx 15,000 gals water. Cleand complete well. aiming 321.36 acres, is dedicated to this well.
Propose to drill to 200° ar casing & 3540°, coment w/l 50 ax regular. Mesa Verde to be fractured to total depth, set tubing The W/2 of Section 5, contact 49.7884% Facific Morthwest	sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cerebrins, and all other important proposed work) and set 10-3/4" easing, cement to surface. Set 7-1/2" easing thru perfs using approx 15,000 gals water. Claiming 321.36 acres, is dedicated to this well. 50,21165 Southern Union
Propose to drill to 200° ar casing & 3540°, coment w/l 50 ax regular. Mesa Verde to be fractured to total depth, set tubing The W/2 of Section 5, cont. 49.7884% Facific Morthwest	sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cerebrins, and all other important proposed work) and set 10-3/4" easing, cement to surface. Set 7-1/2" easing thru perfs using approx 15,000 gals water. Claiming 321.36 acres, is dedicated to this well. 50,21165 Southern Union
Propose to drill to 200° areasing & 3540°, coment w/lso ax regular. Mesa Verde to be fractured to total depth, set tubing The W/2 of Section 5, contact the total depth is the test total depth to the test tubing the W/2 of Section 5, contact the test tubing the tubing tubing the test tubing the test tubing the test tubing the test tubing the tubing tubing the test tubing the tubing tubing the test tubing the tubing tubing tubing the tubing tubi	sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, ceresints, and all other important proposed work) and set 10-3/4" easing, cement to surface. Set 7-150 gx 8% gel and 50 gx neat. Set 5-1/2" easing thru perfs using apprex 15,000 gals water. Clean complete well. aiming 321.36 acres, is dedicated to this well. 50.21164 Southern Union
Propose to drill to 200° and casing a 3540°, coment w/150 ax regular. Mesa Verde to be fractured to total depth, set tubing The w/2 of Section 5, contact 49.7884% Facific Morthwest I understand that this plan of work must recompany PACIFIC NORTH	sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, ceresions, and all other important proposed work) and set 10-3/4" easing, cement to surface. Set 7-150 gx 8% gel and 50 gx neat. Set 5-1/2" easing thru perfs using approx 15,000 gals water. Clean complete well. aining 321.36 acres, is dedicated to this well. 50,2116% Southern Union Original signed by T. A. Duga
Propose to drill to 200° as casing & 3540°, coment w/150 ax regular. Mesa Verde to be fractured to total depth, set tubing The w/2 of Section 5, contact the total depth is the two total depth is the tubing The w/2 of Section 5, contact the total depth is the two total depth is the tubing The w/2 of Section 5, contact the total depth is the two total depth is the tubing the two total depth is the two total depth is the two total depth is the tubing the two total depth is the two total depth is the two total depth is the tubing the two total depth is the tubing the two total depth is the tubing t	sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, ceresions, and all other important proposed work) and set 10-3/4" easing, cement to surface. Set 7-150 gx 8% gel and 50 gx neat. Set 5-1/2" easing thru perfs using approx 15,000 gals water. Clean complete well. aining 321.36 acres, is dedicated to this well. 50,2116% Southern Union Original signed by T. A. Duga

en de la composition La composition de la La composition de la

•
•
•


and the state of the first state of the stat

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

Section A.	Date July 8, 1967
Operator Pacific Northwest Pipeline Corporatio	MILIPASA STATE OF STA
Well No. 2-5 Unit Letter Section	
Located 1010 Feet From South Line,	1920 Feet From West Line
County San Juan G. L. Elevation 641	
Name of Producing Formation Name Verde	Pool Blanco
1. Is the Operator the only owner* in the dedic	ated acreage outlined on the plat below?
YesNoNo	
2. If the answer to question one is "no," have the	he interests of all the owners been consolidated
by communitization agreement or otherwise?	Yes No If answer is "yes,"
Type of Consolidation Regular Form Community 3. If the answer to question two is "no." list a	mittaction agreement, Filed with F.S.S.S.
o. If the answer to question two is "no, " list a.	11 the owners and their respective interests below:
<u>Owner</u>	Land Description
Section. B	
Section, b	
SOUTHING UNION	This is to certify that the
	information in Section A
	above is true and complete
	to the best of my knowledge
	and belief.
	PACIFIC MUSTERED PROPERTY
	(Operator control of the control of
	Original signed by T. A. Dugan
	(Representative)
. U.S. D.I.	leal at a second
	405 V. Breadmy, Famington
5	Address New Herrico
PACIFIC MORPHIEST	This is to accordance and
1 "	This is to centify that the
	well located stown to the
1	plat in Sport on B was visited
	from field no ges of addual
	Surveys made by me or sunder
XX -03598	my supervision and that the same is time and that to
	the hest of the real state and
	the best of the desired and belief.
/920′	
	Date SurveyedJune 20, 1957
(0/0	Earnet V. Each of aut
	Ernest V. Echohavk
U.S. D.I.	Registered Land Surveyor.
	Certificate No. 1545







Job separation sheet

Mr. A. L. Porter
New Mexico Oil Conservation Commission
126 Mabry Hall
Capitol Annex
Santa Fe, New Mexico

Dear Mr. Porter:

Pacific Northwest Pipeline Corporation requests administrative approval to take exception to Rule 104, and drill Blanco 31-8, Well No. 2-5, an unorthodox location, located 1010' FSL, 1920' FWL, Section 5, Township 31 North, Range 8 West, San Juan County, New Mexico.

We request this unorthodox location because of the severe topography in this area as indicated on the enclosed plat.

Attached is receipt for a registered letter to Southern Union Gas Company, the only off-set operator, notifing them of our intention to drill.

Very truly yours,

T. A. Dugan Division Manager

TAD: nf

Enclosures 2

ce; P. T. McGrath Emory Arnold L. G. Truby



THE RESIDENCE

edt alle ett. Turkeren Combinerale (Combinet ett. Elhe ethe ett. Turkeren ett. Opliker unt ett.

Figur Act. Porter:

Facilite cordinest electine del latine dell'equesta diministradule con election dell'estate dell'estate dell'estate delle con election dell'estat distribute (11-10 enla election election) dell'estate delle dell

by secures this wardedon a mation because of the severa topo-

Attached is receipt for a newfalored factor to douthern Union Ca. Gurganp, the entry off-ast quartury newfilting biase of our intention we faille.

Yess bruly yours,

e, A. Dager Siviaton Macagor

The second secon

Engagement 2

ney F. M. DeGrave Sampy Armold .. C. Irelan

