

3-M.M. O.C.C. Antec
1-L. G. Truby
1-W. R. Johnston
1-File

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-122
Revised 12-1-55

MULTI-POINT BACK PRESSURE TEST FOR GAS WELLS

Pool Blanco Formation Mesa Verde County San Juan
Initial X Annual _____ Special _____ Date of Test 5-16-57
Company Pacific Northwest Pipeline Corp. Lease 32-8 Well No. 19-3
Unit M 7 5/8 Sec. 3 Twp. 31 Rge. 8 Purchaser Unconnected
Casing 5 1/2 Wt. _____ I.D. _____ Set at 3900 Perf. 6048 To 5584
Tubing 2 3/8 Wt. _____ I.D. _____ Set at _____ Perf. _____ To _____
Gas Pay: From _____ To _____ L 6035 xG Est. 65 -GL 3923 Bar. Press. _____
Producing Thru: Casing _____ Tubing X Type Well Single
Date of Completion: _____ Packer _____ Reservoir Temp. _____
Single-Bradenhead C-C-or-C.O.-Dual

OBSERVED DATA

Tested Through (Prover) (Choke) (Meter) Type Taps _____

No.	Flow Data					Tubing Data		Casing Data		Duration of Flow Hr.
	(Prover) (Line) Size	(Choke) (Orifice) Size	Press. psig	Diff. h _w	Temp. °F.	Press. psig	Temp. °F.	Press. psig	Temp. °F.	
SI						950			1132	8 I
1.		3/4 " BM	98		53				909	3 Hrs
2.										
3.										
4.										
5.										

FLOW CALCULATIONS

No.	Coefficient (24-Hour)	$\sqrt{h_w p_f}$	Pressure psia	Flow Temp. Factor F _t	Gravity Factor F _g	Compress. Factor F _{pv}	Rate of Flow Q-MCFPD @ 15.025 psia
1.	14.1605		110	1.0068	.9608	1.011	1524
2.							
3.							
4.							
5.							

PRESSURE CALCULATIONS

Gas Liquid Hydrocarbon Ratio _____ cf/bbl.
Gravity of Liquid Hydrocarbons _____ deg.
F_c 24.62 (1-e^{-s}) .248
Specific Gravity Separator Gas _____
Specific Gravity Flowing Fluid _____
P_c 1144 P_c 1309

No.	P _w P _t (psia)	P _t ²	F _c Q	(F _c Q) ²	(F _c Q) ² (1-e ^{-s})	P _w ²	P _c ² -P _w ²	Cal. P _w	P _w /P _c
1.									
2.	921					848	461		2.839
3.									
4.	110	12.1	37.5	1406	948.7	360.7		600	
5.									

Absolute Potential: 3330 MCFPD; n. .75/2.185
COMPANY _____
ADDRESS _____
AGENT and TITLE D. C. Adams
WITNESSED _____
COMPANY _____

REMARKS



INSTRUCTIONS

This form is to be used for reporting multi-point back pressure tests on gas wells in the State, except those on which special orders are applicable. Three copies of this form and the back pressure curve shall be filed with the Commission at Box 871, Santa Fe.

The log log paper used for plotting the back pressure curve shall be of at least three inch cycles.

NOMENCLATURE

- Q = Actual rate of flow at end of flow period at W. H. working pressure (P_w).
MCF/da. @ 15.025 psia and 60° F.
- P_c = 72 hour wellhead shut-in casing (or tubing) pressure whichever is greater.
psia
- P_w = Static wellhead working pressure as determined at the end of flow period.
(Casing if flowing thru tubing, tubing if flowing thru casing.) psia
- P_t = Flowing wellhead pressure (tubing if flowing through tubing, casing if
flowing through casing.) psia
- P_f = Meter pressure, psia.
- h_w = Differential meter pressure, inches water.
- F_g = Gravity correction factor.
- F_t = Flowing temperature correction factor.
- F_{pv} = Supercompressability factor.
- n = Slope of back pressure curve.

Note: If P_w cannot be taken because of manner of completion or condition of well, then P_w must be calculated by adding the pressure drop due to friction within the flow string to P_t .

OIL CONSERVATION COMMISSION		
AZTEC DISTRICT OFFICE		
No. Copies Received <u>3</u>		
DISTRIBUTION		
	NO. FURNISHED	
Operator		
Santa Fe	1	
Production Office		
State Land Office		
U. S. G. S.	1	
Transporter		
File	1	✓