
DEPUTY CILLS TAS INSPECTOR

DEC 22 1897

AMNOWED

Meter Number: 75792
Location Name: STATE COM LL #12
Location: TN-30 RG-09
SC-32 UL-D
2 - Federal

NMOCD Zone:OUTSIDE Hazard Ranking Score:00



#### RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS LOCATED OUTSIDE OF THE VULNERABLE ZONE IN THE SAN JUAN BASIN

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.

## FIELD PIT SITE ASSESSMENT FORM



GENERAL	Meter: 75792 Location: STATE COM 11 # 12  Operator #: 0203 Operator Name: Amoco P/L District: Bloomfield  Coordinates: Letter: D Section 32 Township: 30 Range: 9  Or Latitude Longitude  Pit Type: Dehydrator Location Drip: X Line Drip: Other:  Site Visit Date: 4.14.94 Run: 10 83
SITE ASSESSMENT	NMOCD Zone: Inside Land Type: BLM   (From NMOCD Vulnerable State   Maps) Zone
REMARKS	Remarks: ONLY PIT ON LOCATION. PIT IS DRY.

	OPICINAL DIE LOGICE
LOCATION	ORIGINAL PIT LOCATION  Original Pit: a) Degrees from North Footage to Wellhead
ORIGINAL PIT LO	METTHEAD 15,
İ	
REMARKS	Remaiks:  STARTEO TAKING PICTURES AT 2:25 P.M.  END DUMP  Completed By:

## FIELY PIT REMEDIATION/CLOSU ' FORM

GENERAL	Meter: 95793 Location: State Comm LL #13  Coordinates: Letter: D Section 32 Township: 30 Range: 9  Or Latitude Longitude  Date Started: 16-6-94 Area: 10 Run: 83
FIELD OBSERVATIONS	Sample Number(s): MK5  Sample Dep.n: 12' Feet  Final PID Reading 161 PID Reading Depth 12' Feet  Yes No  Groundwater Encountered (1) (2) Approximate Depth Feet
CLOSURE	
DEWARKS	



# FIELD SERVICES LABORATORY ANALYTICAL REPORT PIT CLOSURE PROJECT - Soil

## SAMPLE IDENTIFICATION

	Field	מו		Lab ID	_		
SAMPLE NUMBER:				445265			
MTR CODE   SITE NAME:	757		N/A				
SAMPLE DATE   TIME (Hrs):							
SAMPLED BY:	N/A						
DATE OF TPH EXT.   ANAL.:	6-	67					
DATE OF BTEX EXT.   ANAL.:	EX EXT.   ANAL.: NIA		NIA				
TYPE   DESCRIPTION:	V G		Frown/Grey sand				
REMARKS:		RESULTS					
			<del></del>				
PARAMETER	RESULT	UNITS		QUALIFIERS			
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			DF	Q	M(g)	V(mi)	
BENZENE		MG/KG					
TOLUENE		MG/KG					
ETHYL BENZENE		MG/KG					
TOTAL XYLENES		MG/KG					
TOTAL BTEX		MG/KG					
TPH (418.1)	800 798	MG/KG MG/KG			2.13	28	
HEADSPACE PID	161	PPM					
PERCENT SOLIDS	94.8	%					
he Surrogate Recovery was at	TPH is by EPA Method	418.1 and BTEX is by EP % for this samp		was acce	ptable.		

)F = Dilution Factor Used

94/06/07 14:52

Sample identification 45365

Initial mass of sample, g

Volume of sample after extraction, ol 18.000

Painoleum hydrocarbors, ppm 198.072 Met absorbance of hydrocarbons (2970 cm-1) 1.114

