Form (F	n 9-83 1 eb. 1951)	l a
ſ		

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office Senta Pe
Lease No. 079004
Unit Son Alen 90-6

SUNDRY NOTICES AND REPORTS ON WELLS

TO BELL	SUBSEQUENT REPORT OF WATER SHUT-OFF
TICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
FICE OF INTENTION TO CHANGE PERIOD	SUBJECTIVE AND STREET
TICE OF INTENTION TO TEST WATER ORDER TICE OF INTENTION TO RE-DRILL OR REPAIR WELL	
TICE OF INTENTION TO RESOURCE OF INTENTION TO SHOOT OR ACIDIZE	JUBSEQUENT TIES OF THE STATE OF
TICE OF INTENTION TO SHOOT OF ALTER CASING	
TICE OF INTENTION TO ABANDON WELL	
(INDICATE ABOVE BY CH	ECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)
	October 11, , 1960
	••
** * 1	ft. from $\{S\}$ line and $\{S\}$ line of sec. 9.
ll No. 13 located	[5] (W)
/h Sec. 9 31.	H H.M.P.M.
(½ Sec. and Sec. No.) (Twp.)	(Range)
	(County or Subdivision) (State or Territory)
ate names of and expected depths to objective saming pointing poin	DETAILS OF WORK ds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementats, and all other important proposed work)
ate names of and expected depths to objective san ing point 10-6-60, Total Depth 3784, m 115 joints 7 5/8", J-55, 1	DETAILS OF WORK ds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementats, and all other important proposed work) 5.4 #. Casing (3772) set at 3782 1/4 casis. Sireate-Crete*6", 2 %
ate names of and expected depths to objective san ing points 10-6-60, Total Depth 3784, an 116 joints 7 5/8", J-55, 1 1th 130 eachs regular cament, alcium chloride. Bald 1000	DETAILS OF WORK ds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementats, and all other important proposed work) 5.4 Casing (3772) set at 3782 1/4 cust. Sireta-Crete*67, 2 6
ate names of and expected depths to objective sand ing point 10-6-60, Total Depth 378k, as 116 joints 7 5/8", J-55, th 130 seeks regular camera leium chloride. Bald 1900 is 10-8-60, Total Depth 6083	DETAILS OF WORK dis; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementats, and all other important proposed work) 5. 5. Casing (3772) set at 3782 1/4 cu.ft. Sirete-Crete*6 30 minutes.
ate names of and expected depths to objective same ing point 10-6-60, Potal Depth 3784, and 116 joints 7 5/8", J-55, at 130 seeks regular cament, alcium chloride. Bald 1000; a 10-8-60, Total Depth 6088	DETAILS OF WORK ds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementates, and all other important proposed work) 25.4 Casing (3772) set at 3782 1/4 cust. Sireta-Creta 67, 2 6 30 minutes. 5.5 # lines (2352) set from 3722 COMMENT, 6 Gol, 1/4 cust.
ate names of and expected depths to objective same ing point 10-6-60, Total Depth 3784, and 116 joints 7 5/8", 3-55, and 130 eachs regular cament, alcium chloride. Bald 1000; and 10-3-60, Total Depth 6088 and 74 joints 5 1/2", 3-55, 10-600, with sea, regular	DETAILS OF WORK ds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementates, and all other important proposed work) 25.4 Casing (3772) set at 3782 1/4 cust. Sireta-Crete*6*, 2 % 30 minutes. 5.5 # lines (2352) set from 3722 Commune, 6 % Gal, 1/4 cust.
ate names of and expected depths to objective saming points 10-6-60, Total Depth 3764, and 116 joints 7 5/8", J-55, and 130 encies regular cament, alcium chloride. Bald 1000; and 10-8-60, Total Depth 6083 and 74 joints 5 1/8", J-55, 10 6 6084 with 824 size. regular ine Gilsonite/sk, 1/8 4 7100	DETAILS OF WORK ds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementate, and all other important proposed work) 25.5
ate names of and expected depths to objective saming points 10-6-60, Total Depth 3764, and 116 joints 7 5/8", J-55, and 130 encies regular cament, alcium chloride. Bald 1000; and 10-8-60, Total Depth 6083 and 75 joints 5 1/8", J-55, 10 6084 with 825 size. regular ine Gilsonite/sk, 1/8 4 7100	DETAILS OF WORK ds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementates, and all other important proposed work) 25.5
10-6-60, Total Depth 3764, in 116 joints 7 5/8", J-55, in 116 joints 7 5/8", J-55, in 130 sects regular casest leius chloride. Bald 1000; in 10-8-60, Total Depth 6088 in 74 joints 5 1/2", J-55, in 6084 with 224 size. regular ine Gilsonite/sk, 1/8 # Floosid 1000 # 30 minutes. op of casest by temperature	DETAILS OF WORK ds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementates, and all other important proposed work) 25.4
10-6-60, Potal Depth 3784, in 116 joints 7 5/8", J-55, in 116 joints 7 5/8", J-55, in 130 secks regular casest latus chloride. Bald 1000; in 10-8-60, Total Depth 6088 in 74 joints 5 1/2", J-55, in 6084 with 224 sks. regular ine Gilsonite/sk, 1/8 # Floored 1000 # 30 minutes. Op of casest by temperature	DETAILS OF WORK ds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementates, and all other important proposed work) 25.4
10-6-60, Total Depth 3764, m 116 joints 7 5/8", J-55, m 116 joints 7 5/8", J-55, m 116 joints 7 5/8", J-55, m 10-8-60, Total Depth 6083 m 74 joints 5 1/8", J-75, m 6084 with 224 mm. regularine Gilsonite/sk, 1/8 # 7100 and 1000 # 30 minutes. I understand that this plan of work must receive	DETAILS OF WORK ds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementates, and all other important proposed work) 5.4 Casing (3772) set at 3782 1/4 cu.ft. Sizeta-Creta 67, 2 6 2 minutes. 5.5 / limes (2352) set from 3722 CCTI 7 1980 OIL CON. COM. DIST. 3 ve approval in writing by the Geological Survey before operations may be commenced.
10-6-60, Total Depth 3764, m 116 joints 7 5/8", J-55, m 116 joints 7 5/8", J-55, m 116 joints 7 5/8", J-55, m 10-8-60, Total Depth 6083 m 74 joints 5 1/8", J-75, k 6 608 with 224 sks. regular ine Gilsonite/sk, 1/8 # 7100 and 1000 # 30 minutes. I understand that this plan of work must receive	DETAILS OF WORK ds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementates, and all other important proposed work) 25.4 (Cosing (3772) set at 3782 1/4 custs. Sizeta-Crete*6", 2 % 25.5 (Lines (2352) set from 3722 COMMIN. (Col., 1/4 custs.) COSING (2352) set from 3722 COMMIN. (CON., COM., DIST., 3 ve approval in writing by the Geological Survey before operations may be commenced.
ate names of and expected depths to objective saming points 110-6-60, Total Depth 3764, and 116 joints 7 5/8", J-55, and 130 seeks regular cament, alcium chloride. Bald 1000 is 10-8-60, Total Depth 6083 and 75 joints 5 1/2", J-55, 12 of 6084 with 225 also, regular ine Gilsonite/sk, 1/8 f 7100 and 1000 f 30 minutes. Op of cament by temperature. I understand that this plan of work must receive the company	DETAILS OF WORK ds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementates, and all other important proposed work) 25.4 Casing (3772) set at 3782 1/4 cases. Sirete-Crete*67, 2 % 30 minutes. 5.5 { limps (2352) set from 3722 CCT1 7 1960 OCT1 7 1960 OIL CON. COM. DIST. 3 ve approval in writing by the Geological Survey before operations may be commenced.
ate names of and expected depths to objective same ing point 10-6-60, Total Depth 376, in 116 joints 7 5/8", 3-55, ith 130 eachs regular cament, alcium chloride. Bald 1000 in 10-3-60, Total Depth 6083 in 74 joints 5 1/2", 3-55, it of 606 with 224 size. regular ine Gilsonite/sk, 1/8 # Thoo is 1000 # 30 minutes. I understand that this plan of work must receive the company in the plan of work must receive the company in the plan of work must receive the company in the plan of work must receive the company in the plan of work must receive the company in the plan of work must receive the company in the plan of work must receive the company in the plan of work must receive the company in the plan of work must receive the company in the plan of work must receive the company in the plan of work must receive the company in the plan of work must receive the company in the plan of work must receive the company in the plan of work must receive the company in the plan of work must receive the company in the	DETAILS OF WORK da; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementates, and all other important proposed work) 25. J. Casing (3772) set at 3782. 25. Jimps (23/2) set from 3722 RELLIVED OCT1 7 1980 OIL CON. COM. DIST. 3 ve approval in writing by the Geological Survey before operations may be commenced.
ate names of and expected depths to objective sand 10-6-60, Total Depth 3764, and 116 joints 7 5/8", J-55, and 116 joints 7 5/8", J-55, and 130 secks regular cament leads of the 130 secks regular cament in a 10-8-60, Total Depth 6083 and 75 joints 5 1/2", J-55, 12 of 6084 with 225 area. Pegular ine Gilsonite/sk, 1/8 f 7100 and 1000 f 30 minutes. The company of the plan of work must receive the company of the plan of work must receive the company of the plan of work must receive th	DETAILS OF WORK das; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementates, and all other important proposed work) 6.4

ANIII CONTRACTOR OF THE PARTY O

the second
