

VI.

WELLS WITHIN AREA OF REVIEW (1/2 mile radius)

OPERATOR: OVERLAND OIL & GAS CORPORATION.

LEASE NAME: Clark Kent WELL NO. : 4

FIELD NAME Salt Creek

LOCATION OF WELL : Unit Letter I, 1650 FSL 330' FEL
Sec.5, T-30N, R-17W, San Juan County, New Mexico

Type of Lease: B.I.A. Navajo Tribal

WELL STATUE: Pumping oil well

PRODUCING FORMATION: Salt Creek Dakota

SPUD DATE: 3-20-68

COMPLETION DATE: 3-23-68

TOTAL DEPTH: 1095

PLUG BACK T.D. 1069

CASING RECORD:

| <u>SIZE</u> | <u>WT.</u> | <u>DEPTH</u> | <u>CEMENT & TOP OF CEMENT</u> |
|-------------|------------|--------------|-----------------------------------|
| 7" | 20# | 59 | 20 sx. |
| 4 1/2" | 9.50# | 1095 | 100 sx. |

TUBING RECORD:

| <u>SIZE</u> | <u>DEPTH</u> | <u>PACKER DEPTH</u> |
|-------------|--------------|---------------------|
| 2 3/8" | 1050 | none |

STIMULATION AND TREATMENT

Natural

I.P. TEST:

| <u>Date</u> | <u>Production</u> |
|-------------------------|--------------------------|
| 3-24-68 24 hour, Flowed | 3 bbl oil & 1 bbl water. |

RECEIVED

FEB 3 - 1983

Oil CON. DIV.
DIST. 3


1. The first step in the process of creating a new product is to identify a market need. This involves conducting market research to determine what consumers want and what problems they are trying to solve.

2. Once a market need has been identified, the next step is to develop a concept for a product that meets that need. This involves brainstorming ideas and selecting the most promising one. The concept should be based on a clear understanding of the target market and the competitive landscape.

3. The third step is to create a prototype of the product. This allows the development team to test the concept and make any necessary adjustments. Prototyping can be done in a variety of ways, from simple sketches to more complex 3D models. The goal is to create a tangible representation of the product that can be used to gather feedback from potential customers.

4. The final step in the process is to launch the product into the market. This involves developing a marketing plan and executing it to reach the target audience. The launch should be timed to coincide with the peak of the product's relevance to the market.

Overland Oil & Gas King Kong Well # 5 1830 FSL & 430 FWL.
Section 4, T-30N, R-17W, San Juan County. New Mexico



Surface Casing

7" 20.50# Set @ 10' cemented w/ 2 sx.

Long String

4 1/2" 9.50# Set @ 1064' cemented w/ 65sx.
in 5 5/8" hole.

Tubing (injection string)

2 3/8" EUE 2.90# API tubing.
cemented w 50sx. 2% cacl clean
pump and lines and flush tubing
5.0 barrels of water

Closed valve waited 36 hours went
in hole with sinker bar on wire line
broke out small amount of cement and
broke cast iron plug.

open hold was found to be clean.

2 3/8" @
1050' w/
1 1/2" @ 1064'
1064'
to

2 3/8" Peforated 10" pup joint.
Cement basket

2 3/8" EUE Cast iron repture disk
4 1/4" between bottom pef. and disk

1078'
open
hole

RECEIVED
OIL CO. DIV.
DIS. 3