| Form | 9-331 | |
|------|-------|---|
| May | 1963 | , |

WELL

UNITED STATES DEPARTMENT OF THE INTERIOR (Other instructions on re-

GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*

Form approved. Budget Bureau No. 42-R1424. 5. LEASE DESIGNATION AND SERIAL NO.

SF 080776-A 6. IF INDIAN, APLOTTEE OR TRIBE NAME

| SUNDRY | NOTICES | AND | REPORTS | ON WELLS |
|--------|----------------|-----|---------|----------|
| | | | A | |

(Do not use this form for proposals to drill or to deepen or plug back to a Use "APPLICATION FOR PERMIT—" for such proposals.)

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

2. NAME OF OPERATOR

GAS WELL

El Paso Natural Gas Company

Florance A 9. WELL NO. 3. ADDRESS OF OPERATOR

PO Box 990, Farmington, NM 87401

LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*

See also space 17 below.)

At surface 1170'N 1180'W 1170'N, 1180'W

10. FIELD AND POOL, OR WILDCAT

Blanco Pictured Cliffs Ext. 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 25, T-30-N, R-10-W **NMPM**

14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.)

12. COUNTY OR PARISH | 13. STATE

6121'GL

San Juan

New Mexico

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO: PULL OR ALTER CASING TEST WATER SHUT-OFF FRACTURE TREAT MULTIPLE COMPLETE

ABANDON* CHANGE PLANS

WATER SHUT-OFF FRACTURE TREATMENT SHOOTING OR ACIDIZING

REPAIRING WELL ALTERING CASING ABANDON MENT*

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

SUBSEQUENT REPORT OF:

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

11-30-72


SHOOT OR ACIDIZE REPAIR WELL

(Other)

T.D. 3038'. Ran 96 joints 5 1/2", 15.5#, KE production casing, 3027' set at 3038'. Float collar set at 2793'. Cemented with 431 cu.ft. cement. WOC 18 hours. Top of cement at 1700'.

12-12-72

PBTD 2793'. Perf'd one shot 2715', one shot 2727', 19 shots 2715-2725', 20 shots 2746-56', Frac'd with 30,000# 10/20 sand and 33,000 gallons treated water. Dropped one set of 22 balls. Flushed with 3250 gallons.



| 18. I hereby critify that the foregoing is true and correct SIGNED | TITLE Petroleum Engineer | DATE December 15, 1972 |
|--|--------------------------|------------------------|
| (This space for Federal or State office use) | • | |
| APPROVED BYCONDITIONS OF APPROVAL, IF ANY: | TITLE | DATE |