#### UBMIT IN TRIPLICATE (Other instructions on reverse side)

Form approved. Budget Bureau No. 42-R1425.

### 30-045-21915 U. LEASE DESIGNATION AND SERIAL NO.

SF-079037

## UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

		GICAL SURVET			6. IF INDIAN, ALLOT	THE OR TRIBE NAME	
APPLICATION	I FOR PERMIT T	O DRILL, DEEP	EN, OR PLUG	BACK.	6. IF INDIAN, ADDOL	Pag.	
TYPE OF WORK		DEEPEN				7. UNIT AGREEMENT NAME	
DKII TYPE OF WELL				TIPLE 🗂	B. FARM OR LEASE		
OIL GA			ONE ZONE		레이크를 본 등		
NAME OF OPERATOR	ELL X OTHER			A. A	Hale		
Aztec Oil & (	Gas Company				9, WELL NO.	电量谱	
AZTEC OII G	das company			1	#1-A		
D 0 D	570, Farmingto	n. New Mexico	87401		10. FIELD AND POOL	- 7 -	
P. U. DIAWEI	eport location clearly and	in accordance with any	State requirements.*)		Blanco Me		
	FSL & 1825' FE			•	11. SBC., T.,-R., M., C.	AREA	
At proposed prod. zone					Section 2	/-51N-8W	
DISTANCE IN MILES	AND DIRECTION FROM NEA	REST TOWN OR POST OFFI	CE*	5	12. COUNTY DE PAR		
. Distance in					San Juan	New Mexic	
DISTANCE FROM PROPO	OSED.	211 117 - 128.	NO. OF ACRES IN LEASE	17. No.	OF ACRES ASSIGNED THIS WELL	/ 1 · - · · · · · · · · · · · · · · · · ·	
LOCATION TO NEARES	LINE FT.	/FAFIA FM /	320	<u> </u>	320 7		
(Alan to nearest Qr)	g, unit line, it ans	19.	19 PROPOSED DEPTH		20. ROTARY OR CARLE TOOLS-		
3. DISTANCE FROM PROP TO NEAREST WELL, D	IKILLING, COMPDELED, ) (	ICT 22 1975	5550'		Rotar		
OR APPLIED FOR, ON TH	IN TENSE, LT.	'			22. APPROX. DATE	WORK WILL START	
. ELEVATIONS (Show wh	nether DF, RT, GR, etc.)	L CON. COM.			: ↑ <u>=</u>		
6229 GR		DICT 2	THE CHARLES THE PROPERTY OF TH	CRAM			
3.		ROPOSED CASING AL	ND CEMENTING PRO				
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH		QUANTITY OF CI	MENT	
12-1/4"	9-5/8''	32#	300		culate		
8-3/4"	7"	23#	3300		Sacks		
	4-1/2"	10.50#	3250'-5550	' 300	Sacks	7 <b>4</b> 3	
6-1/4''	1-1/2"	2.90#	5500				
	1-1/2	2.00				i i i	
•						t Figure	
PROPOSE MO.				-			
PROPOSE TO:							
	D=:11 12 1/4!!	Hole. Set 9-5/8	" Casing At 3	00'. Cir	culate Cement	t To Surface.	
	DIIII 12-1/4	ole. Set 7" Cas	sing At 3300'.	Cement	With 250 Sach	ks. <u>i</u> ja	
	Drill 6-3/4 II	lole To Approxim	nately 5550'.		요즘 함께 한국?	E	
	Drill 6-1/4" n	er From 3250'	To 5550! Ceme	nt With	300 Sacks	<del>I</del> =	
	Run 4-1/2" Lin	er From 3230	Mocaverde Form	ation.			
	Perforate & Sa	ind Water Frac	desaverde form	aczon.			
	Run 1½" Tubing	To 5500'.			원인 불교 수 밝힌		
	Install Well H	lead.					
					产品 表致证明的。		
					新 I 黄芩 香水 1.		
						duetis	
	IBE PROPOSED PROGRAM: I	If proposal is to deepen	or plug back, give data	on present p	roductive sone and pr	depths. Give blower	
ON ABOVE SPACE DESCRI	BE PROPOSED PROGRAM: In deciding the deciding the design of the deciding the decidi	onally, give pertinent da	ta on subsurface location	ons and meas	ared and true version.		
preventer program, if	any.						
24.	- 1 A		n:	ad me and a	n+ Oc	tober 16, 19	
SIGNED - JULE	. ( " Me	MICTO TITLE	District Super	rintende	DATE OF		
RIGNED							
				K-		ال الله المستمين	
	ederal or State office use)				せいしょにコマル	ED \	
(This space for Fe	ederal or State office use)		APPROVAL DATE		KECEIVE	D	
	ederal or State office use)		. APPROVAL DATE	r	COT 04 10	ED ()	
(This space for Fe	ederal or State office use)		APPROVAL DATE	F	OCT 21 19		
(This space for Fe		TITLE	APPROVAL DATE	ľ	oct 24.19	ED ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) (	
(This space for Fe			APPROVAL DATE	K	OCT 2.1.19	SURVEY 1	
(This space for Fe			APPROVAL DATE	U	OCT 3.1 19	SURVEY J	

### NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

All distances must be from the outer boundaries of the Section. Well No. Lease Operator Hale Aztec Oil & Gas Company County Ronge Township Section Unit Letter San Juan 31 N Actual Footage Location of Well: 1825 line feet from the East feet from the South 1800 Dedicated Acreage: Ground Level Elev. Producing Formation Acres Blanco Mesaverde 6229 1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. 2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling. etc? If answer is "yes," type of consolidation □No ☐ Yes If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.) No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission. CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief. Joe С. Salmon Position District Superintendent Aztec Oil & Gas Company October 16, 1975 Sec 27 I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or 18251 under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed October 1 Registered Professional and/or Land Surveyor Fred B. Certificate No. 500 1000 1500 1980 2310 2000 1320 1650 .90 330 660

# AZTEC OIL & GAS COMPANY

P.O. DRAWER 570 FARMINGTON, NEW MEXICO 87401

October 16, 1975

United States Geological Survey P. O. Box 959 Farmington, New Mexico

Attention: Mr. P. T. McGrath

Dear Sir:

Enclosed please find map showing existing roads and planned access. roads to Aztec Oil & Gas Company's Hale #1-A The locations of tank batteries and flow lines will be on location with well.

There will be no camps or air strips.


Also enclosed is location layout showing approximate location of rig, pits and pipe rights.

Water supply will be San Juan River


In the event of a dry hole, location will be graded and reseeded according to Bureau of Land Management standards.

District Superintendent

JCS/dg



LOCATION LAYOUT



### AZTEC OIL & GAS COMPANY

P.O. DRAWER 570
FARMINGTON, NEW MEXICO 87401

October 16, 1975

United States Geological Survey P. O. Box 959 Farmington, New Mexico

Attention: Mr. P. T. McGrath

RE: Blowout Preventer Plan

Dear Sir:

All drilling and completion wells will be equipped with 8" Shaffer LWP double hydraulic blowout preventers and a 2000 "C" Payne Hydraulic closing unit with steel line.

The preventer is 3000# working pressure and 6000# test.

All crews will be thoroughly trained in the operation of this preventer. The preventer will be tested at the beginning of every tower change to insure proper operation.

Joe C. Salmon

District Superintendent

JCS/dg