UBMIT IN TRIPLICATE

(Other instructions on reverse side)

UNITED STATES DEPARTMENT OF THE INTERIOR

Budget	Bureau	No.	42-B142

(May 1963)	UNIT DEPARTMENT	ED STATES	, NTFR	,,,,	reverse sid		30-0		1/92/	
		GICAL SURVI					:	9037		
1 221 16 4 710	N FOR PERMIT			N OR P	LUG B	ACK	6. IF INDI		IR OR TRIBS NAME	
	N FOR PERMIT	IO DRILL, L	/LLI L				9 E	<u> </u>	- C 11.	
a. TYPE OF WORK	RILL 🖾	DEEPEN [PL	JG BAC	K 🗆 🏻	B 77.7	GREEMENT :	1. 1	
b. TYPE OF WELL			SI	NGLE X	MULTIPL	. □ §		R LEASE NA	LMB or all	
WELL	WELL X OTHER		20	KE LA	ZONE	<u> </u>	Ha1e	<u> </u>		
NAME OF OPERATOR	Gas Company					ž	9. WELL			
ADDRESS OF OPERATO						ř	#3-A		<u>ଅଟନ୍</u>	
P O Drawe	r 570. Farmingto	n, New Mexi	.co 8	37401					OR WILDCAT	
	(Report location clearly and		th any 8	tate requireme	nts.*)	ģ.	11. SBC., 2	O Mesa	BLK.	
1800' FNL & 1150' FWL					976	AND SURVEY OR ARMA				
At proposed prod. z	sone					bei	Section 34-31N-8W			
A DISTANCE IN MILE	S AND DIRECTION FROM NEA	REST TOWN OR POS	T OFFICE	•		- 5	12. COUNT	Y OR PARIS	H -13. STATE	
T. DISTANCE IN MIDE						<u> </u>		Juan =	New Mexic	
5. DISTANCE FROM PRO	OPOSED*		16. NO	. OF ACRES IN	LEASE		OF ACRES AS	-	272	
LOCATION TO NEAR PROPERTY OR LEAS (Also to nearest d	EST E LINE, FT. irlg. unit line, if any)			320		-	<u> </u>	320	<u> </u>	
O DIGMANCE PROM PE	ROPOSED LOCATION* , DRILLING, COMPLETED,		19. PE	OPOSED DEPTH		20. ROZ	ARY OR CABL	1	Tools	
OR APPLIED FOR, ON	THIS LEASE, FT.		<u> </u>	5670'		Rotary Tools 22: APPEOX. DATE WORK WILL START*				
	whether DF, RT, GR, etc.)							· 호 : :		
6234 GR		PROPOSED CASI	270 4 277	OPMENTIN	G PROGRA	M = =		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
3.		PROPOSED CASI	NG ANI			1 1 1	OTAN	TITY OF CEM	ENT	
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER I	POOT	SETTING		Cino	ulate	200		
12-1/4''	9-5/8"	32.30#		ļ	<u>300' </u>		Sacks			
8-3/4'' 6-1/4''	4-1/2"	10.50#		3450'-			Sacks			
6-1/4	1-1/2"	2.90#		B .	5620'	184.0		15 0 5 15 0 0	war :	
	1 1/ -					10 to		ن چنا اواز		
PROPOSE TO:							是起	NESSIII	. ĈOM	
			- /011	a		ئ قىسىنىڭ			Tosarface	
	Drill 12-1/4" Drill 8-3/4" He	Hole. Set 9	-5/8'' Coci	Casing A	AT 300' 50' Ce	. GIIQ Ment W	vith 250	Sacks	To dilace.	
	Drill 8-3/4" He	ole. Set /"	cası	ng At 33. telv 567:	01.	mene į				
	Run 4-1/2" Lin	er From 3450	O' To	5670'.	Cement	With 3	00 Sacl	ເ ຣ ຼີ ຊື່ປຸ		
	Perforate & San	nd Water Fr	ac Me	saverde	Formati	on. 🖟	5.23		. # # # # # # # # # # # # # # # # # # #	
	Run 1-1/2" Tub	ing To 5620	١.				-			
	Install Well H	ead.					On t		5 2 5	
							်က် ပြီး	4 - 1975	X 2 2	
							3 = 5			
							1. E 20	54.00m.		
	RIBE PROPOSED PROGRAM:	f proposal is to de	epen or	plug back, giv	e data on j	present pr	oductive won	e and prop	osed new productiv	
zone. If proposal is	to drill or deepen direction	onally, give pertine	nt data	on subsurface	locations a	nd measu	red and true	A6LTICS! TO	ibtur: : Give prower	
preventer program, if	f any.								128	
Q'a	. Mal	more,		District	Superi	intend	ent b	Oct	ober 22, 19	
SIGNED Y		THE CO	CITLE							
(This space for	Federal or State office use)									
PERMIT NO.				APPROVAL DA	TE		<u>이 및 조정</u> 도 67 위기			
PREMIL NO.									F 10 10 10 10 10 10 10 10 10 10 10 10 10	
APPROVED BY			TITLE					ATR		
CONDITIONS OF AP	PROVAL, IF ANY:							a di qi		
alin							ar E	15 15	<u> </u>	
uncar		*Saa laa	truction	s On Revei	se Side					

NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

Effective 1-1-65 All distances must be from the outer boundaries of the Section. Well No. Operator #3-A Aztec Oil & Gas Company Hale County Township Range Unit Letter Section 8w San Juan 31N Actual Footage Location of Well: 1150 line and feet from the North feet from the Dedicated Acreage: Producing Formation Pool Ground Level Elev. 320 Blanco Acres Mesa Verde 6234 1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. 2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interests of managers been consolidated by communitization, unitization, force-pooling. etc? If answer is "yes," type of consolidation _ Yes □ No OCT 28 1975 If answer is "no," list the owners and tract descriptions which have actually been consilidated. (Use reverse side of OIL CON. COM this form if necessary.). No allowable will be assigned to the well until all interests have been consolidated (by communication, untization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission. **CERTIFICATION** I hereby certify that the information contained herein is true and complete to the of my knowledge and belief. Joe C. Salmon District Superintendent 11501 Company Aztec Oil & Gas Company October 22, 1975 Sec 34 I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed October 10, Registered Professional Engine Fred B. Ke

1320 1650 1980 2310 2640

660

2000

1500

Certificate No

AZTEC OIL & GAS COMDANY

P.O. DRAWER 570 FARMINGTON, NEW MEXICO 87401

October 22, 1975

United States Geological Survey P. O. Box 959 Farmington, New Mexico

Attention: Mr. P. T. McGrath

Dear Sir:

Enclosed please find map showing existing roads and planned access roads to Aztec Oil & Gas Company's Hale #3-A well. The locations of tank batteries and flow lines will be on location with well.

There will be no camps or air strips.

Also enclosed is location layout showing approximate location of rig, pits and pipe rights.


Water supply will be San Juan River


In the event of a dry hole, location will be graded and reseeded according to Bureau of Land Management standards.

Juc. C. Salmon

District Superintendent

JCS/dg





LOCATION LAYOUT



AZTEC OIL & GAS COMPANY

P.O. DRAWER 570
FARMINGTON, NEW MEXICO 87401

October 22, 1975

United States Geological Survey P. O. Box 959 Farmington, New Mexico

Attention: Mr. P. T. McGrath

RE: Blowout Preventer Plan

Dear Sir:

All drilling and completion wells will be equipped with 8" Shaffer LWP double hydraulic blowout preventers and a 2000 "C" Payne Hydraulic closing unit with steel line.

The preventer is 3000# working pressure and 6000# test.

All crews will be thoroughly trained in the operation of this preventer. The preventer will be tested at the beginning of every tower change to insure proper operation.

Joe C. Salmon

District Superintendent

JCS/dg