Form 3160-5 (June 1990)

Conditions of approval, if any:

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

BUKEAU OF LA	AND MANAGEMENT	J J = -	08013	2
OUNERY NOTICES A	AND DEDODTS ON WELLS	5. Lease Designatio		
SUNDRY NOTICES A	AND REPORTS ON WELLS		ISEC743	}
Do not use this form for proposals to drill Use "APPLICATION FOR	l or to deepen or reentry to a different reservoir. R PERMIT - " for such proposals	6. If Indian, Allottee	or Tribe Name	
	•	7. If Unit or CA, A	greement Design	nation
. Type of Well		8. Well Name and	No.	
Well Other	Attention:	Florance	:/S/#7A	
2. Name of Operator	Kelly Stearns	9. API Well No.		
Amoco Production Company 3. Address and Telephone No.	TO T		30045221	122
P.O. Box 800, Denver, Colorado 80201	(303) 830-4457	10. Field and Pool		
4. Location of Weil (Footage, Sec., T., R., M., or Survey Descrip	ation}	Ba 11. County or Per	isin Fruitlan	d Coal
1500 5NI 1500'5NI	Sec. 23 T 30N R 9W	71. 550, 5, 15	*,	
1750' FNL 1590'FWL	Sec. 20 1 001 11 0	San .	Juan	New Mexico
CHECK APPROPRIATE BOX	X(s) TO INDICATE NATURE OF NOTICE	, REPORT, OR	OTHER DA	ATA
TYPE OF SUBMISSION	TYPE OF ACTIO	N		
		[-]		
5.7	Abandonment	Change of Plans		
Notice of Intent	Recompletion	New Construction Non-Routine Fractu	rina	
	Plugging Back Casing Repair	Water Shut-Off		
Subsequent Report	Altering Casing	Conversion to Injec	stion	
Final Abandonment Notice	Other	Dispose Water		
	(Note: Recom	Report results of multiple pletion Report and Log fo	completion on V irm.)	Vell Completion or
Amoco Production Company intends	Il pertinent details, and give pertinent dates, including estimated date of st stored markers and zones pertinent to this work.)* to convert this well to an injection well. colication for Authorization to Inject is attached. AUG1: 61993; CIL CON.		10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -	W78 2A13033
14. I hereby certify that the foregoing is true and correct Signed KLLLY Attama	Title Busines:	s Analyst	0ete _ FOR RE	07-30-1993
(This space for Federal or State office use)				
A and her	Title	ATTC	I 1º " 1993	
Approved by		DUA	T 2: 1000	

OIL CONSERVATION DIVISION PO BOX 2088 SANTA FE, NM 87504-2088

FORM C-108 Revised 7-1-81

APPLICATION FOR AUTHORIZATION TO INJECT


	APPLICATION FOR AUTHORIZATION TO INTECT
I.	PURPOSE: X Secondary Recovery Pressure Maintenance Disposal Storage Application qualifies for administrative approval? Yes X No
П.	OPERATOR: Amoco Production Company
	ADDRESS: P.O. Box 800, Denver, CO 80201
	CONTACT PARTY: J. W. Hawkins PHONE: (303) 830-5072
III.	WELL DATA: Complete the data required on the reverse side of this form for each well processed for injection. Additional sheets may be attached if necessary.
IV.	Is this an expansion of an existing project: Yes X No If yes, give the Division order number authorizing the project
٧.	Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review.
VI.	Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail.
VII.	Attach data on the proposed operation, including:
	 Proposed average and maximum daily rate and volume of fluids to be injected; Whether the system is open or closed; Proposed average and maximum injection pressure; Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.). Attach appropriate geological data on the injection zone including appropriate lithologic detail, geological name, thickness
*VIII.	Attach appropriate geological data on the injection zone including appropriate lithologic death, geological data on the injection zone including appropriate lithologic death, geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing and depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/1 or less) overlying the proposed injection zone as well as any such sources known to be immediately underlying the injection interval.
IX.	Describe the proposed stimulation program, if any.
* X	Attach appropriate logging and test data on the well. (If well logs have been filed with the Division, they need not be resubmitted.)
* X1	of any injection or disposal well snowing location of wells and asset in
XII	Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground source of drinking water.
XIII	. Applicants must complete the "Proof of Notice" section on the reverse side of this form.
VIX	Continuation: I hereby certify that the information submitted with this application is true and correct to the best of my
	NAME: J. W. Hawkins / TITLE: Sr. Petroleum Engl. Assoc.
	knowledge and belief. NAME: J. W. Hawkins TITLE: Sr. Petroleum Engr. Assoc. SIGNATURE: DATE: 3/12/93 SIGNATURE: DATE: 3/12/93
*	If the information required under Sections VI, VIII, X, and XI above has been previously submitted, it need not be resubmitted. Please show the date and circumstance of the earlier submittal.
	Todadimin 19 17 10 11 11 11 11 11 11 11 11 11 11 11 11

FLORANCE GAS COM /S/ #7A CO2 INJECTION WELL Sec. 23, T30N-R09W

- III. See attachment III, Injection Well Data Sheet.
 - V. 1. 1 IN. = 4000 FT. 25 section plat, with one-half mile radius circle.
 - 2. 1 IN. = 2000 FT. 9 section plat, with one half mile radius circle.
 - VI. See attachment VI, Well Tabulations. Amoco Production Company operates twelve wells within a one-half mile radius of the subject well.
- VII. The proposed operation is to inject CO2 into the Fruitland Coal formation and to monitor production and pressure response. Data on the proposed operation is as follows:
 - Average daily injection rate 2.4 MMCFD. Maximum daily injection rate 3.0 MMCFD.
 - 2. Closed system.
 - Average injection pressure 1000 psi. Maximum injection pressure 2000 psi.
 - 4. The injection fluid is primarily CO2. The source of the injection fluid is a Cynara membrane unit located in the NE/4 of Sec. 27, T30N-R9W, at the Horse Canyon gas gathering system CPD. The injection fluid is the permeate from the membrane unit which is currently vented to atmosphere. The expected composition is approximately 80% atmosphere. A compositional analysis will be CO2 and 20% methane. A compositional analysis will be provided prior to initiating operations. The injection fluid is compatible with the Fruitland Coal formation.
- VIII. The injection zone is the Basin Fruitland Coal Gas Pool. It is comprised of eight coalbed seams interspersed with sand and shale stringers. The Fruitland coal with sand is approximately 250 feet gross thickness, with interval is approximately 250 feet gross thickness, with 50 feet net coal. Individual seams range from 2 to 13 feet in thickness. The gross interval is found at 2522' feet in the proposed injection well. The to 2752' in the proposed injection well. The underground sources of drinking water in the area are the Alluvium, Nacimiento, and Ojo Alamo formations, all above 1400'.

- IX. The Fruitland Coal formation was completed in the subject well in 1984 by perforating from 2567' to 2752', and water fracing with 124,000 pounds of 20/40 sand and 99,000 gallons foam. No additional stimulation is anticipated at this time.
 - X. All well logs are currently on file with the Division.
- XI. A search of state records with the State Engineers office did not reveal any fresh water wells within a one mile radius of the subject well.
- XII. I hereby certify that I have examined available geologic and engineering data and can find no evidence of connection between the injection zone and underground drinking water sources.
- XIII. See attachment XIII, Proof of Notice.

		CTION WELL DATA S		
7A WEEL NO. T	TION COMPANY FLO 1750' FNL, 1590' FW UUTAGE LUCATION NTY, NEW MEXICO	RANCE GC /S/ LAST L 23 SECTION	30 NORTH 9 1	WEST NUL
Schemati			Tabular Data	
A	9.625" CSG @ 251'	Surface Casing Size 9 5/8" TOC SURFACE: Hole size 12 1/4	" Cemented with	ZOO 3ו RCULATION .
(R @	TOP 4.5"	Intermediate Casing Size .7 TOC 890 Hole size 8.3/	" Cemented with rect determined by	300 9×.
386	LINER @ . 2895' 7" CSG @ 3113'	Edniffstring Size 4 1/2 10C 2895 Hole size 6 3 Intal depth 53 Injection interval	Cemanted with feet determined byC	2759%. IRCULATION
•	2.375" TBG			
	@ 5180' BOT 4.5" L1 @ 5375'		,	
	0 2/0"	tood with TUBOSCOPE	_TK77	set in a
BAKER 4 (bra	7C2 "T2" DSR and and model) any other cosing-to	bing scal).	TX77 (material) ker at2400	
 Name of 1s this no, 	Field or Pool (if a a new well drilled for what purpose was	pplicable) <u>BASIN FRI</u> for injection? <u>/</u> / Y the well originally, d	rilled/ ribsit/s.	DUCTION
tn hna	AG LITOHATINA aa.	orated in ony other to macks of coment or bridge 182'	ono(s)? List all such pe dge plug(s) used) <u>MESAV</u>	rforoted interv ERDE PERFS:
***			or underlying oil or gas	



AMOCO PRODUCTION COMPANY FLORANCE GC /S/ SEC. PLAT 4,000 FT. MAR 8, IN. =

.7FB---RUN=93067190702

JOB-PY342602