

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE\*  
(Other instructions on re-  
verse side)

Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM-28760

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

LITTLE FEDERAL

9. WELL NO.

5

10. FIELD AND POOL, OR WILDCAT

Undesignated Pictured

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Cliffs  
Sec. 12-T30N-R14W

N.M.P.M.

12. COUNTY OR PARISH 13. STATE

San Juan

New Mex.

1.

OIL WELL ☐ GAS WELL ☒ OTHER

2. NAME OF OPERATOR

ODESSA NATURAL CORPORATION

3. ADDRESS OF OPERATOR

P. O. Box 3908, Odessa, Texas 79760

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)  
At surface

940'FNL, 790'FWL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

5899'GR, 5909'DF, 5910'KB

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON\*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT\*

(Other)

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Total Depth - 1850', PB&D - 1766'  
4½", 10.50, J-55 casing set at 1803', cemented to surface  
Formation tops; Ojo Alamo - 613', Kirtland - 782', Fruitland-  
1222', Pictured Cliffs - 1634'

Perforations: 1336'-1352'; 1370'-1390'; 1470'-1484' &  
1556'-1570'

It is proposed to plug this well in the following manner:

1. 4½" casing will not be pulled from well.
  2. Set 8 sack cement plug 1580'-1680'
  3. Set 25 sack cement plug 1175'-1500'
  4. Set 22 sack cement plug 550'-830'
  5. Set 10 sack surface plug with dry hole marker
- Cleanup and reseed location.

For: Odessa Natural Corporation

18. I hereby certify that the foregoing is true and correct

President, Walsh Engineering

SIGNED

EWELL N. WALSH, P. E.

TITLE & Production Corp.

DATE 8/6/79

(This space for Federal or State office use)

APPROVED BY

TITLE

CONDITIONS OF APPROVAL, IF ANY:

DATE

\*See Instructions on Reverse Side

NMOC