District I District II 2 O. Drawer DD, Artena, NM 88211 District III 1000 Rio Brazos Rd, Azzec, NM 87410 NO <-134

State of New Mexico P O Box 1980. Hobbs, NM Energy, Minerals and Natural Resources Department

SUBMIT 1 COPY TO APPROPRIATE

OIL CONSERVATION DIVISION

P.O. Box 2088 DEPUTY OIL & GAS INSPECTOR A FE OFFICE

Santa Fe, New Mexico 37504-2088 SEPILI 1995

PIT REMEDIATION AND CLOSURE REPORT

		- Party Port al		
		Blackudod		
Operator: Wi	lliams Field Services	and Wichols Telephone: 801-584-699	9	
Address: 295	Chipeta Way Salt	Lake City, UT 84158		
Facility Or: NE BLANCO UNIT #65 Well Name				
Location: Unit or Qtr/Qtr Sec NW NE Sec II T32N R 7W County SAN JUAN				
Pit Type: Separator Dehydrator X Other				
Land Type: BLM, State, Fee, Other DWAINE + JoY W. KIRK				
Pit Location: (Attach diagram)	Pit dimensions: leng	gth 17', width 17', depth 3	í	
	Footage from reference	ce:60		
	Direction from refere	ence: <u>lo</u> Degrees <u>x</u> East North ;	~	
		of		
		West South _		
Depth To Ground Water: (Vertical distance from		Less than 50 feet (20 points) 50 feet to 99 feet (10 points)		
contaminants to seasonal high water elevation of		Greater than 100 feet (0 Points)	10	
ground water)		DECENTED		
Wellhead Protection Area: (Less than 200 feet from a private		SEP 1 3 1384 11/1		
		Yes (20 points)	0	
domestic water source, or; less than 1000 feet from all other water sources)		OIL COM. DIV.		
Taylor of the second se				
Distance To Surface Water:		Less than 200 feet (20 points)		
(Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)		200 feet to 1000 feet (10 points) Greater than 1000 feet (0 points)	0	
,	,	RANKING SCORE (TOTAL POINTS):	_10	
				

Date Remediation St	carted:	Dated Completed:		
Remediation Method: (Check all appropriate	Excavation			
sections)	Landfarmed			
	Other			
Remediation Location: Onsite Offsite (ie. landfarmed onsite,				
name and location of offsite facility)				
General Description	Of Remedial A	ction:		
Site Assessment in accordance with OCD and BLM guidance document.				
				
Ground Water Encountered: No X Yes Depth				
Final Pit: Closure Sampling: (if multiple samples,	Sample location	On Standard Triangle from pit floor.		
attach sample results and diagram of sample	Sample depth	3'		
locations and depths)	Sample date	7-13-94 Sample time 1005		
	Sample Results			
	Benzene(r	pm)		
Total BTEX(ppm)		EX(ppm)		
Field headspace(ppm)				
	TPH			
Ground Water Sample:	YesN	to $\underline{\chi}$ (If yes, attach sample results)		
I HEREBY CERTIFY THA OF MY KNOWLEDGE AND	T THE INFORMAT BELIEF	ION ABOVE IS TRUE AND COMPLETE TO THE BEST		
DATE 9-6-94 1				
SIGNATURE 7 1 Sauce	PRIN AND	TED NAME TITLE Lee Bauerle, Environmental Spoc		



ORGANIC ANALYSIS REPORT

WEST Client: Mile High Environmental ANALYTICAL Date Sampled: July 13, 1994

LABORATORIES Date Received: July 21, 1994

Set Description: Fifty-Five Solid Samples

Set Identification #: 19194 Contact: Mark Harvey

Received By: Elona Hayward

Analysis Requested:

Total Recoverable Petroleum

Hydrocarbons

Method Ref. Number:

EPA 418.1 (Extraction

Infrared Absorption)

Date Extracted:

July 28, 1994

Salt Lake City, Utah 19194-15

463 West 3600 South Lab Sample ID. Number:

Field Sample ID. Number:

Vulnerable Area Pits (IGF)

NEBU #65 85013

Date Analyzed: July 29, 1994

Allison #22 80541Analytical ResultsTotal Recoverable Petroleum Hydrocarbons Units = mg/kg (ppm)

(801) 263-8686

Fax (801) 263-8687

Detection Amount Compound: Limit: Detected:

Total Recoverable Petroleum Hydrocarbons 5.0 14.

< Value = None detected above the specified method detection limit, or a value that reflects a reasonable limit due to interferences.

Report Date 8/4/94

1 of 1