

WILSON

FORM 432-2

SERVICE COMPANY

TEMPERATURE SURVEY

COMPANY.....El Paso Natural Gas Co.....

WELL.....6-A.....LEASE.....Blanco Com A.....

COUNTY.....Rio Arriba.....STATE.....New Mexico.....

SEC.....7-36.....TWP.....30N.....RGE.....10.....

APPROX. TOP CEMENT.....1025'.....

Survey Begins at.....500'.....Ft. Ends at.....3069'.....Ft.

Approx. Fill-Up.....Max. Temp.....

Log Measured From.....KB.....Run No.....1.....

Casing Size	Casing Depth	Diam of Hole	Depth
7" from	to	8 3/4" from	to
from	to	from	to

Date of Cementing.....8/1/78.....Time.....10:30 AM.....

Date of Survey.....8/1/78.....Time.....6:30 PM.....

Amount of Cement.....218 Scks 65/35 w/6% Gel 2% Ca.Cl. + 100 Scks.....


.....Class B Neat w/2% Ca.Cl.....

Recorded by.....Hunter.....Witnessed by.....

REMARKS OR OTHER DATA

Insert Valve @ 3103'.....

TEMPERATURE IN DEGREES FAHRENHEIT



WILSON

SERVICE COMPANY

FORM 432-2

TEMPERATURE SURVEY

COMPANY.....El Paso Natural Gas Co.
WELL.....6-A.....LEASE.....Blanco Com A
COUNTY.....Rio Arriba.....STATE.....New Mexico
SEC.....TWP.....RGE.....

APPROX. TOP CEMENT.....1025'

Survey Begins at 500'.....Ft. Ends at 3069'.....Ft.
Approx. Fill-Up.....Max. Temp.....
Log Measured From KB.....Run No. 1

Casing Size	Casing Depth	Diam of Hole	Depth
7" from	to	8 3/4" from	to
from	to	from	to

Date of Cementing 8/1/78.....Time 10:30 AM

Date of Survey 8/1/78.....Time 6:30 PM


Amount of Cement 218 Scks 65/35 w/6% Gel 2% Ca.Cl. + 100 Scks
Class B Neat w/2% Ca.Cl.

Recorded by Hunter.....Witnessed by.....

REMARKS OR OTHER DATA

Insert Valve @ 3103'.

TEMPERATURE IN DEGREES FAHRENHEIT



700'

900'

1000'

Anomaly 1023'

1100'

1200'

1300'

1400'

1500'

1600'

1700'

