

*Denny E. Fort*  
DEPUTY OIL & GAS INSPECTOR

DEC 22 1997

*Approval*

Meter Number: 90814

Location Name: SCHUMACHER COM #1A

Location: TN-30 RG-10

SC-18 UL-D

4 - Fee

NMOCD Zone: OUTSIDE

Hazard Ranking Score: 00

RECEIVED  
APR 14 1997

OIL CON. DIV.  
DIST. 3

**RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS  
LOCATED OUTSIDE OF THE VULNERABLE ZONE  
IN THE SAN JUAN BASIN**

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

Sandstone	$10^{-9}$ to $10^{-13}$ cm/sec
Shale	$10^{-12}$ to $10^{-16}$ cm/sec
Clay	$10^{-12}$ to $10^{-15}$ cm/sec

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.

# FIELD PIT SITE ASSESSMENT FORM


**EPFS**  
EL PASO FIELD SERVICES

GENERAL	Well # <u>1A</u> cnc 8/19/94 Meter: <u>90-84</u> Location: <u>Schumacher com. 94-000733</u> Operator #: <u>0263</u> Operator Name: <u>Texaco</u> P/L District: <u>Aztec</u> Coordinates: Letter: <u>D</u> Section <u>18</u> Township: <u>30</u> Range: <u>10</u> Or Latitude _____ Longitude _____ Pit Type: Dehydrator _____ Location Drip: <u>X</u> Line Drip: _____ Other: _____ Site Assessment Date: <u>8/16/94</u> Area: <u>04</u> Run: <u>33</u>	
SITE ASSESSMENT	NMOCD Zone: (From NMOCD Maps) Inside <input type="checkbox"/> (1) Outside <input checked="" type="checkbox"/> (2) Land Type: BLM <input type="checkbox"/> (1) State <input type="checkbox"/> (2) Fee <input checked="" type="checkbox"/> (3) Indian _____ Depth to Groundwater Less Than 50 Feet (20 points) <input type="checkbox"/> (1) 50 Ft to 99 Ft (10 points) <input type="checkbox"/> (2) Greater Than 100 Ft (0 points) <input checked="" type="checkbox"/> (3) Wellhead Protection Area : Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction? , or ; Is it less than 200 ft from a private domestic water source? <input type="checkbox"/> (1) YES (20 points) <input checked="" type="checkbox"/> (2) NO (0 points) Horizontal Distance to Surface Water Body Less Than 200 Ft (20 points) <input type="checkbox"/> (1) 200 Ft to 1000 Ft (10 points) <input type="checkbox"/> (2) Greater Than 1000 Ft (0 points) <input checked="" type="checkbox"/> (3) Name of Surface Water Body <u>Hampton Arroyo</u> (Surface Water Body : Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds) Distance to Nearest Ephemeral Stream <input type="checkbox"/> (1) < 100' (Navajo Pits Only) <input type="checkbox"/> (2) > 100' TOTAL HAZARD RANKING SCORE: <u>0</u> POINTS	
REMARKS	Remarks : <u>Redline Book - Outside Vulnerable Zone Type - Outside</u> <u>Five pits, location drip pit is dry, will close one pit.</u> <div style="text-align: right;"><u>PUSH IN</u></div>	

## ORIGINAL PIT LOCATION

## ORIGINAL PIT LOCATION

Original Pit : a) Degrees from North 43° Footage from Wellhead 129'  
b) Length : 26' Width : 26' Depth : 3'



## REMARKS

## Remarks :

Pictures @ 1603 (5-8, Roll 2)  
Dump Truck

Completed By:

Sarah Kelly  
Signature

8/16/94  
Date

# FIELD PIT REMEDIATION/CLOSURE FORM

GENERAL

Meter: 90814 Location: Schumacher com well #14

Coordinates: Letter: D Section 18 Township: 30 Range: 10

Or Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Date Started : 9-29-94 Run: 04 33

FIELD OBSERVATIONS

Sample Number(s): KP 268

Sample Depth: 6' Feet

Final PID Reading 381 PID Reading Depth 6' Feet

Yes No

Groundwater Encountered ☐ ☒ Approximate Depth \_\_\_\_\_ Feet

CLOSURE

Remediation Method :

Excavation ☐ Approx. Cubic Yards \_\_\_\_\_

Onsite Bioremediation ☐

Backfill Pit Without Excavation ☒

Soil Disposition:

Envirotech ☐ Tierra ☐

Other Facility ☐ Name: \_\_\_\_\_

Pit Closure Date: 9-29-94 Pit Closed By: B.E.I

REMARKS

Remarks : NO LINE MARKERS. AT 6' HIT SAND STONE.

Signature of Specialist: Kelly Padilla



FIELD SERVICES LABORATORY  
ANALYTICAL REPORT

PIT CLOSURE PROJECT - Soil Samples Outside the GWV Zone

SAMPLE IDENTIFICATION

	Field ID	Lab ID
SAMPLE NUMBER:	KP 268	946278
MTR CODE   SITE NAME:	90814	N/A
SAMPLE DATE   TIME (Hrs):	9-29-94	1135
SAMPLED BY:	N/A	
DATE OF TPH EXT.   ANAL.:	10-3-94	
DATE OF BTEX EXT.   ANAL.:	N/A	N/A
TYPE   DESCRIPTION:	VG	gray coarse sand

REMARKS:

RESULTS

PARAMETER	RESULT	UNITS	QUALIFIERS			
			DF	Q	M(g)	V(ml)
TPH (418.1)	118	MG/KG			2.01	28
HEADSPACE PID	381	PPM				
PERCENT SOLIDS	91.5	%				

-- TPH is by EPA Method 418.1 --

Narrative:

DF = Dilution Factor Used

Approved By:

Date:

10/6/94

\*\*\*\*\*  
 Test Method for  
 Oil and Grease and Petroleum Hydrocarbons  
 in Water and Soil  
 Perkin-Elmer Model 1600 FT-IR  
 Analysis Report  
 \*\*\*\*\*

04/10/03 15:57

Sample identification  
 046278

Initial mass of sample, g  
 1.010

Volume of sample after extraction, ml  
 15.000

Petroleum hydrocarbons, ppm  
 17.005

Net abundance of hydrocarbons (EPCO m-1)  
 124

