

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease
State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.
E-5167

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator TEXACO Inc. Attention: G. L. Eaton	8. Farm or Lease Name Wayne Moore Com.
3. Address of Operator P. O. Box 2100, Denver, Colorado 80201	9. Well No. 1A
4. Location of Well UNIT LETTER P , 790 FEET FROM THE South LINE AND 790 FEET FROM THE East LINE, SECTION 16 TOWNSHIP 31N RANGE 9W N.M.P.M.	10. Field and Pool, or Wildcat Blanco Mesaverde
15. Elevation (Show whether DF, RT, GR, etc.) 6303' GR 6319' KB	12. County San Juan

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:


REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input checked="" type="checkbox"/> Run Liner

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

4-5-80:

Ran 36 joints (1108') of 3-1/2" OD 9.2# Seal-lock Tubing, set at 5901' KB. TRL hanger set at 4793' KB. Pumped 20 bbl KCl water at 5 BPM at 700 psig, 21 bbl of 50-50 pozmix Class B, 2% gel, .6% HALAD #9, 6 1/4% gilsonite, 1/4% flo-seal, 5 BPM at 700 psig. Dropped dart, 1200# kick followed with 22 bbl water. Went on vacuum, then stopped. Plug down at 12:30 AM, 4-5-80.

Pressured casing and liner hanger to 3550 psig, held ok.



18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED SIGNED: G. L. EATON TITLE District Superintendent DATE 4-14-80

APPROVED BY Original Signed by FRANK J. CHAVEZ TITLE SUPERVISOR DISTRICT # 3 DATE APR 17 1980

CONDITIONS OF APPROVAL, IF ANY:

OGCC(3) GLE ARM CCPC NWPC WM